

1  
2  
3  
  
4  
5  
6  
7  
8

**Mathematics Framework**  
**Chapter Six: Mathematics: Investigating and**  
**Connecting, Transitional Kindergarten through Grade**  
**Five**

9	Mathematics Framework Chapter Six: Mathematics: Investigating and Connecting,	
10	Transitional Kindergarten through Grade Five .....	1
11	Introduction .....	3
12	Investigating and Connecting Mathematics .....	3
13	Teaching the Big Ideas .....	9
14	Designing Instruction to Investigate and Connect the <i>Why, How, and What</i> of Math	
15	.....	10
16	Investigating and Connecting, Transitional Kindergarten Through Grade Two.....	18
17	Content Connections Across the Big Ideas, Transitional Kindergarten Through	
18	Grade Two.....	19
19	The Big Ideas, Transitional Kindergarten Through Grade Two .....	40
20	Investigating and Connecting, Grades Three Through Five .....	49
21	Content Connections Across the Big Ideas, Grades Three Through Five .....	51
22	Content Connections, Grades Three Through Five .....	53
23	The Big Ideas, Grades Three Through Five.....	116
24	Transition from Transitional Kindergarten Through Grade Five to Grades Six Through	
25	Eight .....	124
26	How Does Learning in Transitional Kindergarten Through Grade Five Lead to	
27	Success in Grades Six Through Eight When Students Reason with Data? .....	124
28	How Does Learning in Transitional Kindergarten Through Grade Five Lead to	
29	Success in Grades Six Through Eight When Students Are Exploring Changing	
30	Quantities? .....	124
31	How Does Learning in Transitional Kindergarten Through Grade Five Lead to	
32	Success in Grades Six Through Eight When Students Are Taking Numbers Apart,	
33	Putting Parts Together, Representing Thinking, and Using Strategies?.....	125
34	How Does Learning in Transitional Kindergarten Through Grade Five Lead to	
35	Success in Grades Six Through Eight When Students Are Discovering Shape and	
36	Space?.....	126
37	Conclusion .....	126
38	Long Descriptions for Chapter Six .....	127

## 39 **Introduction**

40 Focused on transitional kindergarten through grade five (TK–5), this chapter is the first  
41 of three (chapters six, seven, and eight) that discuss how this framework’s approach to  
42 mathematics instruction unfolds throughout elementary, middle, and high school. The  
43 framework envisions mathematics in transitional kindergarten through grade five as a  
44 vibrant, interactive, student-centered endeavor of investigating and connecting the big  
45 ideas of mathematics. From transitional kindergarten through fifth grade, children  
46 experience enormous growth in maturity, reasoning, and conceptual understanding.  
47 They develop an understanding of such concepts as place value, arithmetic operations,  
48 fractions, geometric shapes and properties, and measurement. Students who have  
49 gained an understanding of math taught in the elementary grades and enter sixth grade  
50 viewing themselves as mathematically capable are positioned for success in middle  
51 school and beyond.

52 Looking separately at transitional kindergarten through grade two and grades three  
53 through five, this chapter examines in depth how teachers can organize early-grade  
54 instruction around the Content Connections, which connect the mathematical big ideas.  
55 Teachers use meaningful math activities that nourish students’ curiosity and develop  
56 their reasoning skills, at the same time connecting math content and mathematical  
57 practices within and across grade levels.

## 58 **Investigating and Connecting Mathematics**

59 The goal of the California Common Core State Standards for Mathematics (CA  
60 CCSSM) is for students at every grade level to make sense of mathematics. To achieve  
61 that goal, the framework recommends that teachers take a “big ideas” approach to math  
62 instruction (see full discussion in chapter one). It encourages teachers to think about  
63 math as a series of big ideas that enfold clusters of standards and that connect  
64 concepts. And it encourages them to teach these ideas in multidimensional ways that  
65 meet the broad range of student learning needs. Starting in transitional kindergarten  
66 through grade five, teachers organize and design instruction in the spirit of investigating  
67 the big ideas and connecting both content and mathematical practices within and across

68 grade levels and mathematical domains. This approach emphasizes students' active  
69 engagement in the learning process, offering frequent opportunities for students to  
70 engage with one another in connecting the big ideas.

71 Mathematical investigations promote understanding (Sfard, 2007), language for  
72 communicating about mathematics (Moschkovich, 1999), and mathematical identities  
73 (Langer-Osuna and Esmonde, 2017). Teachers create a supportive climate for  
74 investigations by providing frequent opportunities for mathematical discourse—that is,  
75 opportunities to construct mathematical arguments and attend to, make sense of, and  
76 respond to the mathematical ideas of others. Throughout, teachers also attend to  
77 equitably involving and engaging all students.

78 *Ensuring frequent opportunities for mathematical discourse.* Mathematical discourse  
79 can center student thinking through such tasks as offering, explaining, and justifying  
80 mathematical ideas and strategies. Discourse includes communicating about  
81 mathematics with words, gestures, drawings, manipulatives, representations, symbols,  
82 and other helpful learning tools. In the early grades, for example, students might explore  
83 geometric shapes, investigate ways to compose and decompose them, and reason with  
84 peers about attributes of objects. Teachers' orchestration of mathematical discussions  
85 (see Stein and Smith, 2018) involves modeling mathematical thinking and  
86 communication, noticing and naming students' mathematical strategies, and orienting  
87 students to one another's ideas.

88 Opportunities for mathematical discourse can emerge throughout the school day, even  
89 for the youngest learners. When pencils are needed at each table of students, the  
90 teacher can ask, how many at each table? What is the total number of pencils needed?  
91 When more milk cartons are needed from the cafeteria, the teacher asks, how many  
92 more? Other questions arise along the way. How many minutes until lunch time? How  
93 can you tell? How many more cotton balls are needed for this activity? How do you  
94 know? Solving these and other problems in classroom conversation allows children to  
95 see how mathematics is an indelible aspect of daily living.

96 As young students participate in mathematical discussions, they begin to develop their

97 mathematical communication skills. Prompted by further questions—“How did you get  
98 that?” “Why is that true?”—they explain their thinking to others and respond to others’  
99 thinking. Teachers can also help students adopt and use such questions as learning  
100 tools. For example, teachers can post sentence frames or charts on the wall. Especially  
101 if they reflect work generated by the class, such language support tools help build  
102 activities that support students’ long-term engagement with mathematics. The tools are  
103 effective for all students and especially important for those who are English learners.

104 Other math discourse prompts include activities such as Compare and Connect  
105 (Kazemi and Hintz, 2014). Students compare two mathematical representations (e.g.,  
106 place value blocks, number lines, numerals, words, fraction blocks) or two methods  
107 (e.g., counting up by fives, going up to 30 and then coming back down three more).  
108 Teachers then might ask the following:

- 109 ● Why did these two different-looking strategies lead to the same results?
- 110 ● How do these two different-looking visuals represent the same idea?
- 111 ● Why did these two similar-looking strategies lead to different results?
- 112 ● How do these two similar-looking visuals represent different ideas?

113 Another activity, Critique, Correct, Clarify (Zweirs et al., 2017), provides students with  
114 incorrect, ambiguous, or incomplete mathematical arguments (e.g., “Two hundreds is  
115 more than 25 tens because hundreds are bigger than tens”) and asks them to practice  
116 respectfully making sense of, critiquing, and suggesting revisions together.

117 As students engage in mathematical discourse, they begin to develop the ability to  
118 reason and analyze situations as they consider questions such as, “Do you think that  
119 would happen all the time?” and, “I wonder why...?” These questions drive  
120 mathematical investigations. Students construct arguments not only with words, but also  
121 using concrete referents, such as objects, pictures, drawings, and actions. They listen to  
122 one another’s arguments, decide if the explanations make sense, and ask appropriate  
123 questions. For example, to solve  $74 - 18$ , students might use a variety of strategies to  
124 discuss and critique each other’s reasoning and strategies.

125 As students progress through the elementary and into the middle grades, authentic

126 opportunities for mathematical discourse increase and become more complex.  
127 Engaging and meaningful mathematical activities (described in chapter two) encourage  
128 students to explore and make sense of numbers, data, and space and to think  
129 mathematically about the world around them. The process of using student discourse  
130 and argumentation to drive learning is explored further in chapter four.

131 *Providing experiences with rich, open-ended activities.* Through math centers,  
132 collaborative tasks, and other rich, open-ended math experiences, young students learn  
133 ways to use appropriate tools purposefully and strategically—that is, they begin to  
134 consider available tools when solving a mathematical problem and make decisions  
135 about when certain tools might be helpful. In environments that support this, a  
136 kindergartner may decide to use available linking cubes to represent two quantities and  
137 then compare the two representations side by side—or, later, make math drawings of  
138 the quantities. In grade level two, while measuring the length of a hallway, students are  
139 able to explain why a yardstick is more appropriate to use than a ruler. Tools such as  
140 counters, place-value (base-ten) blocks, hundreds number boards, concrete geometric  
141 shapes (e.g., pattern blocks or three-dimensional solids), and virtual representations  
142 support conceptual understanding and mathematical thinking. Depending on the  
143 problem or task, students decide which tools to use, then reflect on and answer  
144 questions such as, “Why was that tool helpful?”

145 From early on, the environment should support children’s interest in looking for and  
146 making use of mathematical structure. For instance, students recognize that  $3 + 2 = 5$   
147 and  $2 + 3 = 5$ . Students use counting strategies—such as counting on, counting all, or  
148 taking away—to build fluency with facts to 5. They notice the written pattern in the “teen”  
149 numbers—that the numbers start with 1 (representing one 10) and end with the number  
150 of additional ones. While decomposing two-digit numbers, students realize that any two-  
151 digit number can be broken up into tens and ones (e.g.,  $35 = 30 + 5$ ,  $76 = 70 + 6$ ). They  
152 use structure to understand subtraction as an unknown addend problem (e.g.,  $50 - 33 =$   
153 [blank], can be written as  $33 +$  [blank]  $= 50$  and can be thought of as, “How much more  
154 do I need to add to 33 to get to 50?”).

155 Children also thrive when they have opportunities to look for regularity and repeatedly  
156 express their reasoning. In the early grades, they notice repetitive actions in counting,  
157 computations, and mathematical tasks. For example, the next number in a counting  
158 sequence is one more when counting by ones and 10 more when counting by tens (or  
159 one more group of 10). Students should be encouraged to answer questions based on,  
160 “What would happen if ...?” and “There are 8 crayons in the box. Some are red and  
161 some are blue. How many of each could there be?” Kindergarten students realize eight  
162 crayons could include four of each color ( $8 = 4 + 4$ ), 5 of one color and 3 of another ( $8 =$   
163  $5 + 3$ ), and so on. Students in first grade might add three one-digit numbers by using  
164 strategies such as “make a 10” or doubles.

165 Students recognize when and how to use strategies to solve similar problems. For  
166 example, when evaluating  $8 + 7 + 2$ , a student may say, “I know that 8 and 2 equals 10,  
167 then I add 7 to get to 17. It helps if I can make a ten out of two numbers when I start.”  
168 The process of using student discussion and argumentation to drive learning is explored  
169 further in chapter 4.

170 *Teaching for equity and engagement.* Research shows that students achieve at higher  
171 levels when they are actively engaged in the learning process (Boaler, 2016; CAST,  
172 n.d.). Educators can increase student engagement by selecting challenging  
173 mathematics problems that invite *all* learners—including English learners, students from  
174 differing cultural backgrounds, and those with learning disabilities—to engage and  
175 succeed. Such problems

- 176 ● involve multiple content areas;
- 177 ● highlight contributions of diverse cultural groups;
- 178 ● invite curiosity;
- 179 ● allow for multiple approaches, collaboration, and representations in multiple  
180 languages; and
- 181 ● carry the expectation that students will use mathematical reasoning.

182 Students who are learning English face a dual challenge in English-only settings as they  
183 endeavor to acquire mathematics content and the language of instruction

184 simultaneously. Teachers can support their progress, in part, by drawing on students'  
185 existing linguistic and communicative ability and making language resources available,  
186 particularly during small-group work. Children's ability to use their home language in  
187 these early years can ensure they are able to express their knowledge and thinking and  
188 not be limited by their level of English proficiency. Teachers can also highlight specific  
189 vocabulary as it arises in context or revoice students' mathematical contributions in  
190 more formal terms, describing how the precise mathematical meaning might differ from  
191 the common use of the same word (e.g., words like "yard," "difference," or "area").

192 All students, including those with learning differences, will benefit from these and similar  
193 attentions during whole-class, small-group/partner, or independent work periods.  
194 (Additional discussion of equity-based shifts in the teacher's role are found in chapter  
195 two.)

196 As teachers come to know their students, families, and communities well, they can  
197 increase the cultural relevance of mathematics instruction by connecting classroom  
198 mathematics to features of the community (Bartell and Flores, eds., 2014; Ferlazzo,  
199 2020). A photo of prices posted at a local store, for example, could initiate a  
200 mathematics lesson. If students' cultures have strong associations with music, dance, or  
201 other forms of artistic expression, mathematics instruction can incorporate these  
202 elements. (Chapter one provides guidance on supporting the academic growth of  
203 English learners and students with learning disabilities. Chapter two discusses in detail  
204 the value of teaching with open tasks as a means of engaging all learners at levels of  
205 challenge appropriate to them.)

206 Equitable instruction also means ensuring students' access to rich mathematics,  
207 preparing them for what they will learn in grade six and beyond. Tracking—which often  
208 manifests as early as the elementary grades—can limit current and later options for  
209 many students if it denies them access to meaningful mathematics. Research has  
210 identified successful alternatives to this kind of early tracking in mathematics, including  
211 the use of Complex Instruction for teaching heterogeneous groups in which all students  
212 grow in their understanding and achievement (Lotan and Holthuis, 2021; see also



213 Featherstone et al., 2011). Teachers can use guidance provided throughout this  
214 document to support the participation of all learners in rich mathematical activity.

215 The hypothetical vignette [Comparing Numbers and Place Value Relationships—Grade](#)  
216 [Four, Integrated English Language Development](#) reflects the research about supporting  
217 students who are English learners in mathematical activities and highlights ways that  
218 teachers can build on students' existing knowledge and support their developing  
219 understandings.

## 220 **Teaching the Big Ideas**

221 Teaching big ideas is one of the five main components of teaching for equity and  
222 engagement. This is discussed at length in chapter 2, where TK through grade five  
223 teachers will find much of value, including the vignette [Productive Partnerships](#) in which  
224 students in grade four engage in and strengthen their capacity for several mathematical  
225 practices as they are challenged by an open task of creating equations using four 4s.

226 Big ideas are central to the learning of mathematics, link numerous mathematics  
227 understandings into a coherent whole, and provide focal points for student  
228 investigations (Charles, 2005). In this framework, the big ideas are delineated by grade  
229 level and are the core content of each grade. For example, in grade one there are  
230 seven big ideas that form an organized network of connections; the ideas are  
231 *measuring with objects, clocks and time, equal expressions, reasoning about equality,*  
232 *tens and ones, make sense of data, and equal parts inside shapes.* The big ideas and  
233 their connections for each grade are diagramed in the sections below that cover  
234 transitional kindergarten through grade two and grades three through five, respectively.

235 In the classroom, teachers teach the big ideas by designing instruction around student  
236 investigations of intriguing, authentic experiences relevant to students' grade level,  
237 backgrounds, and interests. Teachers in transitional kindergarten through grade five  
238 initiate and guide explorations that engage young children and pique their curiosity. To  
239 understand mathematics, even the youngest students must be *doers* of math—the ones  
240 who do the thinking, do the explaining, and do the justifying. In this paradigm, teachers  
241 support learning by recognizing, respecting, and nurturing their students' ability to

242 develop deep mathematical understanding (Hansen and Mathern, 2008). As teachers  
243 plan for instruction, they too are doers of mathematics. Teachers work through the tasks  
244 themselves in order to anticipate the approaches students may take, partial  
245 understandings students may have, and challenges students may encounter in their  
246 explorations.<sup>1</sup>

247 Investigations motivate students to learn focused, coherent, and rigorous mathematics.  
248 They also help teachers to focus instruction on the big ideas. Far from haphazard,  
249 investigations as envisioned in the framework are guided by a conception of the *why*,  
250 *how*, and *what* of mathematics—a conception that makes connections across different  
251 aspects of content and also connects content with mathematical practices.


## 252 **Designing Instruction to Investigate and Connect the *Why*, *How*, and** 253 ***What* of Math**

254 To help teachers design instruction using the big-ideas approach, figure 6.1 maps out  
255 the interplay at work when this conception is used to structure and guide student  
256 investigations (see chapter one). Three Drivers of Investigation (DIs)—sense-making,  
257 predicting, and having an impact—provide the *why* of an activity. Eight Standards for  
258 Mathematical Practice (SMPs) provide the *how*. And four Content Connections (CCs),  
259 which ensure coherence throughout the grade levels, provide the *what*.

260 Figure 6.1 The *Why*, *How* and *What* of Learning Mathematics

---

<sup>1</sup> *5 Practices for Orchestrating Productive Mathematical Discussions* (Smith and Stein, 2011) offers a structure for planning and implementing mathematical tasks and orchestrating the discourse that emerges in the class.



261


262 [Long description of figure 6.1](#)

263 Note. The activities in each column can be combined with any of the activities in the

264 other columns.

265 The following diagram (figure 6.2) is meant to illustrate how the Drivers of Investigation  
 266 can propel the ideas and actions framed in the Standards for Mathematical Practice and  
 267 the Content Connections. As with a coordinate grid, the X axis (the CCs) might logically  
 268 be read before the Y axis (the SMPs).

269 Figure 6.2 Drivers of Investigation, Standards for Mathematical Practice, and Content  
 270 Connections



271

272 [Long description of figure 6.2](#)

273 ***The Importance of Drivers of Investigation and Content Connections***

274 While chapter five focuses on the SMPs, this chapter and chapter seven (middle school)  
275 are organized around the Drivers of Investigation and the Content Connections. The  
276 three DIs aim to ensure that there is always a reason to care about mathematical work  
277 and that investigations allow students to make sense of, predict, and/or affect the world.  
278 The four CCs organize content and connect the big ideas—that is, provide  
279 mathematical coherence—throughout the grade levels.

280 **Drivers of Investigation**

281 DI1: Make Sense of the World (Understand and Explain)

282 DI2: Predict What Could Happen (Predict)

283 DI3: Impact the Future (Affect)

284 To teach the grade level’s big ideas, a teacher will design instructional activities that link  
285 one or more of the CCs with a DI—for example, link reasoning with data (CC1) to  
286 predict what could happen (DI2), or link exploring changing quantities (CC2) to impact  
287 the future (DI3). Because students actively engage in learning when they find purpose  
288 and meaning in the learning, instruction should primarily involve tasks that invite  
289 students to make sense of the big ideas through investigation of questions in authentic  
290 contexts.

291 An authentic activity or problem is one in which students investigate or struggle with  
292 situations or questions about which they actually wonder. Lesson design should be built  
293 to elicit that wondering. For example, environmental issues on the school campus or in  
294 the local community provide rich contexts for student investigations and mathematical  
295 analysis, which, concurrently, help students develop their understanding of California’s  
296 Environmental Principles and Concepts. An activity or task can be considered authentic  
297 if, as they attempt to understand the situation or carry out the task, students see the  
298 need to learn or use the mathematical idea or strategy.

299 The four CCs are of equal importance; they are not meant to be addressed sequentially.  
300 There is considerable crossover between and among the practice standards and the  
301 content connections. For example, content standard 4.NF.2 (compare two fractions with

302 different numerators and different denominators) may be addressed during an  
303 investigation in which students reason with data (CC1) and the same standard might  
304 also be addressed by lessons in which students take wholes apart and/or put parts  
305 together (CC3).

306 The content involved over the course of a single investigation cuts across several CA  
307 CCSSM domains—for example, it may involve both Measurement and Data, Number  
308 and Operations in Base Ten (NBT), as well as Operations and Algebraic Thinking (OA).  
309 Students simultaneously employ several of the SMPs as they conduct their  
310 investigations.

### 311 ***The Importance of the Standards for Mathematical Practices***

312 The CA CCSSM offer grade-level-specific guidelines<sup>2</sup> for what mathematics topics are  
313 considered essential to learn and for how students should engage in the discipline using  
314 the SMPs. The SMPs reflect the habits of mind and of interaction that form the basis of  
315 math learning—for example, reasoning, persevering in problem solving, and explaining  
316 one's thinking.

317 To teach mathematics for understanding, it is essential to purposefully cultivate  
318 students' use of the practices. The introduction to the CA CCSSM is explicit on this  
319 point. Identifying content standards and practice standards as two halves of a powerful  
320 whole, it says effective mathematics instruction requires that the SMPs be taught as  
321 carefully and intentionally as the content standards and must be practiced by students  
322 just as carefully and intentionally (CA CCSSM, 3). The SMPs are designed to support  
323 students' development across the school years. Whether in the primary grade levels or  
324 high school, for example, students make sense of problems and persevere to solve  
325 them (SMP1).

326

---

<sup>2</sup> Unlike kindergarten and higher grade levels, transitional kindergarten in California does not have grade-level-specific content standards. Thus, for this grade level, the chapter draws from the California Preschool Learning Foundations (for children at age 60 months).

327 **Standards for Mathematical Practice**

328 SMP1. Make sense of problems and persevere in solving them

329 SMP2. Reason abstractly and quantitatively

330 SMP3. Construct viable arguments and critique the reasoning of others

331 SMP4. Model with mathematics

332 SMP5. Use appropriate tools strategically

333 SMP6. Attend to precision

334 SMP7. Look for and make use of structure

335 SMP8. Look for and express regularity in repeated reasoning

336 The importance of the SMPs is discussed at length in chapter four, which provides  
337 additional guidance on how teachers can cultivate students' skillful use of the SMPs.  
338 Using three interrelated SMPs for illustration, chapter four demonstrates how teachers  
339 across the grade levels can incorporate key mathematical practices and integrate them  
340 with each other to create powerful math experiences centered on exploring, discovering,  
341 and reasoning. Such experiences enable students to develop and extend their skillful  
342 use of these practices as they move through the progression of math content in the  
343 coming grade levels.

344 The SMPs are central to the mathematics classroom. From the earliest grades,  
345 mathematics involves making sense of and working through problems. In kindergarten,  
346 first, and second grades, students begin to understand that doing mathematics involves  
347 solving problems, and they begin to discuss how they can solve them through a range  
348 of approaches (SMP 1). Young students also reason abstractly and quantitatively (SMP  
349 2). They begin to recognize that a number represents a specific quantity and connect  
350 the quantity to written symbols. For example, a student may write the numeral 11 to  
351 represent an amount (e.g., number of objects counted), select the correct number card  
352 17 to follow 16 on a calendar, or build two piles of counters to compare amounts of five  
353 and eight.

354 In addition, young students begin to draw pictures, manipulate objects, or use diagrams  
355 or charts to express quantitative ideas (SMP 4). Modeling and representing is central to  
356 students' early experiences with "mathematizing" their world. (See box below, "What is

357 a Model?") In the early grades, students begin to represent problem situations in  
358 multiple ways—by using numbers, objects, words, or mathematical language; acting out  
359 the situation; making a chart or list; drawing pictures; or creating equations, and so  
360 forth. While students should be able to adopt these representations as needed, they  
361 need opportunities to connect the different representations and explain the connections.  
362 For example, a student may use cubes or tiles to show the different number pairs for 5,  
363 or place three objects on a 10-frame and then determine how many more are needed to  
364 “make a 10.” Students rely on manipulatives and other visual and concrete  
365 representations while solving tasks and record an answer with a drawing or equation. In  
366 all cases, students need to be encouraged to explain how they came up with an answer.  
367 Doing so reinforces their reasoning and understanding and helps them develop  
368 mathematical language.

#### 369 **What is a Model?**

370 Modeling, as used in the CA CCSSM, is primarily about using mathematics to describe  
371 the world. In elementary mathematics, a model might be a representation, such as a  
372 math drawing or a situation equation (operations and algebraic thinking), line plot,  
373 picture graph, bar graph (measurement), or building made of blocks (geometry). In  
374 grades six and seven, a model could be a table or plotted line (ratio and proportional  
375 reasoning) or box plot, scatter plot, or histogram (statistics and probability). In grade  
376 eight, students begin to use functions to model relationships between quantities. In high  
377 school, modeling becomes more complex, building on what students have learned in  
378 kindergarten through grade eight.

379 Representations such as tables or scatter plots often serve as intermediate steps in  
380 developing a model rather than serving as models themselves. The same  
381 representations and concrete objects used as models of real-life situations are used to  
382 understand mathematical or statistical concepts. The use of representations and  
383 physical objects to understand mathematics is sometimes referred to as “modeling  
384 mathematics,” and the associated representations and objects are sometimes called  
385 “models.”



386 | Source: The University of Arizona (n.d.).

387 Because SMPs are linguistically demanding, as students learn and use them they  
388 develop not just skill in the practices but the language needed for fully engaging in the  
389 discipline of mathematics. Regularly using the SMPs gives students opportunities to  
390 make sense of the specific linguistic features of the genres of mathematics, and to  
391 produce, reflect on, and revise their own mathematical communications. That being  
392 said, educators must remain aware of and provide support for students who may grasp  
393 a concept yet struggle to express their understanding. For students who are English  
394 learners, as well as for students with other special learning needs, small-group  
395 instruction can be useful for helping students develop the language needed for  
396 engaging with the mathematical concepts and standards for an upcoming lesson. (See  
397 chapter five for further discussion.)

398 SMPs also offer teachers opportunities to engage in formative assessment and provide  
399 students with real-time feedback. Students may demonstrate understanding in multiple  
400 ways: they may express an idea in their own words, build a model, illustrate their  
401 thinking pictorially, and/or provide examples and possibly counter examples. A teacher  
402 might observe them making connections between ideas or applying a strategy  
403 appropriately in another related situation (Davis, 2006). Many useful indicators of  
404 deeper understanding are actually embedded in the SMPs themselves. For example,  
405 teachers can note when students analyze the relationships in a problem so that they,  
406 the students, can understand the situation and identify possible ways to solve the  
407 problem (SMP.1). Other examples of observable behaviors specified in the SMPs  
408 include students' abilities to use mathematical reasoning to justify their ideas (SMP.3);  
409 draw diagrams of important features and relationships (SMP.4); select tools that are  
410 appropriate for solving the particular problem at hand (SMP.5); and accurately identify  
411 the symbols, units, and operations they use in solving problems (SMP.6).

412 Students who regularly use the SMPs in their mathematical work develop mental habits  
413 that enable them to approach novel problems as well as routine procedural exercises,  
414 and to solve them with confidence, understanding, and accuracy. Specifically, recent  
415 research shows that an instructional approach focused on mathematical practices may

416 be important in supporting student achievement on curricular standards and  
417 assessments and that it also contributes to students' positive affect and interest in  
418 mathematics (Sengupta-Irving and Enyedy, 2014).

## 419 **Investigating and Connecting, Transitional Kindergarten** 420 **Through Grade Two**

421 Most young learners come to school with rich mathematical knowledge and  
422 experiences. Studies suggest that children enter the world prepared to notice and  
423 engage in it quantitatively. Research shows that babies demonstrate an understanding  
424 about numbers essentially from birth (National Research Council, 2001), and their  
425 knowledge base develops as they move into the toddler years. Some infants and most  
426 young children show that they can understand and perform simple addition and  
427 subtraction by at least three years of age, often using objects (National Research  
428 Council, 2001).

429 As discussed above, students in the early grades spend much of their time exploring,  
430 representing, and comparing whole numbers with a range of different kinds of  
431 manipulatives. For a student interested in dinosaurs, the opportunity to sort pictures or  
432 toy dinosaurs into categories, such as herbivores and carnivores, and then count the  
433 number of dinosaurs in each category can be a highly engaging activity. Other students  
434 enjoy recreating structures with building blocks that connect or snap together or erecting  
435 structures with magnetic builders—which other students duplicate, describe, and  
436 analyze.

437 A classroom atmosphere that nurtures such math exploration and discovery helps  
438 students see themselves as capable of solving problems and learning new concepts.  
439 Discovering repeating digits in a hundred chart can be powerful for a young student and  
440 spark new curiosities about numbers that can be investigated. Students might be  
441 astonished to realize that one added to any whole number equals the next number in  
442 the counting sequence.

443 Students develop and learn at different times and rates. For this or other reasons, some  
444 arrive in the early elementary grades with unfinished learning from earlier levels (e.g.,

445 transitional kindergarten and kindergarten). In such cases, teachers should not  
446 automatically assume these students to be low achievers, require interventions, or need  
447 placement in a group that is learning standards from a lower grade level. Instead,  
448 teachers need to identify students' learning needs and provide appropriate instructional  
449 support before considering interventions or any change in standards taught.

450 While some students, indeed, lag in math mastery, for others, what appears to be lack  
451 of understanding may be attributable, at least in part, to their inability to adequately  
452 communicate their understanding. Here, too, providing appropriate instructional  
453 support—in this case for language development—is essential. Implementation of  
454 mathematics routines that encourage students to use language and discuss their  
455 mathematics work are of benefit to all students, particularly those who are learning  
456 English or who are otherwise challenged by the demands of academic language for  
457 mathematics. Such routines also allow educators to help students strengthen  
458 understandings that may have been weak or incomplete in their previous learning  
459 without a formal intervention program. When more support is warranted, teachers can  
460 access California's Multi-Tiered System of Support (MTSS) (California Department of  
461 Education, n.d.), which is designed to provide the means to quickly identify and meet  
462 the needs of all students.

## 463 **Content Connections Across the Big Ideas, Transitional Kindergarten** 464 **Through Grade Two**

465 The big ideas for each grade level define the critical areas of instructional focus.  
466 Through the Content Connections (CCs), the big ideas unfold in a progression across  
467 transitional kindergarten through grade two in accordance with the CA CCSSM  
468 principles of focus, coherence, and rigor. Figure 6.3 identifies a sampling of big ideas for  
469 these grade levels and indicates the CCs with which they are most readily associated.  
470 The figure is followed by discussion of each CC, highlighting specific SMPs and content  
471 activities associated with it.

472 Later in this section, each of figures 6.5, 6.7, 6.9, and 6.11, respectively, shows a grade-  
473 specific network diagram of the big ideas for transitional kindergarten through grade

474 two. Immediately following each of those figures is a second one (figures 6.6, 6.8, 6.10,  
 475 and 6.12, respectively) that reiterates the big ideas for that grade level, identifies the  
 476 related CCs and content standards, and provides some detail on how content standards  
 477 can be addressed in the context of the CCs described in this framework.

478 Figure 6.3 Progression of Big Ideas, Transitional Kindergarten Through Grade Two

<b>Content Connections</b>	<b>Big Ideas: Transitional Kindergarten</b>	<b>Big Ideas: Kindergarten</b>	<b>Big Ideas: Grade One</b>	<b>Big Ideas: Grade Two</b>
Reasoning with Data	Measure and Order	Sort and Describe Data	Make sense of Data	Represent Data
Reasoning with Data	Look for Patterns	n/a	Measuring with Objects	Measure and Compare Objects
Exploring Changing Quantities	Measure and Order	How Many?	Measuring with Objects	Dollars and cents
Exploring Changing Quantities	Count to 10	Bigger or Equal	Clocks and Time	Problem solving with measures
Exploring Changing Quantities	n/a	n/a	Equal Expressions	n/a
Exploring Changing Quantities	n/a	n/a	Reasoning about Equality	n/a
Taking Wholes Apart, Putting Parts Together	Create Patterns	Being flexible within 10	Tens and Ones	Skip Counting to 100
Taking Wholes Apart, Putting Parts Together	Look for Patterns	Place and position of numbers	n/a	Number Strategies
Taking Wholes Apart, Putting Parts Together	See and use Shapes	Model with numbers	n/a	n/a
Discovering shape and space	See and use shapes	Shapes in the world	Equal parts inside shapes	Seeing fractions in shapes
Discovering shape and space	Make and measure shapes	Making shapes from parts	n/a	Squares in an array

Content Connections	Big Ideas: Transitional Kindergarten	Big Ideas: Kindergarten	Big Ideas: Grade One	Big Ideas: Grade Two
Discovering shape and space	Shapes in space	n/a	n/a	n/a

479 **CC1: Reasoning with Data**

480 In the early grades, students describe and compare measurable attributes, classify  
 481 objects, and count the number of objects in each category.<sup>3</sup> As they progress through  
 482 the early grades, students represent and interpret data in increasingly sophisticated  
 483 ways. Chapter five offers greater detail about how data can be explored across the  
 484 grades through meaningful mathematical investigations. This content connection invites  
 485 students to:

- 486 ● Describe and compare measurable attributes (K.MD.1, K.MD.2)
- 487 ● Classify objects and count the number of objects in each category (K.MD.3)
- 488 ● Measure lengths indirectly and by iterating length units (1.MD.1,1.MD.2)
- 489 ● Tell and write time (1.MD.3)
- 490 ● Represent and interpret data (1.MD.4, 2.MD.9, 2.MD.10)
- 491 ● Measure and estimate lengths in standard units (2.MD.1, 2.MD.2, 2.MD.3,  
 492 2.MD.4)
- 493 ● Relate addition and subtraction to length (2.MD.5, 2.MD.6)
- 494 ● Work with time and money (2.MD.7, 2.MD.8)

495 Children are curious about the world around them and might wonder about their  
 496 classmates' favorite colors, kinds of pets, or number of siblings. Young learners can  
 497 collect, represent, and interpret data about one another. They can use graphs and  
 498 charts to organize and represent data about things in their lives. Having data  
 499 represented in these ways naturally leads students to ask and answer questions about  
 500 the information they find in charts or graphs and can allow them to make inferences  
 501 about their community or other aspects of their world. Charts and graphs may be

---

<sup>3</sup> Teachers should use their professional judgment in considering what attributes to measure, practicing particular sensitivity to any physical attributes.

502 constructed by groups of students as well as by individual students.

503 Students learn that many attributes—such as lengths and heights—are measurable.

504 Early learners develop a sense of measurement and its utility using non-standard units  
505 of measurements. Through explorations, students then discover the utility of standard  
506 measurements.

507 This Content Connection can serve as the foundation for mathematical investigations  
508 around measurement and data. In an activity on comparing lengths, called Direct  
509 Comparisons, students place any three items in order, according to length:

- 510 ● Pencils, crayons, or markers are ordered by length.
- 511 ● Towers built with cubes are ordered from shortest to tallest.
- 512 ● Three students draw line segments and then order the segments from shortest to  
513 longest.

514 In an activity on Indirect Comparisons, students model clay in the shape of snakes. With  
515 a tower of cubes, each student compares their snake to the tower. Then students make  
516 statements such as, “My snake is longer than the cube tower, and your snake is shorter  
517 than the cube tower. So, my snake is longer than your snake.” (Both activities adapted  
518 from ADE 2010.)

## 519 ***CC2: Exploring Changing Quantities***

520 Young learners’ explorations of changing quantities support their development of  
521 meaning for operations, such as addition, subtraction, and early multiplication or  
522 division. This Content Connection can serve as the basis for mathematical  
523 investigations about operations. Students build on their understanding of addition as  
524 putting together and adding to and of subtraction as taking apart and taking from.

525 Students use a variety of models—including discrete objects and length-based models  
526 (e.g., cubes connected to form lengths)—to model add-to, take-from, put-together, and  
527 take-apart and to compare situations in order to develop meaning for the operations of  
528 addition and subtraction and to develop strategies for solving arithmetic problems with  
529 these operations. Students understand connections between counting and addition and  
530 subtraction (e.g., adding two is the same as counting on two). They use properties of

531 addition to add whole numbers and to create and use increasingly sophisticated  
532 strategies based on these properties (e.g., “making 10s”) to solve addition and  
533 subtraction problems within 20. By comparing a variety of solution strategies, children  
534 build their understanding of the relationship between addition and subtraction. By  
535 second grade, students use their understanding of addition to solve problems within  
536 1,000 and they develop, discuss, and use efficient, accurate, and generalizable  
537 methods to compute sums and differences of whole numbers. Students in the primary  
538 grades become proficient in addition and subtraction using methods that make sense to  
539 them. This proficiency helps students prepare for fluency (defined here as not using any  
540 physical meaning-making supports) in using a standard algorithm in grade level four.  
541 See also figure 6.16 Development of Fluency with Standard Algorithms, Elementary  
542 Grades, later in this chapter.

543 Investigating mathematics by exploring changing quantities invites students to:

- 544 ● Know number names and the count sequence (K.CC.1, K.CC.2., K.CC.3).
- 545 ● Count to tell the number of objects (K.CC.4, K.CC.5).
- 546 ● Compare numbers (K.CC.6, K.CC.7).
- 547 ● Understand addition as putting together and adding to, and understand  
548 subtraction as taking apart and taking from (K.OA.1, K.OA.2, K.OA.3, K.OA.4,  
549 K.OA.5).
- 550 ● Represent and solve problems involving addition and subtraction (1.OA.1,  
551 1.OA.2, 2.OA.1).
- 552 ● Understand and apply properties of operations and the relationship between  
553 addition and subtraction (1.OA.3, 1.OA.4).
  - 554 ● Add and subtract within 20 (1.OA.5, 1.OA.6, 2.OA.2).
  - 555 ● Work with addition and subtraction equations (1.OA.7, 1.OA.8).
  - 556 ● Work with equal groups of objects to gain foundations for multiplication  
557 (2.OA.3, 2.OA.4).
  - 558 ● Look for and make use of structure (SMP.7).
  - 559 ● Look for and express regularity in repeated reasoning (SMP.8).

560 Young learners benefit from ample opportunities to become familiar with number

561 names, numerals, and the count sequence. While mathematical concepts and  
562 strategies can be explored and understood through reasoning, the names and  
563 symbols of numbers and the particular count sequence is a convention to which  
564 students become accustomed. Conceptually, students come to develop the particular  
565 foundational ideas of cardinality and one-to-one correspondence through experiences  
566 with early counting.

567 In transitional kindergarten, many opportunities arise for conversations about counting.  
568 Consider the exchange below:

569 Nora: "Sami isn't being fair. He has more trains than I do."

570 Teacher: "How do you know?"

571 Nora: "His pile looks bigger!"

572 Sami: "I don't have more!"

573 Teacher: "How can we figure out if one of you has more?"

574 Nora: "We could count them."

575 Teacher: "Okay, let's have both of you count your trains."

576 Sami: "One, two, three, four, five, six, seven."

577 Nora: "One, two, three, four, five, six, seven." (*Fails to tag and count one of her*  
578 *eight trains.*)

579 Sami: "She skipped one! That's not fair!"

580 Teacher: "You are right; she did skip one. We can count again and be very  
581 careful not to skip. But can you think of another way that we can figure out if one  
582 of you has more?"

583 Sami: "We could line them up against each other and see who has a longer  
584 train."

585 Teacher: "Okay, show me how you do that. Sami, you line up your trains, and  
586 Nora, you line up your trains."



587 Opportunities to count and represent the count as a quantity, whether verbally or  
588 symbolically, allow students to recognize that, in counting, each item is counted exactly  
589 once and that each count corresponds to a particular number. Using manipulatives or  
590 other objects to count, students learn to organize their items to facilitate this one-to-one  
591 correspondence. Students also learn that the number at the end of the count represents  
592 the full quantity of items counted (i.e., the total) and that each subsequent number  
593 represents an additional one added to the count. In *Counting Collections* (DREME TE,  
594 n.d.), teachers ask young children to:

- 595 • Count to figure out how many items are in a collection of objects (e.g., a  
596 set of old keys, manipulatives like teddy bear counters, rocks from the  
597 yard, arts and crafts materials); and
- 598 • Make a written representation of what they counted and how they counted  
599 it. There are many benefits to providing younger learners with  
600 opportunities to represent quantities with number words and numerals, as  
601 well as to represent number words and numerals as quantities.

602 To highlight the concept of representing quantities with number words, teachers of  
603 transitional kindergarten can ask questions about numbers as opportunities come up  
604 during class reading activities. For instance, in a book about dogs with a page showing  
605 a picture of two dogs, a teacher can ask how many dogs there are and can follow up  
606 with related questions, such as:

- 607 • How many legs does one dog have?
- 608 • How many legs do two dogs have?
- 609 • If one dog left the page, how many legs would be left?

610 To support participation by all learners, including students who are English learners,  
611 teachers can align their math instruction with proven English language development  
612 strategies, such as communicating through gestures, facial expressions, and other non-  
613 verbal movement; using sentence frames; and revoicing student answers.

614 To integrate the representation of number words as quantities, teachers can show

615 students how to use their fingers to represent the addends in a story problem. Individual  
616 students can then explain to their classmates how they decided how many fingers to  
617 choose. For example, a teacher can say, “One day, two baby dinosaurs hatched out of  
618 their eggs. The mama triceratops was so excited that she called her auntie to come and  
619 see. Then four more baby dinosaurs hatched! How many dinosaurs hatched all  
620 together? Marisol, can you show me how many fingers you used?” This kind of activity  
621 can be effective during small- or whole-group time. Note that children across different  
622 communities of origin learn to show numbers on their fingers in different ways. Children  
623 may start with the thumb, the little finger, or the pointing finger. Teachers need to  
624 support all of these ways of using fingers to show numbers.

625 In *Feet Under the Table* (Confer, 2005a), a group of children sit at a table with counters,  
626 pencils, and paper. Without investigating or looking, students figure out how many feet  
627 are under the table. They can use mathematical tools that will help them, such as cubes  
628 or drawings, and then represent their number on paper. Students then share how they  
629 represented the feet on their paper and how many feet they think there are altogether.  
630 When all the students are finished, they peek under the table to check their answers.

631 Developmentally, children become more efficient counters through experiences that  
632 support early addition and subtraction and occur over time. Young learners can build on  
633 what they know about counting to add on to an original count. For example, tasks from  
634 *Cognitively Guided Instruction* (Carpenter et al., 2014) ask students to create a set of a  
635 particular amount, say five cubes, and to then add three more cubes. Students can  
636 draw on what they already know to first count out five cubes. They might then use  
637 different strategies to add on three more. Some students might count out three more  
638 cubes separately, then start from one again and count out all eight cubes. Other  
639 students might count on from five, naming the numbers as they go along—six, seven,  
640 eight cubes. Or students could also use other strategies instead, as Maria does when  
641 given a problem related to her own experience:

642 Maria has 28 Pokémon cards in her collection. Her mom gives her some more cards for  
643 her birthday. Now Maria has 61 cards. How many cards did her mom give her for her  
644 birthday?

645 As shown in figure 6.4, Maria uses hash, or tally, marks to count the difference between  
646 the number of cards she started with and the number she ended up with after receiving  
647 her birthday present. Although Maria ultimately miscounts the number of her own  
648 marks, coming up with 34 rather than 33, her counting approach was sound.

649 Figure 6.4 Counting with Hash Marks



650  
651 Teachers can notice and use student strategies as formative assessment, recognizing  
652 how their young learners become increasingly efficient counters.

653 Young learners also draw on their counting strategies to develop early subtraction  
654 sense. Cognitively guided instruction tasks might prompt students, for example, to begin  
655 with eight cookies, then note that three cookies were eaten. Students might count out  
656 eight cookies with manipulatives like counting cubes, and then employ a range of  
657 strategies to figure out how to “take away” three cookies. Students might remove three  
658 cubes from the original set and then count the remaining cubes to figure out how many  
659 remain. Other students might count backwards from the original set of eight cookies.

660 Figure 6.5 below, included in the CA CCSSM glossary, is meant to help teachers  
661 identify and use different kinds of addition and subtraction problems in their instruction  
662 to support students’ ability to flexibly represent and solve such problems.

663 Figure 6.5.a Common Addition and Subtraction Situations

Common Addition and Subtraction Situations	Result Unknown	Change Unknown	Start Unknown
<b>Add to</b>	Two bunnies sat on the grass. Three more bunnies hopped there. How many bunnies are on the grass now? $2 + 3 = \square$	Two bunnies were sitting on the grass. Some more bunnies hopped there. Then there were 5 bunnies. How many bunnies hopped over to the first two? $2 + \square = 5$	Some bunnies were sitting on the grass. Three more bunnies hopped there. Then there were 5 bunnies. How many bunnies were on the grass before? $\square + 3 = 5$
<b>Take from</b>	Five apples were on the table. I ate 2 apples. How many apples are on the table now? $5 - 2 = \square$	Five apples were on the table. I ate some apples. Then there were 3 apples. How many apples did I eat? $5 - \square = 3$	Some apples were on the table. I ate 2 apples. Then there were 3 apples. How many apples were on the table before? $\square - 2 = 3$

664 Figure 6.5.b Common Addition and Subtraction Situations

Common Addition and Subtraction Situations	Total Unknown	Addend Unknown	Both Addends Unknown <sup>†</sup>
<b>Put together/Take apart<sup>‡</sup></b>	Three red apples and 2 green apples are on the table. How many apples are on the table? $3 + 2 = \square$	Five apples were on the table. Three are red, and the rest are green. How many apples are green? $3 + \square = 5$	Grandma has 5 flowers. How many can she put in her red vase and how many in her blue vase? $5 = 0 + 5, 5 = 5 + 0$ $5 = 1 + 4, 5 = 4 + 1$ $5 = 2 + 3, 5 = 3 + 2$

665 Figure 6.5.c Common Addition and Subtraction Situations

Common Addition and Subtraction Situations	Difference Unknown	Bigger Unknown	Smaller Unknown
<b>Compare*</b>	(“How many more?” version): Lucy has 2 apples. Julie has 5 apples. How many more apples does Julie have than Lucy? (“How many fewer?” version): Lucy has 2 apples. Julie has 5 apples. How many fewer apples does Lucy have than Julie? $2 + \square = 5$ , $5 - 2 = \square$	(Version with <i>more</i> ): Julie has 3 more apples than Lucy. Lucy has 2 apples. How many apples does Julie have? (Version with <i>fewer</i> ): Lucy has 3 fewer apples than Julie. Lucy has 2 apples. How many apples does Julie have? $2 + 3 = \square$ , $3 + 2 = \square$	(Version with <i>more</i> ): Julie has 3 more apples than Lucy. Julie has 5 apples. How many apples does Lucy have? (Version with <i>fewer</i> ): Lucy has 3 fewer apples than Julie. Julie has five apples. How many apples does Lucy have? $5 - 3 = \square$ , $\square + 3 = 5$

666 Source: CDE, 2013

667 Note. Adapted from Boxes 2–4 of *Mathematics Learning in Early Childhood: Paths*  
 668 *Toward Excellence and Equity* (National Research Council, Committee on Early  
 669 Childhood Mathematics 2009, 32–33).

670 ‡Either addend can be unknown, so there are three variations of these problem  
 671 situations. “Both Addends Unknown” is a productive extension of this basic situation,  
 672 especially for small numbers, that is, less than or equal to 10.

673 †These take-apart situations can be used to show all the decompositions of a given  
 674 number. The associated equations, which have the total on the left of the equal sign (=),  
 675 help children understand that the equal sign does not always mean *makes or results in*,  
 676 but does always mean *is the same number as*.

677 \*For the “Bigger Unknown” or “Smaller Unknown” situations, one version directs the  
 678 correct operation (the version using *more* for the bigger unknown and using *less* for the  
 679 smaller unknown). The other versions are more difficult.

680 Students will use different strategies to solve problems when teachers provide the time  
681 and space to do so. The *5 Practices for Orchestrating Productive Mathematical*  
682 *Discussions* (Smith and Stein, 2011) offers teachers the following useful strategies that  
683 can help ensure productive lessons by providing students with needed time and space  
684 to try different problem-solving methods:

- 685 • Anticipating likely student responses
- 686 • Monitoring students' actual responses
- 687 • Selecting particular students to present their mathematical work during the  
688 whole-class discussion
- 689 • Sequencing the student responses
- 690 • Connecting different students' responses—to each other and to key  
691 mathematical ideas

692 Smith and Stein recommend that before offering students a problem to discuss and  
693 solve together, teachers should work through the problem on their own, to anticipate  
694 what strategies students might use, as well as what struggles and misconceptions the  
695 problem might prompt. Teachers should also explore the various methods students  
696 might use as they work to understand general properties of operations. For example, in  
697 a number talk on the problem  $8 + 7$ , students might come up with and share the  
698 following computation strategies:

699 Student 1: (Making 10 and decomposing a number) "I know that 8 plus 2 is 10,  
700 so I decomposed—broke up—the 7 into a 2 and a 5. First, I added 8 and 2 to get  
701 10, and then I added the 5 to get 15."

702 *This explanation could be represented as:  $8 + 7 = (8 + 2) + 5 = 10 + 5 = 15$ .*

703 Student 2: (Creating an easier problem with known sums) "I know 8 is  $7 + 1$ . I  
704 also know that 7 and 7 equal 14. Then I added 1 more to get 15."

705 *This explanation could be represented as:  $8 + 7 = (7 + 7) + 1 = 15$ .*

706 In addition to using the 5 Practices recommended by Smith and Stein to strategically  
707 consider how to incorporate student thinking and different solutions into lessons,  
708 teachers can also offer a variety of games and activities that help students develop  
709 understanding of math concepts. The game “Pig”<sup>4</sup> can be played to practice addition.  
710 The game involves students using dice (or an app to simulate a dice roll) in a  
711 competition to be the first player to roll results that reach 100. Students take turns rolling  
712 the dice and determine the sum. Students can either stop and record the sum after each  
713 roll, or they can continue rolling and adding the new sums together in their heads. When  
714 they decide to stop, they record the current total and add it to their previous score. Note  
715 that students should build understanding through activities that draw on concrete and  
716 representational approaches to operations before engaging in abstract fluency games.  
717 Resources for addition activities include the National Council of Teachers of  
718 Mathematics’ (NCTM) *Illuminations* and *Illustrative Mathematics*.

719 Classroom activities can also support students in developing understanding that the  
720 equal sign means the quantity on one side of the equal sign must be the same as the  
721 quantity on the other side of the sign. For example, the “Moving Colors” task  
722 (Youcubed, n.d.a), explores equality as students move around the room. Students are  
723 given red- or yellow-colored circles (or other shapes), after which teachers ask, “How  
724 many students have red circles and how many have yellow circles?” Students are  
725 encouraged to move around the room to work this out. Once students have made their  
726 respective counts, teachers ask, “How can we show that we have an equal number of  
727 each color or more of one color than the other color?”

## 728 **Methods for Solving Single-Digit Addition and Subtraction Problems**

---

<sup>4</sup> Pig is a dice game of folk origin described by John Scarne in 1945. It was an ancestor of the modern game Pass the Pigs® (originally called PigMania®); Scarne, J. (1945). Scarne on Dice. Harrisburg, Pennsylvania: Military Service Publishing Co.

729 Level 1: Direct Modeling by Counting All or Taking Away

730 Represent the situation or numerical problem with groups of objects, a drawing, or  
731 fingers. Teachers can model the situation by composing two addend groups or  
732 decomposing a total group. Count the resulting total or addend.

733 Level 2: Counting On

734 Embed an addend within the total (the addend is perceived simultaneously as an  
735 addend and as part of the total). Count this total but abbreviate the counting by omitting  
736 the count of this addend; instead, begin with the number word of this addend. The count  
737 is tracked and monitored in some way (e.g., with fingers, objects, mental images of  
738 objects, body motions, or other count words). For example, a representation of counting  
739 on for the equation  $8+6=14$  might look like this:



740

741 For addition, the count stops when the amount of the remaining addend has been  
742 counted. The last number word is the total. For subtraction, the count is stopped when  
743 the total occurs in the count. The tracking method indicates the difference (seen as the  
744 unknown addend).

745 Level 3: Converting to an Easier Equivalent Problem

746 Decompose an addend and compose a part with another addend, such as combining  
747 the 9 and 1 to make 10 (e.g.,  $9 + 1 + 3 = 10 + 3$ ).

748 Source: Adapted from Common Core Standards Writing Team. 2022.

749 ***CC3: Taking Wholes Apart, Putting Parts Together***

750 Children enter school with experience at taking wholes apart and putting parts together,  
751 a task that occurs in everyday activities such as slicing pizzas and cakes and building  
752 with blocks, clay, or other materials. Breaking challenges, problems, and ideas into



753 manageable pieces, that is decomposing them, and assembling one’s understanding of  
754 the smaller parts into an understanding of a larger whole, are fundamental aspects of  
755 using mathematics. Often these processes are closely tied with SMP.7 (Look for and  
756 make use of structure). In the early grades, such investigations might include using  
757 manipulatives to decompose the number 5 into parts, such as 1 and 4 or 2 and 3, then  
758 compose the parts into the whole. This Content Connection spans and connects many  
759 clusters of content standards that are typically taught separately. It also connects with  
760 other CCs. For example, students might also decompose shapes, which connects to  
761 CC4.

762 Understanding numbers, including the fundamental structure of our number system—  
763 that is, place value and base 10—and the relationships between numbers, begins with  
764 counting and cardinality and extends to a beginning understanding of place value.  
765 Young learners use numbers, including written numerals, to represent quantities and to  
766 solve quantitative problems; they do so in such activities as counting objects in a set,  
767 counting out a given number of objects, comparing sets or numerals, and modeling  
768 simple joining and separating situations with sets of objects. As students progress  
769 through the early grades, they develop, discuss, and use strategies to compose and  
770 decompose numbers, noticing the other numbers that exist within them. The seeds for  
771 this understanding might be planted when they use manipulatives to decompose the  
772 number 5 into parts, such as 1 and 4 or 2 and 3, then compose the parts into the whole.  
773 Through activities like this one that build number sense, they come to understand how  
774 numbers work and how they relate to one another.


775 Investigating mathematics by taking wholes apart and putting parts together invites  
776 students to:

- 777 ● Work with numbers 11–19 to gain foundations for place value (K.NBT.1).
- 778 ● Extend the counting sequence (1.NBT.1).
- 779 ● Understand place value (1.NBT.2, 1.NBT.3, 2.NBT.1, 2.NBT.2, 2.NBT.3,  
780 2.NBT.4).
- 781 ● Use place value understanding and properties of operations to add and subtract  
782 (1.NBT.4, 1.NBT.5, 1.NBT.6, 2.NBT.5, 2.NBT.6, 2.NBT.7, 2.NBT.8, 2.NBT.9).

783 • Look for and make use of structure (SMP.7)

784 Understanding the concept of a ten is critical to young students' mathematical  
785 development. That concept is the foundation of the place-value system, which can be  
786 productively investigated through this Content Connection. Young children often see a  
787 group of 10 cubes as 10 individual cubes. It's helpful to plan activities that support  
788 students in developing the understanding of 10 cubes as a bundle of 10 ones, or a ten.  
789 Students can demonstrate this concept by counting 10 objects and "bundling" them into  
790 one group of 10, a ten, as shown in figure 6.6. Working with numbers between 11 and  
791 19 is an early way to build the idea of numbers structured as a bundle of 10 and  
792 remaining ones.

793 Figure 6.6 Bundling 10 Ones into a Ten



794  
795 In The Pocket Game (Confer, 2005b; Youcubed, n.d.b), children explore the smaller  
796 numbers inside larger numbers. Using number cards, they determine which of two  
797 numbers is larger, then place both numbers in a paper pocket labeled with the larger  
798 number. After playing the game, students are grouped to discuss what they notice about  
799 the numbers inside the different pockets, ultimately seeing that each pocket number  
800 contains all the smaller numbers within (e.g., if the numbers 4 and 5 are in the pocket,  
801 that 5 "includes" 4). After the discussion, teachers can prompt students to predict which  
802 numbers they will find in the paper pocket labeled "3" and rationalize their predictions,


803 encouraging them to examine the paper pockets one by one and talk about what they  
804 notice (and see if their predictions were accurate). Conversation should focus on why  
805 those numbers were inside each pocket and why other numbers were not.

806 After the game is played periodically over a number of weeks, teachers can facilitate a  
807 discussion about why the pockets look the way they do at the end of a game. For  
808 example, while viewing a pocket labeled 2, students might be asked which numbers  
809 they think will be inside. With predictions recorded, teachers can facilitate an  
810 examination of the pocket and discuss why there are only a 1 and a 2 in the pocket.  
811 This continues as students question why some numbers are *not* in the pocket.

812 When students finish the game, they will have figured out which paper pocket has the  
813 most cards. Teachers can revisit the game later in the year to give students more  
814 opportunities to develop their number fluency.

815 In another activity, a place-value game called Race for a Flat, two teams of two players  
816 each roll number cubes. The intention of the game is to reinforce addition and  
817 subtraction skills within 100. The players find the sum of the numbers they roll and take  
818 units cubes to show that number. Then they put their units on a place-value mat (shown  
819 as the bottom row of the table below) to help keep track of their total. When a team gets  
820 10 or more units, they trade 10 units for one rod (a manipulative representing a 10 x 1  
821 array or 10 ones). As soon as a team gets blocks worth 100 or more, they make a trade  
822 for one flat (a manipulative representing a 10 x 10 array, 10 tens, or 100 ones). The first  
823 team to obtain a flat wins the game. Figure 6.7 shows the shift from single units to tens  
824 to hundreds.

825 Figure 6.7 Place-Value Mat Example for Tracking Race for a Flat Sums



826

827 Students in the early grades will be working with whole numbers, and linear  
 828 representations are important. While number lines are commonly used in the early  
 829 elementary grades as a central representational tool that can be used across grade  
 830 levels (Siegler et al., 2010), teachers in grades TK-2 may want to consider the benefits  
 831 of using number paths as well (Gardner, 2013). For example:



832

833 As Gardner explains,

834 “A number line uses a model of length. Each number is represented by its length  
 835 from zero. Number lines can be confusing for young children. Students have to  
 836 count the “hops” they take between numbers instead of counting the numbers  
 837 themselves. Students' fingers can land in the spaces between numbers on a  
 838 number line, leaving kids unsure which number to choose. A number path is a  
 839 counting model. Each number is represented within a rectangle and the  
 840 rectangles can be clearly counted. A number path provides a more supportive  
 841 model of numbers, which is important as we want models that consistently help  
 842 students build confidence and accurately solve problems.”

843 The Learning Mathematics through Representations project (University of California,  
 844 Berkeley, n.d.) also offers activities for early and upper elementary grades that prepare  
 845 students to make later connections to fractions. Problems about fair sharing also

846 support children’s developing understanding of fraction concepts through explorations  
847 with grouping (Empson, 1999; Empson and Levi, 2011).

848 ***CC4: Discovering Shape and Space***

849 Young learners possess natural curiosities about the physical world. In the early grades,  
850 students learn to describe their world using geometric ideas (e.g., shape, orientation,  
851 spatial relations). They identify, name, and describe basic two-dimensional shapes,  
852 such as squares, triangles, circles, rectangles, and hexagons, presented in a variety of  
853 ways (e.g., with different sizes and orientations). They engage in this process with  
854 three-dimensional shapes as well, such as cubes, cones, cylinders, and spheres. They  
855 use basic shapes and spatial reasoning to model objects in their environment and to  
856 construct more complex shapes. As they progress through the early grades, students  
857 compose and decompose plane or solid figures (e.g., put two triangles together to make  
858 a quadrilateral) and begin understanding part-to-whole relationships as well as the  
859 properties of the original and composite shapes. As they combine shapes, they  
860 recognize them from different perspectives and orientations, describe their geometric  
861 attributes, and determine how they are alike and different, thus developing the  
862 background for measurement and for initial understandings of such properties as  
863 congruence and symmetry.

864 Investigating mathematics by discovering shape and space invites students to:

- 865 ● Identify and describe shapes (K.G.1, K.G.2, K.G.3).
- 866 ● Analyze, compare, create, and compose shapes (K.G.4, K.G.5, K.G.6)
- 867 ● Reason with shapes and their attributes (1.G.1, 1.G.2, 1.G.3, 2.G.1, 2.G.2,  
868 2.G.3).

869 Young learners can begin to explore the idea of classifying objects in relation to  
870 particular attributes, i.e., characteristics or properties such as color, size, and shape.  
871 Students can build on these early experiences to identify geometric attributes at a fairly  
872 early age. In grades one and two, many teachers introduce terms like vertex, side, and  
873 face. Especially because young learners often recognize shapes by their appearance,

874 they need ample time to explore these attributes and make sense of the ways they  
875 relate to one another and to particular geometric shapes.

876 Teachers can provide opportunities for young learners to compose and decompose  
877 shapes around characteristics or properties and to explore typical examples of shapes,  
878 as well as variants, and both examples and non-examples of particular shapes.

879 Classroom discussions can also surface and address common misconceptions students  
880 have about shapes—for example, the misconception that triangles always rest on a side  
881 and not on a vertex or that a square is not a rectangle.

882 In one activity on sorting shapes, students sort a pile of different-size and -color squares  
883 and rectangles into two groups. They discuss how the shapes of rectangles and  
884 squares are alike and how they are different. After students demonstrate an  
885 understanding of the differences, the teacher gives each student one square or  
886 rectangle cutout. The teacher then creates two groups, one with students who have the  
887 squares, the other with students who have the rectangles. The differences in the  
888 rectangle and square cutouts (size and color) allow the students to focus on the shape  
889 attributes as they compare in and across groups.

890 Another activity, based on the popular board game *Guess Who?*, offers students the  
891 opportunity to reason about the relationship between geometric shapes and their  
892 attributes. Each player is given a card with a different shape on it, and the objective is  
893 for students to guess their opponent's mystery shape before the opponent guesses  
894 theirs. Players take turns asking "yes" or "no" questions about attributes of the  
895 opponent's shape (e.g., "Does your shape have angles?"). The first player to correctly  
896 guess the other player's mystery shape wins.

897 Students can also use pattern blocks, plastic shapes, tangrams, or online manipulatives  
898 to compose new shapes. Teachers can provide students with cutouts of shapes and ask  
899 them to combine the cutouts to make a particular shape or to create shapes of their  
900 own. Peers can then work together to recreate or decompose one another's shapes.  
901 When students work in pairs, it is helpful if those who are English learners work with  
902 someone who is bilingual and speaks their home language so that the student who is an  
903 English learner can use either language as a resource in developing the concepts and

904 mathematical language.

905 Classroom discourse is an important aspect of such activities. It is valuable to ask  
906 students to test their ideas about shapes, using a variety of shape examples and asking  
907 open-ended questions, such as:

- 908 • What do you notice about your shape?
- 909 • What happens if you try to draw a shape with just one side?

910 Mathematics conversations are important, even for the youngest learners. Teachers can  
911 scaffold these conversations with question stems or prompts, as needed. Transitional  
912 kindergarten teachers can take up students' own questions and curiosity as an  
913 opportunity to explore shapes, as in the following exchange:

914 Mae: Is this a triangle? (*Holds up a square.*)

915 Teacher: What do you think? (*Asks other students in the small group to*  
916 *contribute.*)

917 Students (*in unison*): No!

918 Teacher: Why not? Can you share how you can tell?

919 Zahra: Because a triangle doesn't have four sides.

920 Teacher: I heard you say that a triangle doesn't have four sides. How many sides  
921 does a triangle have?

922 Mae: Three!

923 Teacher: So, Mae, what do you think? Is your shape a triangle?

924 Mae: No, it's not a triangle.

925 Teacher: How can you tell?

926 Mae: Because it has four sides and triangles have three sides.

927 Teacher: I heard you say that your shape is not a triangle because it has four  
928 sides and triangles have three sides. Is that right?

929 Mae: Yes.

930 Teacher: Class, do you agree with Mae?

931 Students (*in unison*): Yes.

932 Teacher: Mae, see if you can find a triangle, and I'll come back to check what  
933 you found.

934 Open-ended questions, such as, "What do we know about triangles?" or, "How did you  
935 figure that out?" encourage students to think and speak like mathematicians. Teachers  
936 can use responses to facilitate an organic conversation, as in the excerpt above, that  
937 allows students to collaborate, provide feedback, and build on one another's reasoning.

938 The vignette [Alex Builds Numbers with a Partner](#) illustrates how an activity where  
939 students work with a partner to build numbers can help students see and understand  
940 the meaning of number, patterns, and addition.

## 941 **The Big Ideas, Transitional Kindergarten Through Grade Two**

942 The foundational mathematics content—that is, the big ideas—progresses through  
943 transitional kindergarten through grade twelve in accordance with the CA CCSSM  
944 principles of focus, coherence, and rigor. As students explore and investigate the big  
945 ideas, they will engage with many different content standards and come to understand  
946 the connections between them.


947 Each grade-level-specific big-idea figure that follows (figures 6.8, 6.10, 6.12, and 6.14)  
948 shows the ideas as colored circles of varying sizes. A circle's size indicates the relative  
949 importance of the idea it represents, as determined by the number of connections that  
950 particular idea has with other ideas. Big ideas are considered connected to one another  
951 when they enfold two or more of the same standards; the greater the number of  
952 standards one big idea shares with other big ideas, collectively, the more connected  
953 and important the idea is considered to be.

954 Circle colors correspond to colors used in the big-ideas column of the figure that  
955 immediately follows each big-idea figure. These second figures (figures 6.9, 6.11, 6.13,  
956 and 6.15) reiterate the grade-specific big ideas and, for each idea, show associated  
957 content connections and content standards, as well as providing some detail on how



958 content standards can be addressed in the context of the CCs described in this  
959 framework.

960 Figure 6.8 Transitional Kindergarten Big Ideas



961

962 [Long description of figure 6.8](#)


963 Figure 6.9 Transitional Kindergarten Content Connections, Big Ideas, and Content

964 Standards

<b>Content Connections</b>	<b>Big Ideas</b>	<b>Transitional Kindergarten Content Standards</b>
Reasoning with Data and Exploring Changing Quantities	<b>Measure and Order</b>	<b>AF1.1, M1.1, M1.2, M1.3, NS2.1, NS2.3, NS1.3, G1.1, G2.1 NS1.4, NS1.5, MR1.1, NS1.1, NS1.2:</b> Compare, order, count, and measure objects in the world. Learn to work out the number of objects by grouping and recognize up to four objects without counting.
Reasoning with Data and Taking Wholes Apart, Putting Parts Together	<b>Look for patterns</b>	<b>AF2.1, AF2.2: NS1.3, NS1.4, NS1.5, NS2.1, NS2.3, G1.1, M1.2:</b> Recognize and duplicate patterns - understand the core unit in a repeating pattern. Notice size differences in similar shapes.
Exploring Changing Quantities	<b>Count to 10</b>	<b>NS1.4, MR1.1, AF1.1, NS2.2:</b> Count up to 10 using one to one correspondence. Know that adding or taking away one makes the group larger or smaller by one.
Taking Wholes Apart, Putting Parts Together	<b>Create patterns</b>	<b>AF2.2, AF2.1, M1.2, G1.1, G1.2, G2.1:</b> Create patterns - using claps, signs, blocks, shapes. Use similar shapes to make a pattern and identify size differences in the patterns.
Taking Wholes Apart, Putting Parts Together and Discovering Shape and Space	<b>See and use shapes</b>	<b>G1.1, G1.2, NS2.3, NS1.4, MR1.1:</b> Combine different shapes to create a picture or design and recognize individual shapes, identifying how many shapes there are.
Discovering Shape and Space	<b>Make and measure shapes</b>	<b>G1.1, M1.1, M1.2, NS1.4:</b> Create and measure different shapes. Identify size differences in similar shapes.
Discovering Shape and Space	<b>Shapes in space</b>	<b>G2.1, M1.1, MR1.1:</b> Visualize shapes and solids (2-D and 3-D) in different positions, including nesting shapes, and learn to describe direction, distance, and location in space.

965 Note. This figure includes Preschool Foundations in mathematics for students at around  
966 60 months of age. The related kindergarten standards for transitional kindergarten are  
967 identified in the next section.

968 Figure 6.10 Kindergarten Big Ideas



969


970 [Long description of figure 6.10](#)

971 Figure 6.11 Kindergarten Content Connections, Big Ideas, and Content Standards

Content Connections	Big Ideas	Kindergarten Content Standards
Reasoning with Data	<b>Sort and Describe Data</b>	<b>MD.1, MD.2, MD.3, CC.4, CC.5, G.4:</b> Sort, count, classify, compare, and describe objects using numbers for length, weight, or other attributes.
Exploring Changing Quantities	<b>How Many?</b>	<b>CC.1, CC.2, CC.3, CC.4, CC.5, CC.6, CC.7, MD.3:</b> Know number names and the count sequence to determine how many are in a group of objects arranged in a line, array, or circle. Fingers are important representations of numbers. Use words and drawings to make convincing arguments to justify work.

<b>Content Connections</b>	<b>Big Ideas</b>	<b>Kindergarten Content Standards</b>
Exploring Changing Quantities	<b>Bigger or Equal?</b>	<b>CC.4, CC.5, CC.6, MD.2, G.4:</b> Identify a number of objects as greater than, less than, or equal to the number of objects in another group. Justify or prove your findings with number sentences and other representations.
Taking Wholes Apart, Putting Parts Together	<b>Being Flexible within 10</b>	<b>OA.1, OA.2, OA.3, OA.4, OA.5, CC.6, G.6:</b> Make 10, add and subtract within 10, compose and decompose within 10 (find two numbers to make 10). Fingers are important.
Taking Wholes Apart, Putting Parts Together	<b>Place and position of numbers</b>	<b>CC.3, CC.5, NBT.1:</b> Get to know numbers between 11 and 19 by name and expanded notation to become familiar with place value, for example: $14 = 10 + 4$ .
Taking Wholes Apart, Putting Parts Together	<b>Model with numbers</b>	<b>OA.1, OA.2, OA.5, NBT.1, MD.2:</b> Add, subtract, and model abstract problems with fingers, other manipulatives, sounds, movement, words, and models.
Discovering Shape and Space	<b>Shapes in the World</b>	<b>G.1, G.2, G.3, G.4, G.5, G.6, MD.1, MD.2, MD.3:</b> Describe the physical world using shapes. Create 2-D and 3-D shapes, and analyze and compare them.
Discovering Shape and Space	<b>Making shapes from parts</b>	<b>MD.1, MD.2, G.4, G.5, G.6:</b> Compose larger shapes by combining known shapes. Explore similarities and differences of shapes using numbers and measurements.

972 Figure 6.12 Grade One Big Ideas



973


974 [Long description of figure 6.12: grade 1 big ideas](#)

975 Figure 6.13 Grade One Content Connections, Big Ideas, and Content Standards

Content Connections	Big Ideas	Grade One Content Standards
Reasoning with Data	<b>Make Sense of Data</b>	<b>MD.2, MD.4, MD.3, MD.1, NBT.1, OA.1, OA.2, OA.3:</b> Organize, order, represent, and interpret data with two or more categories; ask and answer questions about the total number of data points, how many are in each category, and how many more or less are in one category than in another.

Content Connections	Big Ideas	Grade One Content Standards
Reasoning with Data and Exploring Changing Quantities	<b>Measuring with Objects</b>	<b>MD.1 MD.2, OA.5:</b> Express the length of an object by units of measurement e.g., the stapler is five red Cuisenaire rods long, the red rod representing the unit of measure. Understand that the measurement length of an object is the number of units used to measure.
Exploring Changing Quantities	<b>Clocks &amp; Time</b>	<b>MD.3, NBT.2, G.3:</b> Read and express time on digital and analog clocks using units of an hour or half hour.
Exploring Changing Quantities	<b>Equal Expressions</b>	<b>OA.6, OA.7, OA.2, OA.1, OA.8, OA.5, OA.4, OA.3, NBT.4:</b> Understand addition and subtraction, using various models, such as connected cubes. Compose and decompose numbers to make equal expressions, knowing that equals means that both sides of an expression are the same (and it is not simply the result of an operation).
Exploring Changing Quantities	<b>Reasoning about Equality</b>	<b>OA.3, OA.6, OA.7, NBT.2, NBT.3, NBT.4:</b> Justify reasoning about equal amounts, using flexible number strategies (e.g., students use compensation strategies to justify number sentences, such as $23 - 7 = 24 - 8$ ).
Taking Wholes Apart, Putting Parts Together	<b>Tens and Ones</b>	<b>NBT.4, NBT.3, NBT.1, NBT.2, NBT.6, NBT.5:</b> Think of whole numbers between 10 and 100 in terms of tens and ones. Through activities that build number sense, students understand the order of the counting numbers and their relative magnitudes.
Discovering Shape and Space	<b>Equal Parts inside Shapes</b>	<b>G.3, G.2, G.1, MD.3:</b> Compose 2D shapes on a plane as well as in 3D space to create cubes, prisms, cylinders, and cones. Shapes can also be decomposed into equal shares, as in a circle broken into halves and quarters defines a clock face.

976 Figure 6.14 Grade Two Big Ideas



977

978 [Long description of figure 6.14](#)

979 Figure 6.15 Grade Two Content Connections, Big Ideas, and Content Standards

Content Connections	Big Ideas	Grade Two Content Standards
Reasoning with Data	<b>Measure and Compare Objects</b>	<b>MD.1, MD.2, MD.3, MD.4, MD.6, MD.9:</b> Determine the length of objects using standard units of measures, and use appropriate tools to classify objects, interpreting and comparing linear measures on a number line.
Reasoning with Data	<b>Represent Data</b>	<b>MD.7, MD.9, MD.10, G.2, G.3, NBT.2:</b> Represent data by using line plots, picture graphs, and bar graphs, and interpret data in different data representations, including clock faces to the nearest 5 minutes.

<b>Content Connections</b>	<b>Big Ideas</b>	<b>Grade Two Content Standards</b>
Exploring Changing Quantities	<b>Dollars and Cents</b>	<b>MD.8, MD.5, NBT.1, NBT.2, NBT.5, NBT.6, NBT.7:</b> Understand the unit values of money and compute different values when combining dollars and cents.
Exploring Changing Quantities and Discovering Shape and Space	<b>Problem Solving with Measure</b>	<b>NBT.7, NBT.1, MD.1, MD.2, MD.3, MD.4, MD.5, MD.6, MD.9, OA.1:</b> Solve problems involving length measures using addition and subtraction.
Taking Wholes Apart, Putting Parts Together	<b>Skip Counting to 100</b>	<b>NBT.1, NBT.3, NBT.7, OA.4, G.2:</b> Use skip counting, counting bundles of 10, and expanded notation to understand the composition and place value of numbers up to 1,000. This includes ideas of counting in fives, tens, and multiples of hundreds, tens, and ones, as well as number relationships involving these units, including comparing.
Taking Wholes Apart, Putting Parts Together	<b>Number Strategies</b>	<b>MD.5, NBT.5, NBT.6, NBT.7, OA.1, OA.2:</b> Add and subtract two-digit numbers, within 100, without using algorithms—instead encouraging different strategies and justification. Compare and contrast the different strategies using models, symbols, and drawings.
Discovering Shape and Space	<b>Seeing Fractions in Shapes</b>	<b>G.1, G.2, G.3, MD.7:</b> Divide circles and rectangles into equal shares and know them to be standard unit fractions. Identify and draw 2D and 3D shapes, recognizing faces and angles.
Discovering Shape and Space	<b>Squares in an Array</b>	<b>OA.4, G.2, G.3, MD.6:</b> Partition rectangles into rows and columns of unit squares to find the total number of square units in an array.



981 **Investigating and Connecting, Grades Three Through Five**

982 California’s mathematics content standards were built on progressions of topics across  
983 grade levels, informed by both research on children’s cognitive development and by the  
984 logical structure of mathematics. The content of grades three, four, and five is  
985 conceptually rich and multi-faceted, building on the concepts developed in the earlier  
986 grades, where students explore numbers, operations, measurement and shapes. In  
987 those grades, students develop efficient, reliable methods for addition and subtraction  
988 within 100. They learn place value and use methods based on place value to add and  
989 subtract within 1,000. In grade three, students continue developing efficient methods,  
990 and in grade four, they learn the standard algorithms for addition and subtraction  
991 (4.NBT.4).

992 **Standard algorithm**

993 Standard algorithm is defined in this framework as a step-by-step approach to  
994 calculating, decided by societal convention and developed for efficiency. Flexible and  
995 fluent use of standard algorithms requires conceptual understanding. (See CC3: Taking  
996 Wholes Apart and Putting Parts Together – Whole Numbers, below, for more on  
997 standard algorithms.)

998 In the earlier grades, students also work with equal groups and with the array model,  
999 preparing the way for understanding multiplication. They use standard units to measure  
1000 lengths and to describe attributes of geometric shapes. As described above, students’  
1001 mathematical investigations of core content—that is, the grade-level big ideas in  
1002 mathematics—can be productively approached using the SMPs.

1003 When students in grades three, four, and five are able to connect this previous learning  
1004 to make sense of current grade-level concepts, new mathematics challenges become  
1005 exciting and meaningful. Students build on their early mathematical foundation as,  
1006 through grades three, four, and five, they develop understanding of the operations of  
1007 multiplication and division, concepts and operations with fractions, and measurement of  
1008 area and volume.

1009 Students develop and learn at different times and rates. For this or other reasons—as  
1010 noted in the section above on transitional kindergarten through grade two—some arrive  
1011 in the early elementary grades with unfinished learning from earlier grade levels (e.g.,  
1012 transitional kindergarten and kindergarten). In such cases, teachers should not  
1013 automatically assume these students to be low achievers who need placement in a  
1014 group that is learning standards from a lower grade level. Instead, teachers should  
1015 identify students’ learning needs and provide appropriate instructional support before  
1016 considering any change in standards taught.

1017 While some students lag in math learning, for others, what appears to be lack of  
1018 understanding is attributable, at least in part, to their inability to adequately  
1019 communicate their understanding. Here, too, providing appropriate instructional  
1020 support—in this case for language development—is essential.

1021 Because students encounter significant new mathematics vocabulary in grades three  
1022 through five, all of them, not just those learning English, benefit from instruction that  
1023 specifically supports language facility. Graphic displays of terms and properties, choral  
1024 responses, partner talk, and the use of gestures can all be helpful in doing so. Both  
1025 manipulative tools (e.g., two- or three-dimensional geometric figures and straws, other  
1026 straight objects that can be used to construct and compare geometric figures) and  
1027 technological tools that allow students to illustrate figures with specified properties can  
1028 support students as they make sense of the necessary vocabulary.

1029 Achieve the Core (2018) lists a variety of mathematical language and instructional  
1030 routines that benefit all students, particularly those who are learning English or who are  
1031 challenged by the demands of academic language for mathematics. One example is the  
1032 “Collect and Display” routine in which teachers listen for and note the language students  
1033 use as they engage in mathematics, whether with a partner, in a small group, or as a  
1034 whole class. Students’ language is then documented and displayed, serving as a  
1035 collective record or reference for students as they continue to develop their  
1036 mathematical language. Other Achieve the Core instructional routines, such as

1037 “Contemplate Then Calculate” and “Connecting Representations,” help students apply  
1038 the SMPs and deepen their involvement in the study of mathematics.

1039 The Understanding Language/Stanford Center for Assessment, Learning, and Equity  
1040 (SCALE) project at Stanford University (Zweirs et al., 2017) describes eight specific  
1041 math language routines designed to support and develop students’ academic language.  
1042 These include student-centered routines that are readily implemented in the classroom.  
1043 One example is “Convince Yourself, a Friend, a Skeptic,” a routine that calls for  
1044 students to justify their mathematical argument as a way to

- 1045 1. satisfy themselves;
- 1046 2. convince a friend (who asks questions and encourages further verbal or written  
1047 explanation, or perhaps an illustration); or
- 1048 3. convince a student skeptic, who will challenge and offer counter-arguments to  
1049 help refine the student’s own argument.

## 1050 **Content Connections Across the Big Ideas, Grades Three Through** 1051 **Five**

1052 The big ideas for each grade level define the critical areas of instructional focus.  
1053 Through the Content Connections, the big ideas unfold in a progression across grades  
1054 three through five in accordance with the CA CCSSM principles of focus, coherence,  
1055 and rigor. Figure 6.16 Progression of Big Ideas, Grades Three Through Five identifies a  
1056 sampling of the big ideas for these grades and indicates the CCs with which they are  
1057 most readily associated. The figure is followed by discussion of each CC, highlighting  
1058 specific SMPs, content standards, and activities associated with it. Later in this section  
1059 on grades three through five, each of figures 6.52, 6.54, and 6.56, respectively, shows a  
1060 grade-level-specific network diagram of the big ideas for grades three through five.  
1061 Immediately following each of those figures is a second one (figures 6.53, 6.55, and  
1062 6.57, respectively) that reiterates the big ideas for that grade, identifies the related CCs

1063 and content standards, and provides some detail on how content standards can be  
 1064 addressed in the context of the CCs described in this framework.

1065 Figure 6.16 Progression of Big Ideas, Grades Three Through Five

<b>Content Connections</b>	<b>Big Ideas: Grade Three</b>	<b>Big Ideas: Grade Four</b>	<b>Big Ideas: Grade Five</b>
Reasoning with Data	Represent Multivariable data	Measuring and plotting	Plotting patterns
Reasoning with Data	Fractions of shape and time	Rectangle Investigations	Telling a data story
Reasoning with Data	Measuring	n/a	n/a
Exploring Changing Quantities	Addition and subtraction patterns	Number and shape patterns	Telling a data story
Exploring Changing Quantities	Number flexibility to 100	Factors and area models	Factors and groups
Exploring Changing Quantities	n/a	Multi-digit numbers	Modeling
Exploring Changing Quantities	n/a	n/a	Fraction connections
Exploring Changing Quantities	n/a	n/a	Shapes on a plane
Taking Wholes Apart, Putting Parts Together	Square tiles	Fraction flexibility	Fraction connections
Taking Wholes Apart, Putting Parts Together	Fractions as relationships	Visual fraction models	Seeing Division
Taking Wholes Apart, Putting Parts Together	Unit fraction models	Circles, fractions and decimals	Powers and place value
Discovering shape and space	Unit fraction models	Circles, fractions and decimals	Telling a data story
Discovering shape and space	Analyze quadrilaterals	Shapes and symmetries	Layers of cubes
Discovering shape and space	n/a	Connected problem solving	Shapes on a plane

1066 **Content Connections, Grades Three Through Five**

1067 ***CC1: Reasoning with Data***

1068 In these upper elementary grades, students acquire important foundational concepts  
1069 involving measurement and increase the degree of precision to which they measure  
1070 quantities as they engage in solving interesting, relevant problems. They measure  
1071 various attributes, such as time, length, weight, area, perimeter, and volume of liquids  
1072 and solid figures (3.MD.1–4; 4.MD.1–4; 5.MD.1–5). Third-grade students develop an  
1073 understanding of area, focusing on square units in rectangular configurations, and they  
1074 build concepts of liquid volume and mass. As fourth-grade students solve problems in  
1075 measurement, they discover and apply a formula to calculate areas of rectangles. They  
1076 solve measurement problems involving time, money, distance, volume and mass. In fifth  
1077 grade, students apply all of these skills as they focus on concepts of volume and use  
1078 multiplicative thinking to calculate volumes of right rectangular prisms.

1079 Measurement problem contexts are well suited to connect with data science concepts.  
1080 Students can gather and analyze measurement data to answer relevant questions.  
1081 Chapter five offers guidance as to how to integrate these content areas. Students apply  
1082 reasoning and their growing understanding of multiplication and fractions to gather,  
1083 represent, and interpret data in culturally meaningful contexts (SMP.1, 4, 7). While  
1084 mathematical skills are necessarily in play when working with data, the emphasis is on  
1085 representation and analysis; students need to be statistically literate in order to interpret  
1086 the world (Van de Walle et al., 2014, 378).

1087 Students create and examine stories told by measurement and data as they

- 1088 ● solve problems involving measurement (3.MD.1, 2; 4.MD.1–3; 5.MD.1–5); and
- 1089 ● represent and interpret data (3.MD.3, 4; 4.MD.4; 5.MD.2).

1090 In their work with measurement and data, students use the SMPs to

- 1091 ● make sense of data and interpret results of investigations (SMP.1, 3, 6);
- 1092 ● construct arguments based on context as they reason about data (SMP.2, 3);
- 1093 and
- 1094 ● select appropriate tools to model their mathematical thinking (SMP.4, 5, 6).

1095 Key to creating lessons that promote student discourse, curiosity, and active learning is  
1096 the nature of the question being investigated: The more tightly a question connects to  
1097 students' natural interests—themselves, their peers, and issues that are going to  
1098 directly affect their lives—the more likely the question is to engage and motivate  
1099 students. Science, history—social science, and California's Environmental Principles and  
1100 Concepts (EP&Cs) are all prime topic areas to integrate into mathematics lessons  
1101 because they can be easily connected to what students most care about. Questions  
1102 related to these topic areas offer a wide array of opportunities for collection and analysis  
1103 of real-world data. (See, for example, the vignette [Habitat and Human Activity](#) in which a  
1104 teacher works with students to deepen their knowledge and skills of mathematics,  
1105 science, the California EP&Cs, and English language arts (ELA)/literacy through an  
1106 investigation of habitats on or near the school campus).

1107 Referencing phenomena in students' lives and experiences, including in their  
1108 communities, is an important access point for all students, but especially for students  
1109 who are English learners, a linguistically and culturally diverse group. This approach  
1110 supports concept development more effectively than examples that have minimal  
1111 meaning to the learners and, thus, can increase the difficulty of the exploration.

1112 The internet provides access to almost unlimited sources of current data of interest to  
1113 students. Some possible “about us” investigations might include the following:

- 1114 ● Minutes spent traveling to school each day
- 1115 ● Minutes of screen time in the past week
- 1116 ● Numbers of pets in the family

1117 Other investigations may center on questions such as:

- 1118 ● What are typical temperatures in our area over the course of a year?
- 1119 ● What traffic patterns can we observe on nearby street(s)?
- 1120 ● What is the most common car color where we live?
- 1121 ● How far do players run during various professional sports games (e.g., soccer,

1122           basketball, baseball)?

1123           ● How far do people have to travel to the nearest hospital in different counties of  
1124           the state?

1125           ● How long does it take for various seeds to germinate? (Van de Walle et al., 2014)

1126   As students make decisions about what data to gather and how to gather it, teacher  
1127   guidance will likely be necessary. The question under investigation must be clearly  
1128   defined and stated so that all data gatherers will be consistent as they collect and  
1129   record it. “Data Clusters and Distributions,” a lesson for upper elementary grade levels  
1130   (PBS Learning Media, 2008), focuses on the importance of consistency in data  
1131   collection. The video portion of the lesson demonstrates how inconsistent data  
1132   gathering led to incorrect findings; the characters in the video then collaborate to  
1133   remedy the problem and begin to analyze the data. The lesson poses additional  
1134   questions highlighting the value of interpreting the results of a study in order to gain  
1135   knowledge and make decisions or recommendations.


1136   Investigations of data allow for integration and purposeful practice of the four concepts  
1137   of operations and fractions, both of which—operations and fractions—are major content  
1138   areas in these grades. Third-grade students use multiplication when they draw picture  
1139   graphs in which each picture represents more than one object or draw bar graphs in  
1140   which the height of a given bar in tick marks must be multiplied by the scale factor to  
1141   yield the number of objects in the given category. Fourth- and fifth-grade students  
1142   convert measures within a given measurement system and use fractional values as they  
1143   create and analyze line plots of data sets.

1144   To understand the stories told by measurement and data, students must go beyond  
1145   collecting and presenting data; they must be actively engaged in analyzing and  
1146   interpreting data as well.

1147   One approach, called “Turning the Task Around,” allows students to study a mystery  
1148   graph that illustrates some unknown topic, as shown in figure 6.17. After looking at the

1149 unlabeled line plot, students can describe what they notice about the values shown and  
1150 make suggestions as to what this graph could reasonably represent.

1151 Figure 6.17 Example of a Mystery Graph



1152

1153 Some possibilities might include

- 1154 ● the lengths in inches of various insects;
- 1155 ● the widths in inches of people's fingers;
- 1156 ● what fraction of a pizza different people ate;
- 1157 ● what distance in miles students ran during physical education class; or
- 1158 ● weights in grams of rocks in the class collection.

1159 In a PBS Learning Media task called "What's Typical, Based on the Shape of Data  
1160 Charts?" (n.d.) students analyze two sets of data (collected by two different students)  
1161 showing the heights of all members of the school band. Both students have measured  
1162 the heights of the same 21 band members, yet the respective numbers reported in the  
1163 two data sets do not match. Preliminary tasks invite students to find the range of the  
1164 data (4.MD.4) and the mode (which students will learn about formally in grade six) for  
1165 each set. Students then consider and offer explanations as to why the two data sets  
1166 might differ. Finally, students recommend how many band uniforms the band director  
1167 should order in sizes small, medium, and large.

1168 "Button Diameters," from *Illustrative Mathematics* (Illustrative Mathematics, 2016a)  
1169 emphasizes measurement skills by having students measure buttons to the nearest  
1170 fourth and eighth inch. After creating line plots of the data, students describe the



1171 differences between the two line plots they created, and they consider which line plot  
1172 gives more information and which is easier to read.

1173 ***CC2: Exploring Changing Quantities***

1174 Upper elementary grade students extend their understanding of operations to include  
1175 multiplication and division. They study several ways of thinking about these operations,  
1176 represent their thinking with tools, pictures, and numbers, and make connections among  
1177 the various representations. Full understanding of the meanings of multiplication and  
1178 division is essential, as students will need to apply the same thinking strategies when  
1179 they begin operations with fractions. The development of solid understanding of these  
1180 operations also prepares students for mathematics in middle school and beyond.

1181 In grade levels three through five, students advance their algebraic thinking as they

- 1182 ● understand properties of multiplication and the relationship between  
1183 multiplication and division (3.OA.; 4.OA.2, 5, 6; 5.NF.3, 4, 7);
- 1184 ● use the four operations to solve problems with whole numbers (3.OA.8, 9;  
1185 4.NBT.4, 5; 5.NBT.5, 6); and
- 1186 ● use letters to stand for unknowns in equations (3.OA.8; 4.OA.3).

1187 Simultaneously, they expand their use of all the SMPs. For example, they

- 1188 ● think quantitatively and abstractly using multiplication and division;
- 1189 ● model contextually based problems using a variety of representations;
- 1190 ● communicate thinking using precise vocabulary and terms; and
- 1191 ● use patterns they discover as they develop meaningful, reliable and efficient  
1192 methods to multiply and divide (SMP.2, 4, 6, 8) numbers within 100.

1193 **Meanings of Multiplication and Division**

1194 In previous grades, students worked with the operations of addition and subtraction;  
1195 now they develop an understanding of the meanings of multiplication and division of  
1196 whole numbers. They recognize how multiplication is related to addition (it can  
1197 sometimes call for repeatedly adding equal-sized groups), how it is distinct from  
1198 addition, and how it serves as a more efficient way of counting quantities.

1199 Students engage initially in multiplication activities and problems involving equal-sized  
1200 groups, arrays, and area models (NGA/CCSSO, 2010c). Later (in grade four) they also  
1201 solve comparison problems and use the terms factor, multiple, and product. Students  
1202 who hear teachers consistently and intentionally using precise mathematics terms  
1203 during instruction become accustomed to the vocabulary. Over time, as they gain  
1204 experience and as their confidence increases, students begin to incorporate the  
1205 language themselves.

1206 The most common types of multiplication and division word problems for grades three,  
1207 four, and five (from the 2013 *Mathematics Framework*, Glossary) are summarized in  
1208 figure 6.18. The various problem situations illustrate how the language associated with  
1209 each type of problem might be confusing for a student who is learning English, and how  
1210 teachers can support their students in acquiring precise mathematical language as  
1211 students investigate mathematical content.

1212

1213 Figure 6.18 Common Multiplication and Division Situations

Common Multiplication and Division Situations	Unknown Product	Group Size Unknown	Number of Groups Unknown
n/a	$= \square$	$\square =$ and $\div = \square$	$\square =$ and $\div = \square$
Equal Groups	<p>There are 3 bags with 6 plums in each bag. How many plums are there altogether?</p> <p>Measurement example: You need 3 lengths of string, each 6 inches long. How much string will you need altogether?</p>	<p>If 18 plums are shared equally and packed in 3 bags, how many plums will be in each bag?</p> <p>Measurement example: You have 18 inches of string, which you will cut into 3 equal pieces. How long will each piece of string be?</p>	<p>If 18 plums are to be packed, with 6 plums to a bag, then how many bags are needed?</p> <p>Measurement example: You have 18 inches of string, which you will cut into pieces that are each 6 inches long. How many pieces of string will you have?</p>
Arrays <sup>†</sup> , Area <sup>‡</sup>	<p>There are 3 rows of apples with 6 apples in each row. How many apples are there?</p> <p>Area example: What is the area of a rectangle that measures 3 centimeters by 6 centimeters?</p>	<p>If 18 apples are arranged into 3 equal rows, how many apples will be in each row?</p> <p>Area example: A rectangle has an area of 18 square centimeters. If one side is 3 centimeters long, how long is a side next to it?</p>	<p>If 18 apples are arranged into equal rows of 6 apples, how many rows will there be?</p> <p>Area example: A rectangle has an area of 18 square centimeters. If one side is 6 centimeters long, how long is a side next to it?</p>
Compare	<p>A blue hat costs \$6. A red hat costs 3 times as much as the blue hat. How much does the red hat cost?</p> <p>Measurement example: A rubber band is 6 centimeters long. How long will the rubber band be when it is stretched to be 3 times as long?</p>	<p>A red hat costs \$18, and that is three times as much as a blue hat costs. How much does a blue hat cost?</p> <p>Measurement example: A rubber band is stretched to be 18 centimeters long and that is three times as long as it was at first. How long was the rubber band at first?</p>	<p>A red hat costs \$18 and a blue hat costs \$6. How many times as much does the red hat cost as the blue hat?</p> <p>Measurement example: A rubber band was 6 centimeters long at first. Now it is stretched to be 18 centimeters long. How many times as long is the rubber band now as it was at first?</p>
General	$= \square$	$\square =$ and $\div = \square$	$\square \times b = p$ and $p \div b = \square$

1214 Source. CDE, 2013

1215 Note. The first example in each cell focuses on discrete things. These examples are  
1216 easier for students and should be given before the measurement examples.

1217 † The language in the array examples shows the easiest form of array problems. A  
1218 more difficult form of these problems uses the terms rows and columns, as in this  
1219 example: “The apples in the grocery window are in 3 rows and 6 columns. How many  
1220 apples are there?” Both forms are valuable.


1221 ‡ Area involves arrays of squares that have been pushed together so that there are no  
1222 gaps or overlaps; thus, array problems include these especially important measurement  
1223 situations

## 1224 **Views and Interpretations of the Operation of Multiplication**

1225 When students focus on the equal-groups interpretation of multiplication, they find the  
1226 total number of objects in a particular number of equal-sized groups (3.OA.1). This  
1227 references their understanding of addition, but it is important that instructional  
1228 approaches include repeated addition as one of several distinct and necessary  
1229 interpretations of multiplication. As they continue, students will use multiplication to  
1230 solve contextually relevant problems involving arrays, area, and comparison using a  
1231 variety of representations to show their thinking (SMP.4, 5, 6, 3; OA.3; 4.OA.2, 4;  
1232 NBT.5).


1233 Moving beyond the equal-groups interpretation of multiplication can prove challenging  
1234 for students. Arrays can serve as a likely next step because they can be seen as the  
1235 familiar equal-sized groups, but now with the objects arranged into orderly rows. The  
1236 example in figure 6.19 shows, in each case, that when there are two groups of three  
1237 cubes, there are six cubes, and  $2 \times 3 = 6$ .

1238 Figure 6.19 Multiplication Representations for the Number



1239

1240 Two Equal-sized Groups of three cubes



1241


1242 Array of two rows (of equal size) with three cubes in each row

1243 The instructional goal is to move students beyond counting and re-counting items singly  
1244 to determine the total; instead, students will recognize the groups or rows as the  
1245 quantities that comprise the total. In the example above, as students find the product,  
1246 six, they should be counting by threes (three in each row) rather than counting single  
1247 cubes.

1248 To solve a problem such as, “If there are 20 rows of seats in our multi-purpose room  
1249 and each row has 16 seats, how many seats are there?” students can think about and  
1250 represent the problem with an array. Some students may use the distributive property to  
1251 simplify the problem, perhaps realizing that  $10 + 10 = 20$ , multiplying  $10 \times 16 = 160$  and  
1252 adding  $160 + 160 = 320$ . Others might take the 16 apart, thinking  $16 = 10 + 6$ . They can  
1253 then apply the distributive property:  $10 \times 20 + 6 \times 20 = 200 + 120 = 320$ .

1254 Students begin to view multiplication as area by building rectangles using sets of square  
1255 tiles, which allows them to connect the now familiar array models with the newer idea of  
1256 the area of a rectangle, as shown in the left to right progression of images in figure 6.20  
1257 Once students learn various ways to solve contextual story problems through creating,  
1258 representing, and interpreting arrays, introducing the area interpretation of multiplication  
1259 makes sense.

1260 Figure 6.20 Using Arrays to Understand Area of a Rectangle



1261

1262 In grade level three, students develop an understanding of area and perimeter by using  
 1263 visual models. Fourth-graders extend their work with area and use formulas to calculate  
 1264 area and perimeter of rectangles. Students in grade five will continue to apply the equal-  
 1265 sized groups and area models to multiply whole numbers but will gradually drop using  
 1266 these models as they develop fluency with the standard algorithm. Fifth-graders use  
 1267 their understanding of whole number multiplication, along with concrete materials and  
 1268 visual models, to multiply fractions (4.NBT.5; 5.NBT.6, 5.NF.6). The interpretation of  
 1269 multiplication as area connects two categories of investigation—*Exploring Changing*  
 1270 *Quantities* and *Stories told by Measurement and Data*. Further discussion and  
 1271 illustration of these topics are found below.

1272 Third-grade students use square tiles, like those shown in figure 6.21, to build  
 1273 rectangles and find the area by multiplying the side lengths (3.MD.7):

1274 Figure 6.21 Using Square Tiles to Build a Rectangle



1275

1276 In grade four, students apply the area and perimeter formulas for rectangles to solve  
 1277 problems (4.MD.3), such as

1278 *"What is the width of a swimming pool that has a length of 12 units and an area*  
 1279 *of 60 square units?"*

1280 Fifth grade students find the areas of rectangles with fractional side lengths (5.NF.4b).

1281 Figure 6.22 Rectangle with Fractional Side Lengths



1282

1283 Beginning in fourth grade, students solve comparison problems in multiplication and  
1284 division (4.OA.1). Comparison multiplication requires students to engage in thinking  
1285 about some number of “times as many.” Expressing multiplicative relationships can  
1286 necessitate the use of complex sentence structures, a challenge for all students, and  
1287 perhaps especially for those who are English learners. Teachers can support students  
1288 by teaching and modeling the language of mathematics, as well as giving students  
1289 opportunities to practice that language.

1290 The vignette [Grade Four: Multiplication](#) in chapter three shows how students struggle  
1291 for understanding as they encounter multiplication as comparison. That vignette  
1292 includes the teacher’s analysis of the experience and decisions about plans for the next  
1293 lesson.

1294 Comparison multiplication is particularly important in setting a foundation for  
1295 scaling reasoning (5.NF.5) in grade five and, thus, demands careful introduction.  
1296 The fifth-grade study of multiplication as scaling likewise sets the foundation for  
1297 identifying scale factors and making scale copies in seventh grade and  
1298 subsequent work with dilations and similarity (7.RP.1, 2, 3; 7.G.1). Presenting  
1299 problems in familiar, culturally relevant contexts can help students to develop  
1300 understanding and come to distinguish when multiplicative reasoning rather than  
1301 additive reasoning is called for. They can compare quantities in the classroom  
1302 (e.g., five times as many whiteboard pens as erasers, three times as many  
1303 windows as doors, four times as much water as lemonade concentrate). Money  
1304 can be a meaningful context, as seen in the following example, “Comparing  
1305 Money Raised,” from *Illustrative Mathematics* (Illustrative Mathematics, 2016b):  
1306 Luis raised \$45 for the animal shelter, which was 3 times as much money as  
1307 Anthony raised. How much money did Anthony raise?

1308 In fifth grade, students prepare for middle school work with ratios and proportional  
1309 reasoning by interpreting multiplication as scaling. They examine how numbers change  
1310 as the numbers are multiplied by fractions. Based on their previous work with whole  
1311 number multiplication, students may overgeneralize, and believe that multiplication  
1312 “always makes things bigger.” Teachers can anticipate such misconceptions and plan  
1313 investigations to allow for exploration of various multiplicative situations (D11, 2; CC2,  
1314 3). Students should have ample opportunities to examine the following cases:

1315 a) When multiplying a number greater than one by a fraction greater than one,  
1316 the number increases.

1317 b) When multiplying a number greater than one by a fraction less than one, the  
1318 number decreases. This is a new interpretation of multiplication that needs  
1319 extensive exploration, discussion, and explanation by students.

1320 **Examples:**

1321 • “I know  $\frac{3}{4} \times 7$  is less than 7, because I make 4 equal shares from 7 but I only  
1322 take 3 of those shares ( $\frac{3}{4}$  is a fractional part less than one). If I’m taking a  
1323 fractional part of 7 that is less than 1, the answer should be less than 7.”

1324 • “I know that  $2\frac{2}{3} \times 8$  should be more than 8, because 2 groups of 8 is 16 and  $2\frac{2}{3} >$   
1325 2. Also, I know the answer should be less than  $24 = 3 \times 8$ , since  $2\frac{2}{3} < 3$ .”

1326 • “I can show by equivalent fractions that  $\frac{3}{4} = \frac{3 \times 5}{4 \times 5}$ . But I also see that  $\frac{5}{5} = 1$ , so the  
1327 result should still be equal to  $\frac{3}{4}$ .”

1328 Story contexts matter greatly in supporting students’ robust understanding of the  
1329 operations. Multiplication and division situations move beyond whole numbers as  
1330 students develop understanding of fractions and measure lengths to the quarter inch in  
1331 third grade (3.MD.4), and as they later calculate area of rectangles with fractional side  
1332 lengths. As noted in chapter three, historically, the majority of story problems and tasks



1333 children experienced in the younger grades tended to rely on contexts in which things  
1334 are counted rather than measured to determine quantities (e.g., how many apples,  
1335 books, children, etc. versus how far did they travel, how much does it weigh). Students  
1336 should have experience with measurement as well as count situations for multiplication  
1337 and division. Note that figure 6.18 Common Multiplication and Division Situations,  
1338 above, includes examples that call for measurement as well as examples that call for  
1339 counting.

### 1340 **Views and Interpretations of the Operation of Division**

1341 As students work with division alongside multiplication, they develop the understanding  
1342 that these are inverse operations. They come to recognize division in two different  
1343 situations: partitive division, which requires equal sharing (e.g., how many are in each  
1344 group?) and quotitive division, which requires determining how many groups (e.g., how  
1345 many groups can you make?) (3.OA.2).


1346 **Partitive Division** (also known as fair share, equal share, or group size unknown  
1347 division)

1348 In partitive division situations, the number of groups or shares to be made is known, but  
1349 the number of objects in (or size of) each group or share is unknown, such as in the  
1350 following example and figure 6.23:

---

1351 **Discrete (counting) Example:** There are 12 apples on the counter. If you are sharing  
1352 the apples equally in three bags, how many apples will go in each bag?

1353 Figure 6.23 Partitive Division Example



1354

1355 **Measurement Example:** There are 12 quarts of milk. If you are sharing the milk equally  
1356 among three classes, how much milk will each class receive?

---


1357 **Quotitive Division** (also known as repeated subtraction, measurement or number of  
1358 group unknown division)

1359 In quotitive division situations, the number of objects in (or size of) each group or share  
1360 is known, but the number of groups or shares is unknown, as in the following example  
1361 and illustration 6.24.

---

1362 **Discrete (counting) Example:** There are 12 apples on the counter. If you place three  
1363 apples in each bag, how many bags will you fill?

1364 Figure 6.24 Quotitive Division Example



1365

1366 **Measurement Example:** There are three gallons of milk. If you give three quarts to each  
1367 class, how many classes will get milk?

---

1368 Both interpretations of division should be explored because they both have important  
1369 uses for whole number and for fraction situations. The sample problems above illustrate  
1370 that the action called for in a quotitive situation typically differs from the action called for  
1371 in a comparable problem posed in a partitive context. Representations of the actions will  
1372 differ, and attention to how and why this occurs supports understanding of these two  
1373 interpretations of division. In these grades, teachers use the language of equal sharing,  
1374 number of shares (or groups), repeated subtraction, and the size of each group, with  
1375 students rather than the more formal terms, partitive or quotitive. Again, teachers need  
1376 to support students as they acquire the language of mathematics by teaching and  
1377 modeling precise language and by giving students opportunities to practice that  
1378 language.

1379 Students use the inverse relationship between multiplication and division when they find  
1380 the unknown number in a multiplication or division equation relating three whole  
1381 numbers. Viewing division as the inverse of multiplication presents a natural opportunity  
1382 for introducing the use of a letter to stand for an unknown quantity (SMP.4, 6; 3.OA.4;  
1383 4.OA.3). Students may be asked to determine the unknown number that makes the  
1384 equation true in equations such as  $8 \times n = 48$ ,  $5 = n + 3$ , and  $6 \times 6 = n$  (3.OA.4, 3.OA.8).  
1385 Acquiring understanding of variables is an ongoing process that begins in grade three  
1386 and increases in complexity through high school mathematics.

1387 The following is an example of a problem that asks students to consider variables:  
1388 *There are four apples in each bag on the counter, and there are 12 apples altogether.*  
1389 *How many bags must there be?* Students can write the equation  $n \times 4$  and solve for  $n$   
1390 by thinking, “What times 4 makes 12?” This missing-factor approach to solving the  
1391 problem utilizes the inverse relationship between multiplication and division.

1392 In grade three, students learn and develop the concept of division and build an  
1393 understanding of the inverse relationship between multiplication and division (3.OA.5, 6,  
1394 3.OA.7). Grade-four students find whole number quotients, limited to single-digit divisors  
1395 and dividends of up to four digits (4.NBT.6). Students in grade five extend this  
1396 understanding to include two-digit divisors and solve division problems (5.NBT.6). In  
1397 grades four and five, students benefit from using methods based on properties, on the  
1398 relationship between multiplication and division, and on place value to solve, illustrate,  
1399 and explain division problems (Carpenter et.al., 1997; Van de Walle et al., 2014).

1400 Fluency with the standard algorithm for division of multi-digit numbers is a focus for  
1401 grade six (6.NS.2).

1402 Figure 6.25 details the development of the operation of division, grades three to six.  
1403 Grade six information is included here to help grade five teachers understand the  
1404 mathematical progressions as students move into the next grade.

1405 Figure 6.25 Development of the Operation of Division, Grades Three Through Six

Grade 3	Grade 4	Grade 5	Grade 6
Understand division as the inverse of multiplication (3.OA.6)	Solve division word problems (4.OA.2)	Use strategies based on place value, properties of operations and/or the relationship between multiplication and division to find quotients in division problems with two-digit divisors and up to 4-digit dividends; illustrate and explain the results (5.NBT.6)	Apply and extend previous understandings of multiplication and division to divide fractions by fractions and use visual fraction models and equations to represent the problem (6.NS.1)
Divide within 100 using the inverse relationship between multiplication and division (3.OA.7)	Use strategies based on place value, properties of operations and/or the relationship between multiplication and division to find quotients in division problems with one-digit divisors and up to 4-digit dividends; illustrate and explain the results (4.NBT.6)	Divide decimals to hundredths using strategies based on place value, properties of operations and/or the relationship between multiplication and division. Use a written method and explain reasoning (5.NBT.7)	n/a
n/a	n/a	Apply and extend previous understandings of division to divide unit fractions by whole numbers and whole numbers by unit fractions (5.NF.B7)	n/a

1406 **CC3: Taking Wholes Apart and Putting Parts Together – Whole Numbers**

1407 Elementary students come to understand the structure of the number system by  
1408 building numbers and taking them apart; they make sense of the system as they explore  
1409 and discover numbers inside numbers. A significant part of students' mathematical work  
1410 in grades three, four, and five is the development of efficient methods for each operation  
1411 with whole numbers—methods they understand and can explain. By engaging in  
1412 meaningful activities and explorations, students gain fluency with multiplication and  
1413 division with numbers up to 10. They discover ways to apply the commutative and  
1414 associative properties to solve multiplication problems. They use their understanding of  
1415 place value and the distributive property to simplify multiplication of larger numbers.

1416 Students use place value, take wholes apart, put parts together, and find numbers  
1417 inside numbers when they

- 1418 ● use the four operations with whole numbers to represent and solve problems  
1419 (3.OA.3, 3.OA.7, 3.OA.8; 3.NBT.2; 4.OA.2, 4.OA.3, 4.OA.4.; 4.NBT.4, 4.NBT.5,  
1420 4.NBT.6; 5.NBT.5, 5.NBT.6);
- 1421 ● use place value understanding and properties of operations to perform multi-digit  
1422 arithmetic (3.OA.7, 3.OA.8; 4.NBT.4, 4.NBT.5; 5.NBT.5, 5.NBT.6);
- 1423 ● build fluency for products of one-digit numbers (3.OA.7);
- 1424 ● gain familiarity with factors and multiples (3.OA.6; 4.OA.4); and
- 1425 ● identify, generate, and analyze patterns and relationships (3.OA.9; 3.NBT.1;  
1426 4.OA.5, 4.NBT.1, 4.NBT.3).

1427 Development of students' use of the SMPs continues as they

- 1428 ● apply the mathematics they already know to solve multiplication and division  
1429 problems (SMP.1, 4);
- 1430 ● use pictures and/or concrete tools to model contextually based problems (SMP.4,  
1431 5);
- 1432 ● communicate thinking using precise vocabulary and terms (SMP.3, 6); and
- 1433 ● use patterns they discover as they develop meaningful, reliable and efficient  
1434 methods to multiply and divide (SMP.2, 4, 6, 8) numbers within 100.

1435 **Strategies and Invented Methods for Multiplication and Division**


1436 Students need opportunities to develop, discuss, and use efficient, accurate, and  
1437 generalizable computation methods. Explicit instruction in making reasonable estimates,  
1438 along with ample practice with situations that call for estimation, strengthen students'  
1439 ability to compute accurately, to explain their thinking, and to critique reasoning. The  
1440 goal is for students to use general written methods for multiplication and division that  
1441 they can understand and explain using visual models and/or place-value language  
1442 (SMP.2, 6, 8; 3.OA.1; 3.OA.7; 4.NBT.5). In grade five, students become fluent with the  
1443 standard algorithm for multiplying multi-digit numbers, connecting this abstract method  
1444 to their understanding of the operation of multiplication. However, there is merit in  
1445 fostering students' use of informal methods before teaching algorithms: "The  
1446 understanding students gain from working with invented strategies will make it easier for  
1447 you to meaningfully teach the standard algorithms" (Van de Walle et al., 2014).  
1448 Exposing students to multiple problem-solving strategies can improve students'  
1449 procedural flexibility (Woodward et al., 2012; Star et al., 2015); in contrast, pushing  
1450 them too quickly to use a standard algorithm before they have fully grasped conceptual  
1451 understanding may result in mathematical errors, such as the incorrect use of  
1452 arithmetical operations (Fischer et al., 2019), or an inability to apply understanding in  
1453 novel situations (Siegler et al., 2010).

1454 Children often invent ways to take numbers apart to find an easier way to solve a  
1455 problem. Students who know some but not all multiplication facts use invented  
1456 strategies to calculate  $7 \times 8$ , as in the example that follows:

1457 Student A: *I know that  $5 \times 8 = 40$ , and then there are two more eights, so that makes*  
1458 *16. And then I add  $40 + 16 = 56$ , so  $7 \times 8 = 56$ .*

1459 Student A is using the distributive property. To help the class recognize the usefulness  
1460 of the property, the teacher draws an array of stars: eight rows of stars with seven stars  
1461 in each row. As shown in figure 6.26, the teacher separates the columns to represent  
1462 the student's thinking, showing eight rows with five (red) stars in each row and eight  
1463 rows with two (black) stars in each row. The teacher invites Student A to show the class  
1464 how this drawing represents their thinking.

1465 Figure 6.26 Teacher's Representation of Student Thinking on Distributive Property  
1466 Problem



1467

1468 Student A uses the pen to write “40” below the red part of the drawing, and 16 below the  
1469 black part, then explains:

1470 *The red part is  $8 \times 5$ , and then the black part is  $8 \times 2$ , so it's  $40 + 16$ .*

1471 Student B adds: *I knew that  $7 \times 7 = 49$ , and then there's one more seven, so I added  $49$*   
1472 *+  $7 = 56$ .*

1473 The teacher invites Student B to show the class the equations they used. Student B  
1474 writes:  *$7 \times 7 = 49$ , and  $49 + 7 = 56$ .*

1475 The teacher checks with the class for understanding of what Student B did and calls on  
1476 two other students to re-explain Student B's strategy.

1477 The teacher then asks the class to consider whether Student B used the distributive  
1478 property and how they could illustrate Student B's thinking. With input from classmates,  
1479 Student B illustrates their thinking as follows:

1480 Student B's illustration shows two rectangles, one a  $7 \times 7$  unit rectangle (i.e., a square)  
1481 and, beside it, a  $7 \times 1$  unit rectangle. The corresponding multiplication ( $7 \times 7 = 49$ ) and


1482 addition ( $49 + 7 = 56$ ) are included in the illustration. The teacher notes that if the 1-unit  
1483 width of the smaller rectangle were indicated, it would make the multiplication  $7 \times 1 = 7$   
1484 evident (the teacher's suggestion is noted in a contrasting color in the diagram).

1485 As students begin to multiply two-digit numbers using strategies based on place value  
1486 and properties of operations (SMP.2, 7, 8; 3.OA.B.5, 3.OA.C.7; 4.NBT.B.5, 6), they find  
1487 and explain efficient methods. Fourth-grade students record their processes with  
1488 pictures and manipulative materials, as well as with numbers.

1489 To multiply  $36 \times 94$ , three students (A, B, and C) use place-value understanding and the  
1490 distributive property, yet they use three different strategies to solve the problem.

1491 As shown in figure 6.27, student A labels the partial products within each of the four  
1492 rectangles in the picture: 2700, 540, 120, and 24, and calculates the final sum beside  
1493 the sketch.

1494 Figure 6.27 Documentation of Student A's Process for Multiplying Two-digit Numbers



1495

1496 Student B calculates the four partial products and shows the thinking for each, as in  
1497 figure 6.28.

1498 Figure 6.28 Documentation of Student B's Process for Multiplying Two-digit Numbers



**Student B**  
Showing the partial products

94	
<u>X 36</u>	Thinking:
24	$6 \times 4 = 24$
540	$6 \times 90 = 540$
120	$30 \times 4 = 120$
<u>+ 2700</u>	$30 \times 90 = 2700$
3384	

1499

1500 While it is essential that students understand and can explain the methods they use,  
 1501 variations in how they record their calculations are acceptable at this stage (Fuson and  
 1502 Beckmann, 2013). The recording method shown by Student C (below), for example,  
 1503 reflects the same thinking as that of Student D (below), but the locations where the  
 1504 students show the regroupings are different.

1505 Student C uses the standard algorithm with the regroupings shown above the partial  
 1506 products rather than above the “94” in the problem, as shown in figure 6.29, which  
 1507 documents their process.

1508 Student C’s thinking:

1509  $6 \times 4 = 24$ . The 4 is recorded in the ones place and the 2 tens are recorded in the tens  
 1510 column.

1511  $6 \times 90 = 540$ . The 40 is shown by the 4 in the tens place; the 5 hundreds are recorded  
 1512 in the hundreds column.

1513  $30 \times 4 = 120$ . The 20 is recorded in the tens and ones places; the 1 hundred is recorded  
 1514 in the hundreds column.

1515  $30 \times 90 = 2700$ . The 7 hundreds are recorded in the hundreds place; the 2 thousands  
 1516 are recorded in the thousands place.

1517 Figure 6.29 Documentation of Student C's Process

$$\begin{array}{r} 94 \\ \times 36 \\ \hline 52 \\ 44 \\ 21 \\ \hline 720 \\ 3384 \end{array}$$

1518

1519 Student D uses this common version of the standard algorithm with the regroupings  
1520 shown above the factor, as shown in figure 6.30, which documents their two-stage  
1521 process for solving the problem. Commonly the first step would be to multiply the  
1522 rightmost number on the top row (4) by the 6 in the ones places on the second row, and  
1523 then carry the 2 to above the 94. A second step would be to multiply the leftmost  
1524 number in the bottom row (3, but since it is in the tens place, 30) by the rightmost  
1525 number in the top row (4). So, in the illustration, the

1526 **2** – The **2** represents two 10s in  $6 \times 4 = 24$

1527 **1** – *This 1 represents the 100 in  $30 \times 4 = 120$*

1528 Figure 6.30 Documentation of Student D's process

$$\begin{array}{r} 2 \\ 94 \\ \times 36 \\ \hline 564 \\ + 2820 \\ \hline 3384 \end{array}$$

1529

1530 During thoughtfully guided class discussion, perhaps on several occasions, the  
1531 connections among the pictorial representation (A), the partial products method (B), and  
1532 the standard algorithm (C and D) become clear.

1533 To multiply using the standard algorithm successfully and with understanding in grade  
1534 level five (5.NBT.5), students will need guidance in making connections between the  
1535 increasingly abstract methods of multiplying two-digit numbers. Building understanding  
1536 with concrete materials (e.g., base ten blocks) and visual representations (e.g., more  
1537 generic rectangular sketches) allows students to build the necessary foundation for this  
1538 formal algorithm. Students will rely on these skills and understandings for years to come  
1539 as they continue to multiply and divide multi-digit whole numbers and to add, subtract,  
1540 multiply, and divide rational numbers.

1541 The table below indicates the grade levels at which the CA CCSSM call for students to  
1542 use each of the standard algorithms with fluency, which means without any drawings or  
1543 physical supports (as described across the grade levels for the NBT domain of the  
1544 standards). In general, the standards support the use of invented strategies and  
1545 recording methods as students acquire early understanding of each operation and  
1546 develop general methods. Students explain written methods and use drawings or  
1547 objects to develop meanings when they are first using general methods. One  
1548 longitudinal study compared groups of students who used invented algorithms before  
1549 they used standard algorithms with students who used standard algorithms from the  
1550 beginning. The researchers (Carpenter et.al.,1997) concluded that “invented strategies  
1551 can provide a basis for developing understanding of multidigit operations, even when  
1552 algorithms are taught.” Some parents and guardians may express discomfort with the  
1553 CA CCSSM expectation that instruction in standard algorithms should follow, rather  
1554 than initiate, students’ computation efforts. Indeed, in the past, standard algorithms  
1555 were typically taught as the primary and perhaps the only way to solve mathematics  
1556 problems. Educators can share with families what research has revealed about the  
1557 many benefits of invented strategies, including

- 1558 • students make fewer computation errors;

- 1559       • less re-teaching is needed;
- 1560       • students develop number sense and increase their flexibility with numbers; and
- 1561       • students gain agency as doers and owners of mathematics (Van de Walle et al.,  
1562           2014).

1563   *Everyday Mathematics* offers guidance for families, explaining how premature  
1564 instruction in standard algorithms can often lead to erroneous and even harmful ideas.  
1565 Students may come to believe that mathematics is mostly about memorizing, that  
1566 mathematics problems should be solved in a few minutes, and that there is just one  
1567 right way to solve a problem.

1568   Note that the CA CCSSM do not include standard algorithms in transitional kindergarten  
1569 through grade three, although there are standards addressing fluencies needed for  
1570 proficiency in standard algorithms in later grades. Instead, as shown in figure 6.31, the  
1571 progression related to standard algorithms begins with the standard algorithm for  
1572 addition and subtraction in grade four; the algorithm for multiplication is addressed in  
1573 grade five; and the introduction of the standard algorithm for whole number division  
1574 comes in grade six. (Chapter seven addresses grade six.)

1575   Figure 6.31 Development of Fluency with Standard Algorithms, Elementary Grades

<b>Addition and Subtraction</b>	<b>Multiplication</b>	<b>Division</b>	<b>Operations with Decimals</b>
<p>Grade 2: 2.NBT.5</p> <p>Fluently add and subtract within 100 using strategies based on place value, properties of operations, and/or the relationship between addition and subtraction.</p> <p>2.NBT.7 Add and subtract within 1000, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method. Understand that in adding or subtracting three-digit numbers, one adds or subtracts hundreds and hundreds, tens and tens, ones and ones; and that sometimes it is necessary to compose or decompose tens or hundreds.</p>	<p>Grade 3: 3.NBT.3</p> <p>Multiply one-digit whole numbers by multiples of 10 in the range 10–90 (e.g., <math>9 \times 80</math>, <math>5 \times 60</math>) using strategies based on place value and properties of operations.</p>	<p>Grade 4: 4.NBT.6</p> <p>Find whole-number quotients and remainders with up to four-digit dividends and one-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.</p>	<p>Grade 5: 5.NBT.7</p> <p>Add, subtract, multiply, and divide decimals to hundredths, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method and explain the reasoning used.</p>

<b>Addition and Subtraction</b>	<b>Multiplication</b>	<b>Division</b>	<b>Operations with Decimals</b>
<p>Grade 3: 3.NBT.2</p> <p>Fluently add and subtract within 1000 using strategies and algorithms based on place value, properties of operations, and/or the relationship between addition and subtraction.</p>	<p>Grade 4: 4.NBT.5</p> <p>Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.</p>	<p>Grade 5: 5.NBT.6</p> <p>Find whole-number quotients of whole numbers with up to four-digit dividends and two-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.</p>	<p>n/a</p>
<p>Grade 4: 4.NBT.4</p> <p>Fluently add and subtract multi-digit whole numbers using the standard algorithm.</p>	<p>Grade 5: 5.NBT.5</p> <p>Fluently multiply multi-digit whole numbers using the standard algorithm.</p>	<p>Grade 6: 6.NS.2</p> <p>Fluently divide multi-digit numbers using the standard algorithm.</p>	<p>Grade 6: 6.NS.3</p> <p>Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.</p>

1576 Source: CDE, 2013

1577 Pattern investigation is a powerful means of building understanding, and can provide  
1578 access for students with visual strengths and any students who lack confidence with  
1579 numerical tasks. Investigating patterns helps students develop facility with multiplication  
1580 and supports them on their path to fluency. There are many patterns to be discovered  
1581 by exploring the multiples of numbers. As students explore patterns visually, they find  
1582 and, in number charts, describe and color what they have found. They engage in  
1583 partner and/or class conversations in which they notice and wonder, explain their  
1584 discoveries, and listen to and critique others' discoveries. Examining and articulating  
1585 these mathematical patterns is an important part of the work to understand  
1586 multiplication and division.

1587 The following problem is an example of one aspect of pattern investigation. As shown in  
 1588 figure 6.32, on a multiplication table, each student colors in the multiples of a  
 1589 designated factor (in this case, multiples of 4).

1590 Figure 6.32 Example of Student’s Marked-up Multiplication Table Used in Pattern  
 1591 Investigation

x	1	2	3	4	5	6	7	8	9	10
1	1	2	3	4	5	6	7	8	9	10
2	2	4	6	8	10	12	14	16	18	20
3	3	6	9	12	15	18	21	24	27	30
4	4	8	12	16	20	24	28	32	36	40
5	5	10	15	20	25	30	35	40	45	50
6	6	12	18	24	30	36	42	48	54	60
7	7	14	21	28	35	42	49	56	63	70
8	8	16	24	32	40	48	56	64	72	80
9	9	18	27	36	45	54	63	72	81	90
10	10	20	30	40	50	60	70	80	90	100

1592

1593 The teacher poses questions, prompting students to notice and wonder why the pattern  
 1594 they see occurs and what all these multiples of four have in common.

1595 On the same chart, students then circle all the multiples of four that are also multiples of  
 1596 5 (20, 40, 60, 80, 100) and analyze why only those 5 multiples coincide, where they are  
 1597 located on the table, what those numbers have in common.

1598 **Attaining Fluency**

1599 Fluency is an important component of mathematics, contributing to a student’s success  
 1600 through the school years and remaining useful in the math many adults use in their daily  
 1601 lives.

1602 What does fluency mean in elementary grade mathematics? Content standard 3.OA.7,  
 1603 for example, calls for third graders to “fluently multiply and divide within 100, using

1604 strategies such as the relationship between multiplication and division ... or properties  
1605 of operations.” Fluency means that students use strategies that are *flexible, efficient,*  
1606 and *accurate* to solve problems in mathematics. Students who are comfortable with  
1607 numbers and who have learned to compose and decompose numbers strategically  
1608 develop fluency along with conceptual understanding. They can use known facts,  
1609 including those drawn from memory, to determine unknown facts. They understand, for  
1610 example, that the product of  $4 \times 6$  will be twice the product of  $2 \times 6$ , so that if they know  
1611  $2 \times 6 = 12$ , then  $4 \times 6 = 2 \times 12$ , or 24.

1612 In the past, fluency has sometimes been equated with speed, which may account for  
1613 the common but counterproductive use of timed tests for practicing facts (Henry &  
1614 Brown, 2008). Fluency involves more than speed, however, and requires knowing,  
1615 efficiently retrieving, and appropriately using facts, procedures, and strategies, including  
1616 from memory. Achieving fluency builds on a foundation of conceptual understanding,  
1617 strategic reasoning, and problem solving (NGA Center and CCSSO, 2010; NCTM,  
1618 2000, 2014). To develop fluency, students need to have opportunities to explicitly  
1619 connect their conceptual understanding with facts and procedures (including standard  
1620 algorithms) in ways that make sense to them (Hiebert and Grouws, 2007).

1621 Attaining fluency with multiplication and division within 100 accounts for a major portion  
1622 of upper elementary grade students’ work. Some additional suggestions to support  
1623 fluency and increase efficiency in learning multiplication and division facts include:

- 1624 ● Focus most heavily on the types of multiplication and division problems shown in  
1625 figure 6.31 that students understand but in which they are not yet fluent.
- 1626 ● Continue meaningful practice—and extra support as necessary—for those  
1627 students who need it to attain fluency.
- 1628 ● Encourage students to use, work with, and explore numbers.

1629 When practice is varied, playful, and tailored to student needs, students enjoy and  
1630 readily learn more mathematics (Boaler, 2016; Kling and Bay-Williams, 2014, 2015).  
1631 Interesting, worthwhile facts practice can be accomplished by engaging students in



1632 number talks/strings and games. Familiar card games, such as *Concentration* or *War*,  
1633 are easily adapted to provide fact practice (Kling and Bay-Williams, 2014, 493). For  
1634 example, pairs of students can use a deck of playing cards (with the face cards  
1635 removed) to practice multiplication facts: The cards are shuffled and four cards are  
1636 turned face up between the players. The remaining cards are placed face down in a  
1637 stack. Player A selects two of the face-up cards, calculates the product, and explains  
1638 the strategy they used. Player B confirms or challenges the product and may ask for  
1639 further explanation of Player A's strategy. If Player A came up with the right product, the  
1640 student claims those two cards. Player B turns over two more cards from the stack to  
1641 replace those taken by Player A and then takes their own turn. For further discussion of  
1642 fluency and additional resources, see chapter three.

1643 Acquiring fluency with multiplication facts begins in third grade and development  
1644 continues in grades four and five. Fluency gained in these two grades establishes the  
1645 foundation for work with ratios and proportions in grades six and seven. To support this  
1646 development, teachers must provide students with learning opportunities that are  
1647 enjoyable, make sense, and connect to previous learning about the meanings of  
1648 operations and the properties that apply. They must also avoid any temptation to  
1649 conflate fluency and speed. Research shows that when students are under time  
1650 pressure to memorize facts devoid of meaning, working memory can become blocked.  
1651 Such stressful experiences tend to defeat learning, and for many students can lead to  
1652 persistent, generalized anxiety about their ability to succeed in mathematics (Boaler,  
1653 Williams, and Confer, 2015).

1654 The following general strategies can help students establish all products of two one-digit  
1655 numbers (3.OA.7; SMP.2, 4, 8) in their memory:

- 1656 • Multiplication by zeros and ones
- 1657 • Doubles (twos facts), doubling twice (fours), doubling three times (eights)
- 1658 • Tens facts (relating to place value,  $5 \times 10$  is 5 tens, or 50)
- 1659 • Fives facts (knowing that the fives facts are half of the tens facts)

- 1660       • Know the squares of numbers (e.g.,  $6 \times 6 = 36$ )
- 1661       • Patterns—for nines, for example:  $(6 \times 9) = 6 \times (10-1) = (6 \times 10) - (6 \times 1) = 10$
- 1662           groups of 6 – 1 group of 6 =  $60 - 6 = 54$ )

1663   **Investigating and Applying Properties of Multiplication**

1664   As students develop strategies for solving multiplication problems, they naturally use  
1665   properties of operations to simplify the tasks. Students are expected to strategically  
1666   apply the operations throughout these grades as they calculate quantities (SMP.5, 7;  
1667   3.OA.5, 3.OA.7; 4.NBT.4, 6; 5.OA.1, 2; 5.NBT.4, 5.NBT.5). They are also expected to  
1668   use precise mathematical language at all grades (SMP.6). Since students acquire  
1669   language most readily when it is used consistently and in context, teachers will want to  
1670   encourage students' use of the names of the properties involved in the mathematics  
1671   they are doing. Teachers support students' facility with the operations of arithmetic by  
1672   providing students with frequent opportunities to explore and discuss various  
1673   multiplication strategies and properties (SMP.3, 4, 5, 8; ELD.PI.9), and by highlighting  
1674   the efficacy of the strategies as they are used (Kling and Bay-Williams, 2015).

1675   In the vignette [Students Examine and Connect Methods of Multiplication](#), the teacher  
1676   challenges students to multiply  $7 \times 24$  and to explain their strategies. The goal is to  
1677   promote their critical examination of several methods and to have students look for  
1678   connections among the methods.

1679   **Commutative Property:** As students in grades 3–5 work with equally sized groups,  
1680   arrays, and area, they have many opportunities to employ the commutative property of  
1681   multiplication. They may notice that they also use commutativity to solve addition  
1682   problems. In story contexts, they may encounter the difference between “two groups of  
1683   three objects each” (e.g., pencils, ants, pounds, quarts) and “three groups with two  
1684   objects each.” Students discover the commutative property by noticing that the result in  
1685   both cases is a total of six objects. This also supports their ability to become fluent with  
1686   multiplication within 100: If a student knows  $4 \times 6 = 24$ , then they know that  $6 \times 4$  also is  
1687   equal to 24.

1688 **Associative Property:** Experiences in which students must multiply three factors, such  
1689 as  $3 \times 5 \times 2$ , provide opportunities to apply the associative property. A student can first  
1690 calculate  $3 \times 5 = 15$ , then multiply  $15 \times 2$  to find the product 30. Another student may  
1691 find  $5 \times 2 = 10$  first, then multiply  $3 \times 10$  to find the same product, 30. Again, students  
1692 can observe that the associative property applies to both addition and multiplication.

1693 **Distributive Property:** Students frequently use the distributive property to discover  
1694 products of whole numbers (such as  $6 \times 8$ ) based on products they can find more  
1695 easily. A student who knows that  $3 \times 8 = 24$  can use that to recognize that since  $6 = 3 +$   
1696  $3$ , then  $6 \times 8 = (3 + 3) \times 8 = 3 \times 8 + 3 \times 8$ , and that  $3 \times 8 + 3 \times 8 = 24 + 24 = 48$ .

1697 Another student may use knowledge that  $6 \times 8 = 6 \times (4 + 4)$  to solve:  $6 \times 8 = 6 \times (4 + 4)$   
1698  $= 6 \times 4 + 6 \times 4 = 24 + 24 = 48$ .

1699 The distributive property may also involve subtraction. A student may solve  $6 \times 8$  by  
1700 beginning with the familiar  $6 \times 10$ :  $6 \times 8 = 6 \times (10 - 2) = 6 \times 10 - (6 \times 2) = 60 - 12 = 48$ .

### 1701 ***CC3: Taking Wholes Apart and Putting Parts Together—Fractions***

1702 In grades one and two, students partition circles and rectangles into two, three, and four  
1703 equal shares and use fraction language (e.g., halves, thirds, half of, a third of). Their  
1704 experiences with fractions are concrete and related to geometric shapes. Starting in  
1705 grade three, important foundations in fraction understanding are established, and the  
1706 topic calls for careful development at each grade level.

1707 The fact that there are several ways to think about fractions increases the complexity  
1708 and significance of this body of learning. Children begin formal work with fractions in  
1709 third grade, with a focus on unit fractions and benchmark fractions. Fourth and fifth  
1710 grade students move on to fraction equivalence and operations with fractions. Fifth  
1711 grade mathematics includes the development of the meaning of division of fractions, a  
1712 sophisticated idea which needs careful attention and preparation in prior grades.  
1713 Students often struggle with key fraction concepts, such as “Understand a fraction as a  
1714 number on the number line...” (3.NF.2) and “Apply and extend previous understandings  
1715 of division to divide unit fractions by whole numbers and whole numbers by unit

1716 fractions” (5.NF.7). It is imperative to present fractions in meaningful contexts and to  
1717 allow ample time for the careful development of fraction concepts at each stage.

1718 Proficiency with rational numbers written in fraction notation is essential for success in  
1719 more advanced mathematics such as percentages, ratios and proportions, and algebra.

1720 To develop fraction concepts, upper elementary students should

- 1721 ● develop understanding of fractions as numbers (3.NF.1, 2);
- 1722 ● understand decimal notation for fractions, and compare decimal fractions  
1723 (4.NF.5, 6, 7);
- 1724 ● extend understanding of fraction equivalence and ordering (3.NF.3; 4.NF.1, 2);  
1725 and
- 1726 ● apply and extend previous understandings of operations to add, subtract, multiply  
1727 and divide fractions (4.NF.3, 4; 5.NF.1–7).

1728 As students work with fractions, they use the SMPs. For example:

- 1729 ● Think quantitatively and abstractly, connecting visual and concrete models to  
1730 more abstract and symbolic representations of fractions (SMP.2).
- 1731 ● Model contextually based problems mathematically, and using a variety of  
1732 representations (SMP.4, 5).
- 1733 ● Select and use tools such as number lines, fraction squares, or illustrations  
1734 appropriately to communicate mathematical thinking precisely (SMP.5, 6).
- 1735 ● Make use of structure to develop benchmark fraction understanding (SMP. 7).

### 1736 **Understanding Fractions as Numbers, Equivalence, and Ordering Fractions**

1737 Grade three students begin with unit fractions (any fraction whose numerator is 1),  
1738 building on the idea of partitioning wholes into equal parts, and become familiar with  
1739 benchmark fractions, such as one half. In fourth grade, the emphases are on  
1740 equivalence, ordering, and beginning operations with fractions and decimal fractions. In  
1741 fifth grade, students apply their previous understandings of the operations to add,

1742 subtract, multiply, and divide fractions (in limited situations). Figure 6.33 shows how  
 1743 students' understanding and use of fractions develops through these grades.

1744 Figure 6.33 Development of Fraction Concepts, Grades Three Through Five

Development of Fraction Concepts: Grade Three	Development of Fraction Concepts: Grade Four	Development of Fraction Concepts: Grade Five
Understand unit fractions as equal parts of a whole (3.NF.1)	Explain equivalence of fractions and generate equivalent fractions (4.NF.1)	Solve addition and subtraction fraction problems by finding equivalent fractions, using visual models or equations (5.NF.1, 2)
Understand fractions as numbers on a number line (3.NF.1)	Compare fractions with unlike numerators and denominators by finding equivalent fractions (4.NF.2)	Use benchmark fractions and number sense to estimate with fractions and determine reasonableness (5.NF.2)
Use unit fractions as building blocks (3.NF.2)	Apply previous understandings of addition and subtraction to solve fraction problems using visual models and/or equations (4.NF.3)	Apply previous understandings of multiplication to multiply fractions by a whole number or a fraction, and view multiplication of fractions as scaling (5.NF.3, 4, 5)
Understand equivalence and compare fractions in limited cases (3.NF.3)	Apply previous understandings of multiplication to multiply a fraction by a whole number (4.NF.4)	Use visual fraction models or equations to represent and solve fraction multiplication problems (5.NF.6)
n/a	Understand decimal notation and compare decimal fractions to the hundredths place (4.NF.6,7)	Use visual models to solve story problems involving division of fractions by whole numbers and whole numbers by unit fractions in limited situations (5.NF.7)

1745 An important goal is for students to see unit fractions as the basic building blocks of all  
1746 fractions, in the same sense that the number 1 is the basic building block of whole  
1747 numbers. Students make the connection that, just as every whole number is obtained  
1748 by combining a sufficient number of ones, every fraction is obtained by combining a  
1749 sufficient number of unit fractions (adapted from Common Core Standards Writing  
1750 Team, 2022). The idea of  $\frac{3}{4}$  as a number may be difficult for students to grasp initially;  
1751 “putting together three one-fourths” is a more readily accessible concept. To develop  
1752 the concept, students can use concrete materials to build a number and then see the  
1753 connections between the concrete model and the representational, more abstract  
1754 approaches.

1755 Students might, for example, use fraction bars (in this case, one orange rectangle is  
1756 identified as one fourth of the whole) to physically put together three one-fourth pieces.  
1757 They can illustrate this rectangular representation on paper and can record it  
1758 symbolically as  $\frac{1}{4} + \frac{1}{4} + \frac{1}{4} = \frac{3}{4}$ . Teachers support students in making these  
1759 connections by asking that they record their thinking in several ways, giving  
1760 opportunities for discussion and comparison of various representations, and being  
1761 explicit about how the representations express the same idea.

1762 Figure 6.34: Representing Fractions



1763  
1764 At the beginning stages of fraction work, students need considerable experience  
1765 exploring various concrete and visual materials in order to build understanding of  
1766 fractions as equal parts of a whole (3.NF.1,3; ELD.PI.7). It is natural for students, using  
1767 their understanding of whole numbers, to think that if a whole is split into four parts,  
1768 regardless of whether those parts are of equal size, then each part must be one fourth

1769 of the whole. The example lesson that follows addresses this misconception in a  
1770 concrete way using a square made from tangram pieces:

1771 A teacher shares with the class a multi-colored square, like the one in figure 6.35,  
1772 posing the question, “What fraction of this square is the blue triangle?”

1773 Figure 6.35 Multi-colored Square



1774

1775 Akiko and Parker study the square arrangement of four tangram pieces. Akiko says,  
1776 “The blue triangle is  $\frac{1}{4}$ , because there are four pieces.” Parker says, “I don’t think  
1777 that’s  $\frac{1}{4}$ , but I’m not sure what it is.” As they worked with their tangram pieces, Parker  
1778 put two of the small triangles together, forming a square. Akiko comments, “The two  
1779 little triangles make a square just like the purple square. What if we build our own  
1780 square like this one?” They used tangram pieces to build their own four-piece square.  
1781 Once they have finished building the square, Parker picks up the large triangle and flips  
1782 it over to cover the three smaller pieces (two triangles and square). Akiko exclaims, “I  
1783 get it! The big triangle is half of the square, not  $\frac{1}{4}$ !”

1784 In third through fifth grade, students explore fractions with concrete tools and develop  
1785 the more abstract understanding of fractions on the number line (SMP.2, 4, 5; 3.NF.2,  
1786 4.NF.2, 3, 4; 5.NF.3, 4, 6). Round fraction pieces, which are commonly available, serve  
1787 well for helping establish such ideas as  $\frac{1}{4}$  being *half of one half*;  $\frac{1}{6}$  being a smaller  
1788 size fraction piece than  $\frac{1}{2}$  and three sixths pieces together making a half circle equal  
1789 to  $\frac{1}{2}$ . Using multiple models for fractions can help to solidify and enlarge concepts. As  
1790 with other tools used for building mathematical concepts, each fraction manipulative has  
1791 advantages as well as limitations. For example, while a fraction circle is helpful in letting

1792 students see the relative sizes of unit fractions, a number line or fraction bar might be a  
1793 better choice for finding the sum of  $\frac{1}{2}$  and  $\frac{1}{3}$ .

1794 Other useful manipulatives for fractions include

- 1795 ● fraction bars;
- 1796 ● fraction squares or rectangles;
- 1797 ● tangrams;
- 1798 ● pattern block pieces;
- 1799 ● Cuisenaire rods;
- 1800 ● fraction strips, for folding halves, fourths, thirds, etc.;
- 1801 ● rulers/meter sticks;
- 1802 ● number lines; and
- 1803 ● geoboards.


1804 The process of preparing some of their own fraction tools is also valuable for young  
1805 students (Burns, 2001). It increases their understanding of fractions as parts of a whole  
1806 and supports recognition of the relative sizes of fractional parts. For example, they can  
1807 create fraction strips from construction paper. As they cut halves, fourths, and eighths of  
1808 the whole, students discover that  $\frac{1}{4}$  is half of  $\frac{1}{2}$ , and  $\frac{1}{8}$  is half of  $\frac{1}{4}$ , leading to the  
1809 generalization that whenever a whole is partitioned into more equal shares, the parts  
1810 become progressively smaller.

1811 Alternatively, students can fold paper strips to create fractional parts, as in the following  
1812 examples and figures 6.36 and 6.37:

- 1813 ● When asked to make a fraction bar that shows the fraction  $\frac{1}{4}$  by folding the  
1814 piece of paper into equal parts, students think: “I know that when the number  
1815 on the bottom is 4, I need to make four equal parts. By folding the paper in half  
1816 once and then again, I get four parts and each part is equal. Each part is  
1817 worth  $\frac{1}{4}$ .”

1818 Figure 6.36 Fraction Bar Showing Four Equal Parts





1819

- 1820 • When asked to shade  $\frac{3}{4}$  using the fraction bar they created, students think:
- 1821 “My fraction bar shows fourths. The 3 tells me I need three of them, so I’ll
- 1822 shade them. I could have shaded any three of them, and I would still have
- 1823  $\frac{3}{4}$ .”


1824 Figure 6.37 Fraction Bar Showing Shading of Three of the Four Quarters



1825

1826 When given a number line and asked to use their fraction bar to locate the fraction  $\frac{3}{4}$  on  
 1827 the number line, as shown in figure 6.38, and then explain how they know they are  
 1828 marking the right place on the line, students think: “When I use my fraction bar as a  
 1829 measuring tool, it shows me how to divide the unit interval into four equal parts (since  
 1830 the denominator is four). Then I start from the mark that has ‘0’ and I measure off three  
 1831 pieces of  $\frac{1}{4}$  each. I circle the pieces to show that I marked three of them. This is how I  
 1832 know I have marked three  $\frac{1}{4}$ s, or  $\frac{3}{4}$ .”

1833 Figure 6.38 Number Line with Fraction Bar Used to Locate Three Quarters on the Line



1834

1835 If students rely on their whole number thinking, they often expect that a unit fraction with  
 1836 a smaller denominator will be less than a unit fraction with a larger denominator (e.g.,  
 1837 they think one fourth must be less than one sixth (Van de Walle et al., 2014).

1838 Ordering fractions from least to greatest provides opportunity for students to reason  
1839 about this and other issues related to the relative sizes of fractions. Students can  
1840 determine how to put fractions such as  $\frac{5}{3}$ ,  $\frac{2}{5}$ , and  $\frac{5}{4}$  in order from least to greatest,  
1841 using reasoning along with concrete materials or drawings. They can explain verbally  
1842 how they know that  $\frac{5}{3}$  is greater than  $\frac{5}{4}$ : “There are five thirds and five fourths, but  
1843 thirds are bigger pieces than fourths, so  $\frac{5}{3}$  is bigger than  $\frac{5}{4}$ .” Benchmark reasoning  
1844 (i.e., using more common numbers or fractions like 1 or  $\frac{1}{2}$ ) is also useful here: “I know  
1845 that  $\frac{2}{5}$  is less than one and it’s even less than  $\frac{1}{2}$ . And  $\frac{5}{3}$  and  $\frac{5}{4}$  are both more than  
1846 1. So,  $\frac{2}{5}$  is the smallest.”

1847 Comparing and ordering fractions can be challenging for upper elementary students.  
1848 Ordering fractions requires that each fraction refers to the same unit or whole (i.e., it  
1849 may be difficult for students to accurately order  $\frac{6}{7}$  and  $\frac{5}{6}$  from least to greatest  
1850 without first understanding how the  $\frac{1}{7}$  and  $\frac{1}{6}$  units compare). Students need repeated  
1851 experiences reasoning about fractions and justifying their conclusions using a variety of  
1852 visual fraction models to develop benchmark reasoning (SMP.1, 2, 4, 5, 7; ELD I6, P9).  
1853 Students in these grades who are overly reliant on their understanding of whole  
1854 numbers may have greater difficulty than other students in recognizing the relationship  
1855 between the numerator and denominator of a fraction. Frequent, sustained discussion  
1856 of math ideas in both small groups and whole-class settings will be necessary, as in the  
1857 following example in which three students are discussing how to order the fractions  $\frac{1}{3}$ ,  
1858  $\frac{3}{5}$ , and  $\frac{1}{2}$  from smallest to largest.

1859 Alana is an English learner with strong problem-solving skills, yet she is reluctant to  
1860 share her ideas with the whole class. As is true for many students who are learning  
1861 English, Alana is more confident expressing their thinking in small-group settings. The  
1862 teacher has paired Alana with Miriam, who helps Alana practice expressing ideas in  
1863 English, and Gus, who often uses visual representations to make sense of mathematics  
1864 situations. Their discussion starts with Miriam explaining her own reasoning about how  
1865 to order the fractions:

- 1866           ● Miriam: “One third and  $\frac{3}{5}$  are equal because you just add 2 to 1 (the  
1867           numerator of  $\frac{1}{3}$ ) to get 3 (the denominator of  $\frac{1}{3}$ ) and you add 2 to 3 (the  
1868           numerator of  $\frac{3}{5}$ ) to get 5 (the denominator of  $\frac{3}{5}$ ). So, they’re the same.”  
1869           ● Alana: “Wait! That doesn’t make sense! One third is less, isn’t it? Because  $\frac{3}{5}$   
1870           is more than half and  $\frac{1}{3}$  is not as big as  $\frac{1}{2}$ .”  
1871           ● Gus: “Let’s do it with our fraction pieces.”

1872   Together, they build  $\frac{1}{3}$ ,  $\frac{3}{5}$ , and  $\frac{1}{2}$  with their fraction pieces. They compare and find  
1873   that  $\frac{1}{3}$  is less than  $\frac{1}{2}$  and  $\frac{1}{2}$  is less than  $\frac{3}{5}$ . The conversation continues.

- 1874           ● Miriam: “Why didn’t my way work?”  
1875           ● Alana: “I think because the thirds pieces are not the same size as the fifths  
1876           pieces.”  
1877           ● Gus: “But we only had one third, and there are three  $\frac{1}{5}$ ths, so when you put  
1878           them together to make  $\frac{3}{5}$ , that’s bigger than just one third.”  
1879           ● Alana: “Isn’t  $\frac{1}{2}$  a benchmark fraction? I can tell that  $\frac{1}{3}$  is less than  $\frac{1}{2}$   
1880           because when a fraction is the same as  $\frac{1}{2}$ , the denominator is always two  
1881           times as big as the numerator. Like,  $\frac{1}{2}$ ,  $\frac{2}{4}$ ,  $\frac{3}{6}$ ,  $\frac{4}{8}$  and  $\frac{5}{10}$ .”  
1882           ● Miriam: “Oh yeah—I remember we talked about how  $\frac{1}{2}$  can have lots of  
1883           names. But would you tell me again how you know that  $\frac{3}{5}$  is bigger than  
1884            $\frac{1}{3}$ ?”

1885   Alana explains again, pointing to the fraction pieces. The teacher, observing the  
1886   conversation, is pleased to note Alana’s involvement and notes that Alana has used the  
1887   word “benchmark.” In several groups, some confusion remains; the teacher decides to  
1888   conduct a whole-class discussion to develop this idea further.

1889   The fourth-grade task, “Doubling Numerators and Denominators,” from *Illustrative*  
1890   *Mathematics* (*Illustrative Mathematics*, 2016c), provides the opportunity for such  
1891   reasoning and class discussion of fraction concepts.

1892   The task is based on the following:

1893 1. How does the value of a fraction change if you double its numerator? Explain  
1894 your answer.

1895 2. How does the value of a fraction change if you double its denominator?  
1896 Explain your answer.

1897 As students are developing fraction concepts and beginning to use fractional notation,  
1898 they need to recognize  $\frac{a}{b}$  as a quantity that can be placed on a number line, and that it  
1899 may be located between two whole numbers or may be equivalent to a whole number  
1900 (where *a* is equal to or a multiple of *b*). Students develop an understanding of order in  
1901 terms of position on a number line, following the mathematical convention that the  
1902 fraction to the left is said to be smaller and the fraction to the right is said to be larger.


1903 The use of precise mathematical terms is essential in order to support all students'  
1904 understanding:  $\frac{3}{4}$  is read as "three fourths." Casual language such as "three over four"  
1905 or "three out of four" (except when discussing ratios or probability situations)  
1906 undermines fragile understanding of fractions, interferes with academic language  
1907 acquisition, and may lead to misapplication of whole-number reasoning in fraction  
1908 situations. Students who are English learners, in particular, need explicit teaching of  
1909 precise mathematical language and benefit from its consistent use in mathematics  
1910 classes.

1911 The number line reinforces the analogy between fractions and whole numbers (Dyson  
1912 et al., 2018; Geary et al., 2008; Lannin et al., 2020). Just as 5 is the point on the number  
1913 line reached by marking off five times the length of the unit interval from 0 to 1 (i.e.,  
1914 "jumps" on the number line), so is  $\frac{5}{3}$  the point obtained by marking off 5 times the  
1915 length of a unit interval as the basic unit of length, just a *different* unit interval, namely  
1916 the interval from 0 to  $\frac{1}{3}$ .

1917 Locating fractions on the number line calls for reasoning about relative sizes of fractions  
1918 and whole numbers (SMP.2, 5, 7). In this context, familiarity and comfort with the use of  
1919 benchmark fractions is of great value. Where, for example, does  $\frac{3}{8}$  belong on the  
1920 number line pictured in figure 6.39? Because a student may quickly recognize that  $\frac{3}{8}$  is

1921 less than half (or  $\frac{4}{8}$ ), a student who uses benchmark reasoning can begin by place  
1922 another benchmark fraction of  $\frac{1}{4}$  midway between 0 and  $\frac{1}{2}$ , and then place  $\frac{3}{8}$   
1923 midway between  $\frac{1}{4}$  and  $\frac{1}{2}$ .

1924 Figure 6.39 Using Benchmark Numbers on a Number Line



1925  
1926 In the process of labelling locations on the number line in relation to benchmark  
1927 numbers such as  $\frac{1}{2}$ , students expand their understanding of equivalence. For  
1928 example, by looking at the fraction line with the  $\frac{2}{4}$  labeled, they may be able to see the  
1929 location marked  $\frac{1}{2}$  is double the length of the interval from 0 to  $\frac{1}{4}$ , or is  $\frac{2}{4}$ . Such  
1930 observations can lead to powerful insights; students need time to think and talk about  
1931 fraction ideas, including that all these fractions are based on the same unit (i.e.,  $\frac{2}{4}$  is  
1932 double the unit fraction of  $\frac{1}{4}$ ).

1933 The following snapshot, “Grade Three Fractions,” illustrates how teachers can choose  
1934 lessons and strategies that enable the teacher to provide appropriate prompts and  
1935 supports as students work on problems.

### 1936 **Snapshot: Grade Three Fractions**

1937 At any given moment in most classrooms, students vary considerably in their skill levels,  
1938 enthusiasm, and willingness to persevere. Teachers are regularly challenged to meet  
1939 the needs of all learners simultaneously. The use of math problems that are accessible  
1940 and can be extended to allow greater depth and exploration, along with the teacher’s  
1941 strategic student pairings and careful attention to student thinking, makes it possible for  
1942 a teacher to provide appropriate prompts and supports as students work on problems.

1943 In this classroom episode from the third grade, two students work together as partners,  
1944 combining their strengths. Since the beginning of the year, Desmond has repeatedly

1945 announced a love of mathematics, saying more than once, “I like to think about  
1946 numbers in my head just for fun.” Desmond shows evidence of advanced thinking in  
1947 classwork, often choosing to extend problems beyond what is expected at the grade  
1948 level. For her part, Ellie is a capable thinker, is curious, and is very verbal. Ellie loves to  
1949 draw and uses pictures to help make sense of mathematics.

1950 The teacher has chosen this task so students can use their understanding of the  
1951 relationship between  $\frac{1}{2}$  and  $\frac{1}{4}$  to build a fraction of greater value from unit fractions  
1952 (3.NF.1, 2, 3; SMP.2, 3, 5, 8). The following conversation between these two third grade  
1953 students and their teacher takes place as the students work to locate  $\frac{1}{4}$  and  $\frac{3}{4}$  on a  
1954 number line on which only the locations for 0 and 1 are currently marked:

1955           Desmond: We found  $\frac{1}{2}$  on the number line; that was easy. Then, half of  $\frac{1}{2}$  is  
1956           one-fourth, so we marked  $\frac{1}{4}$  on the number line.

1957           Ellie: Yes, because  $\frac{1}{4}$  is half of  $\frac{1}{2}$ , like with our fraction pieces! See? It takes 2  
1958           of these (pointing to the distance from 0 to  $\frac{1}{4}$  on the number line) to get to  $\frac{1}{2}$ .

1959           Desmond: And then this is  $\frac{2}{4}$  (pointing to  $\frac{1}{2}$ ), too.

1960           Ellie: What do you mean? That’s already  $\frac{1}{2}$ , right?

1961           Desmond: Yes, but it can be  $\frac{1}{2}$  and also be  $\frac{2}{4}$ ; you just said so, really,  
1962           because you said it takes two  $\frac{1}{4}$ ’s to make  $\frac{1}{2}$ .

1963           Ellie: Wait. Let’s get the fraction pieces and build  $\frac{2}{4}$ . Okay, I think you’re right  
1964           that  $\frac{1}{2}$  is the same as  $\frac{2}{4}$ .

1965           Teacher: How can that place on the number line be both  $\frac{2}{4}$  and  $\frac{1}{2}$ ? Does that  
1966           make sense?

1967           Ellie: Yes; I built it and I can draw  $\frac{2}{4}$  and it makes  $\frac{1}{2}$ . So, that’s  $\frac{1}{4}$ , then  $\frac{2}{4}$ ,  
1968           and then that will be  $\frac{3}{4}$ !

1969           Teacher: What about this place, then? (pointing to 1). How does that fit in here?

1970 Desmond: It's four fourths. So, 1 can be 1 whole or it can be four fourths! Hey,  
 1971 we can do  $\frac{3}{4}$  and then  $\frac{4}{4}$ ; and keep going! Can we make the number line  
 1972 longer? Or, wait! We can do half of a fourth, can't we? Like fractions in between  
 1973 the fourths?


1974 Teacher: Sure; it sounds like you have an idea about finding more fraction  
 1975 locations. See what you can find, and then shall we ask the class to investigate  
 1976 what other names we can find for one half and for one?

1977 (end snapshot)

1978 Fractions can be described as *less than 1, equal to 1, or greater than 1*, but students  
 1979 may have trouble understanding this when they encounter so-called improper fractions,  
 1980 in which the numerator is greater than the denominator. The term "improper" suggests  
 1981 that these fractions must be rewritten in a different format, such as a mixed number; but  
 1982 fractions greater than 1, such as  $\frac{5}{2}$ , are simply numbers in themselves and are  
 1983 constructed in the same way as other fractions. Further, depending on the context of a  
 1984 math problem, re-naming a fraction greater than one as a mixed number may cause a  
 1985 problem to be less readily understood and/or solved.

1986 For example, to construct  $\frac{5}{2}$ , students might use a fraction strip as a measuring tool to  
 1987 mark off lengths of  $\frac{1}{2}$ . Then they count five of those halves to get  $\frac{5}{2}$ , as shown in  
 1988 figure 6.40.

1989 Figure 6.40 Representations of the Improper Fraction  $\frac{5}{2}$ , Using  $\frac{1}{2}$  Unit Fractions



1990

1991 Some important concepts related to understanding fractions include

- 1992 • fractional parts must be equal sized;
- 1993 • the number of equal parts tells how many make a whole;
- 1994 • as the number of equal pieces in the whole increases, the size of the fractional
- 1995 pieces decreases;
- 1996 • the size of the fractional part is relative to the whole;
- 1997 • when a shape is divided into equal parts, the fraction’s denominator represents
- 1998 the number of equal parts in the whole (e.g., a whole divided into one fourth
- 1999 sized pieces is made up of four one-fourth sized pieces) and its numerator is the
- 2000 count of the demarcated congruent, or equal, parts in a whole (e.g.,  $\frac{3}{4}$  means
- 2001 that there are 3 one fourths); and
- 2002 • common benchmark numbers, such as 0,  $\frac{1}{2}$ ,  $\frac{3}{4}$ , and 1, can be used to
- 2003 determine if an unknown fraction is greater or smaller than a benchmark fraction.

2004 **Understanding Decimal Notation for Fractions, and Comparing Decimal Fractions**

2005 In fourth grade, students use decimal notation for fractions with denominators 10 or 100  
 2006 (4.NF.6), understanding that the number of digits to the right of the decimal point  
 2007 indicates the number of zeros in the denominator. This lays the foundation for  
 2008 performing operations with decimal numbers in grade five. Students learn to add  
 2009 decimal fractions by converting them to fractions with the same denominator (SMP.2;  
 2010 4.NF.5). For example, students express  $\frac{3}{10}$  as  $\frac{30}{100}$  before they add  $\frac{30}{100} + \frac{4}{100}$   
 2011  $= \frac{34}{100}$ . Students can use graph paper, base-ten blocks, and other place-value  
 2012 models to explore the relationship between fractions with denominators of 10 and 100  
 2013 (adapted from Common Core Standards Writing Team. 2022).


2014 Students make connections between fractions with denominators of 10 and 100 and  
 2015 place value. They read and write decimal fractions, and it is important that teachers  
 2016 encourage students to read decimals in ways that support developing understanding  
 2017 (Van de Walle et al., 2014). When decimals are read using precise language, students  
 2018 learn to write decimals flexibly (e.g., by writing 32 hundredths as both 0.32 and  $\frac{32}{100}$ .  
 2019 Conversely, imprecise reading of decimals, such as “0 point 32” rather than as “32  
 2020 hundredths,” undermines sense-making and obscures the connection between fraction



2021 and decimal values. Correct use of language around decimals is particularly important  
2022 in supporting students who are English learners.


2023 As shown in figure 6.41, students can represent values such as 0.32 or  $\frac{32}{100}$  on a  
2024 number line. They reason that  $\frac{32}{100}$  is a little more than  $\frac{30}{100}$  (or  $\frac{3}{10}$ ) and less than  
2025  $\frac{40}{100}$  (or  $\frac{4}{10}$ ). It is closer to  $\frac{30}{100}$ , so students would need to place it on the number  
2026 line near that value (SMP.2, 4, 5, 7).

2027 Figure 6.41 Number Line for the Decimal .32



2028  
2029 Students compare two decimals to hundredths by reasoning about their size (SMP.3, 7;  
2030 4.NF.7). They relate their understanding of the place-value system for whole numbers to  
2031 fractional parts represented as decimals. Students compare decimals using the  
2032 meaning of a decimal as a fraction, making sure to compare fractions with the same  
2033 denominator and ensuring that the wholes are the same. For example, it is helpful to  
2034 understand that the number line in figure 6.42 shows the whole length demarcated into  
2035 10 fractional pieces (or tenths). Knowing this, if a student also knows that the number  
2036 0.36 is located as indicated by the blue arrow, they may more easily locate the numbers  
2037 0.67 and 0.92 between the corresponding tenth demarcations (e.g., that .67 is between  
2038 .60 and .70). Expressing one's ideas about how numbers are related can be difficult. All  
2039 students, and particularly those who are English learners, benefit from direct instruction  
2040 on the use of compare-and-contrast language. A student's weak response may indicate  
2041 insufficient language to express the relationship between decimals and fractions rather  
2042 than a lack of understanding of the concept.

2043 Figure 6.42 Number Line Demarcated into 10 Fractional Pieces



2044

2045 In grade three, students begin to develop an understanding of benchmark fractions.

2046 Fourth grade students extend this understanding to connect familiar benchmark

2047 fractions with corresponding decimals. The two examples below show how teachers can

2048 help them do so:

2049 ● The teacher asks the students to write the number “five tenths.” Some write it as  
 2050 a decimal, and others use the fraction form. To help students recognize that 0.5  
 2051 is equivalent to  $\frac{1}{2}$ , the teacher calls for students to name the benchmark  
 2052 fraction equal to  $\frac{5}{10}$ , highlighting this connection.

2053 ● On a 10 x 10 square grid, students color in 25 small squares to illustrate the  
 2054 decimal 0.25. On a comparable grid, students color  $\frac{1}{4}$  of the whole grid, and  
 2055 discover that  $\frac{1}{4}$  of the grid is the same number of small squares, 25. They can  
 2056 use this visual model to see that  $\frac{1}{4} = 0.25$  (Van de Walle et al., 2014). This  
 2057 exercise can also be done with other familiar fractions, such as  $\frac{1}{2}$ ,  $\frac{3}{5}$ , or  
 2058  $\frac{75}{100}$ .

2059 **Applying and Extending Previous Understanding of Operations to Add, Subtract,**  
 2060 **Multiply and Divide Fractions**

2061 Students are expected to apply and extend previous understandings to operate with  
 2062 fractions. To do so, they must deeply understand the meanings of the four operations  
 2063 and be supported in their efforts to make connections between operations with whole  
 2064 numbers and operations with fractions (SMP.2, 4, 7; 4.NF.3, 4; 5.NF.1–7). In grades  
 2065 four and five, students begin operating with fractions; the algorithms for operations with  
 2066 decimals are addressed in grade six (6.NS.3). In an active learning environment, where  
 2067 students explore, challenge ideas, and make connections among various topics, they


2068 experience mathematics as a coherent, understandable body of knowledge and come  
2069 to expect that previous learning will support their acquisition of new concepts.

2070 A solid understanding of the relationship between addition and subtraction helps a  
2071 fourth grader solve a problem such as this: *The recipe calls for  $2\frac{1}{4}$  cups of rice. Ravi*  
2072 *already has  $\frac{3}{4}$  cup of rice. How much more rice does Ravi need?* While the story  
2073 problem can be solved using subtraction, the context does not suggest a take-away  
2074 situation. As shown in figure 6.43, this problem is more logically interpreted as  
2075 comparison subtraction ( $2\frac{1}{4} - \frac{3}{4}$  to find the difference between the quantities or as  
2076 missing addend addition ( $\frac{3}{4} + \dots = 2\frac{1}{4}$  cups), with the intention of finding how much  
2077 more is needed. Students can represent the situation with visual fraction models as they  
2078 have done in whole-number problem situations. The problem can be modeled quite  
2079 literally, using measuring cups filled with rice (or a substitute for rice, such as sand), or  
2080 with fraction tools (fraction bars, for example), a number line, or a bar diagram, as  
2081 shown below. Class conversation, paired with written recordings of the various actions,  
2082 representations, and equations, support students in making the necessary connections  
2083 between the concrete, representational, and abstract expressions of the problem.

2084 The problem follows:

2085 *The recipe calls for  $2\frac{1}{4}$  cups of rice. Ravi already has  $\frac{3}{4}$  cup of rice. How much more*  
2086 *rice does Ravi need?*

2087 Figure 6.43 Representation of  $2\frac{1}{4}$  Cups Compared to  $\frac{3}{4}$  Cup



2088  
2089 The longer bar, labeled  $2\frac{1}{4}$  cups, is compared to a shorter bar, representing  $\frac{3}{4}$  cup.  
2090 The unknown in the problem is represented by the gap between the two lengths.

2091 Intentional, guided class discussion of how these subtraction strategies and illustrations  
2092 work equally well to solve whole-number problems can help students to make  
2093 necessary connections (SMP.2, 7; 4.NF.4, 5.NF.6, 7; ELD.II.C.6). This is what the  
2094 teacher is doing, below, when asking students to substitute whole numbers for the  
2095 fractions in the problem:

2096           Teacher: What if the problem involved whole numbers rather than fractions?  
2097           What if the recipe calls for five cups of rice? Ravi already has two cups of rice.  
2098           How much more rice does Ravi need? How would you solve it and illustrate it?

2099           Students describe to their partners how the two problems are alike.

2100           Teacher: Would the same approach and a similar diagram work to solve the  
2101           whole-number problem? Show us!

2102           Students respond, sharing the thinking and diagrams they used in each case,  
2103           and make connections between the two.

2104 Multiplication of a fraction by a whole number can be seen as parallel to multiplication of  
2105 one whole number by another whole number. Asking students to switch a whole number  
2106 for a fraction in a multiplication problem gives them an opportunity for reflection on  
2107 whole-number strategies and for active investigation and discussion of how whole-  
2108 number strategies apply when working with fractions. If  $5 \times 4$  is understood as “five  
2109 groups of four,” “a rectangle with dimensions of five meters by four meters,” or “five  
2110 copies of the quantity four,” then  $5 \times \frac{1}{4}$  can be understood as “five groups of  $\frac{1}{4}$ ,” “a  
2111 rectangle with dimensions of  $5 \times \frac{1}{4}$  meters,” or “five copies of the quantity  $\frac{1}{4}$ .” The  
2112 strategies and representations used with whole number multiplication—repeated  
2113 addition, jumps on the number line, or area—can be used with fractions. Tasks and  
2114 problems presented in contexts that make sense to students make learning accessible,  
2115 even without direct instruction on “how to multiply fractions.”


2116 Whether a student represents the problem solution with fraction manipulatives (five one-  
2117 fourth pieces), or perhaps five jumps of the distance  $\frac{1}{4}$  on a number line, the reasoning  
2118 is the same as would be used with whole-number multiplication (SMP.2, 4, 5, 6;

2119 4.NF.4). The problems below represent four different ways to focus students on the  
2120 concept of multiplying  $5 \times 4$ , with four different ways of considering how to solve the  
2121 problem.

- 2122 • The recipe says to bake the pan of cookies for  $\frac{1}{4}$  of an hour. How long will it  
2123 take to bake five pans of cookies, one pan at a time?
- 2124 • Dean and Jean ran the  $\frac{1}{4}$ -mile track five times. How far did they run?
- 2125 • At our party, we will have five friends and we will give each friend  $\frac{1}{4}$  pound of  
2126 candy. How much candy do we need?
- 2127 • We are painting a line on the playground to mark the starting point for the  
2128 runners. The line will be five feet long and  $\frac{1}{4}$  foot wide. If the paint we have will  
2129 cover four square feet, will that be enough?

2130 To solve the whole-number multiplication  $5 \times 4$ , one can use an area interpretation,  
2131 illustrating the problem with a rectangle of dimensions five units by four units, as shown  
2132 in figure 6.44. In the rectangle below, there are five rows of squares, with four squares  
2133 in each row, for a total of 20 square units.

2134 Figure 6.44 An Area Interpretation for Use with the Multiplication Problem  $5 \times 4$



2135

2136 Using the same reasoning and a comparable illustration, one can use an area  
2137 interpretation to solve  $5 \times \frac{1}{4}$ . In this example, the rectangle will have a height of five  
2138 units and a width of  $\frac{1}{4}$  unit. The area of this figure can then be seen as five  $\frac{1}{4}$ -unit  
2139 pieces, or  $\frac{1}{4} + \frac{1}{4} + \frac{1}{4} + \frac{1}{4} + \frac{1}{4} = \frac{5}{4}$  square units.

2140 When both factors in a problem are fractions less than one, students may expect that  
2141 multiplication will result in a product that is greater than either factor, as is often the  
2142 case with whole-number multiplication. It can be helpful to remind students that with  
2143 whole numbers, the product is not always greater than the factors. Multiplying any  
2144 number ( $n$ ) by 1 results in a product equal to that number (e.g.,  $1 \times 14 = 14$ ). Students  
2145 can then reason about how the product of two fractions that are less than one can be  
2146 less than either of the factors (e.g.,  $\frac{1}{4} \times \frac{2}{5} = \frac{2}{20}$  [SMP.1, 6, 7]).


2147 Students sometimes lose sight of what the whole is as they multiply fractions. The  
2148 understanding that they are finding a part of a part of a whole underlies fraction  
2149 multiplication and requires emphasis and thoughtful discussion. Illustrations can often  
2150 mitigate the difficulty of making sense of these situations and can support English  
2151 learners by providing a visual of an abstract concept. Again, the illustrations correspond  
2152 to the ways used for representing whole number multiplication.

2153       • *After the party, there was  $\frac{1}{3}$  of the cake left. Bren ate  $\frac{1}{4}$  of the remaining  $\frac{1}{3}$*   
2154       *cake. How much of the whole cake did Bren eat?*

2155       There was  $\frac{1}{3}$  of the cake left. Bren ate  $\frac{1}{4}$  of the remaining  $\frac{1}{3}$  cake.

2156       • *Zack had  $\frac{2}{3}$  of the lawn left to cut. After lunch, Zach cut  $\frac{3}{4}$  of the grass that*  
2157       *was left. How much of the whole lawn did Zack cut after lunch?* (Van de Walle et  
2158       al., 2014, 243)

2159 Figure 6.45 Model for Finding Part of a Part – Example 1



2160

2161 [Long description of figure 6.45](#)

- 2162
- The milk carton is labelled  $\frac{1}{2}$  gallon. If Idalia drank  $\frac{3}{8}$  of the full carton, what
- 2163 fraction of a gallon did Idalia drink?


2164 Figure 6.46 Model for Finding Part of a Part – Example 2



2165

- 2166
- Jack ran  $\frac{1}{3}$  of the distance along the  $\frac{3}{4}$ -mile track. What fraction of a mile did
- 2167 Jack run?

2168 Figure 6.47 Model for Finding Part of a Part – Example 3



2169

2170 Jack ran  $\frac{1}{3}$  of the distance.

2171 Solidly establishing the meaning of multiplication with fractions is essential if students in

2172 fifth grade are to develop the concept of division with fractions. Identifying how fraction

2173 division relates to previous work with whole-number division supports students in

2174 making sense of the concept of fraction division. The goal in fifth grade is for students to  
2175 understand what it means to divide with fractions, with applications limited to instances  
2176 involving a unit fraction and a whole number (SMP.2, 7; 4; 5.NF.3, 7). Developing their  
2177 conceptual understanding merits thoughtful attention because that understanding  
2178 prepares students to continue with proportional relationships in later grades. As with  
2179 whole-number operations, students who develop and discuss methods that make sense  
2180 to them as they begin to calculate with fractions will be more capable of applying  
2181 reasoning in new situations than if they are prematurely taught an algorithm for solving  
2182 division problems that have fractions. Use of algorithms for fraction calculation, such as  
2183 the common denominator method, is reserved for middle school grades.

2184 In partitive division, where a number is divided into a known number of groups, a  
2185 problem dividing a unit fraction by a whole number can be related to a comparable  
2186 problem using only whole numbers. For the fraction question *If there is  $\frac{1}{3}$  gallon of*  
2187 *juice to share equally among four people, how much juice can each person have?* ( $\frac{1}{3} \div$   
2188  $4$ ), a whole-number question that calls for the same reasoning is *If there are three cups*  
2189 *of soup to share equally among four people, how much soup will each person have?* ( $3$   
2190  $\div 4$ ).

2191 Students in fifth grade also divide a whole number by a unit fraction, such as  $4 \div \frac{1}{3}$ ,  
2192 using measured or quotitive division to divide a number into groups of a measured  
2193 quantity. Here, too, ensuring that students understand the operation when working with  
2194 whole numbers and putting problems in a meaningful context support students in  
2195 making sense of problems like this one: *If there are 4 cups of soup and each serving is*  
2196  *$\frac{1}{3}$  cup, how many servings of soup are there?*

2197 When a fraction problem is presented in a familiar context, students can illustrate the  
2198 problem in ways that make sense to them and can solve the problem using logic and  
2199 invented strategies. While it may not always be obvious to the student which operation  
2200 is involved, the solution is accessible, as shown in the snapshot *Dividing by a Unit*  
2201 *Fraction.*



2202 **Snapshot: Dividing by a Unit Fraction**


2203 A fifth-grade teacher has selected the *Illustrative Mathematics* grade-five task, “Dividing  
2204 by One-Half” (Illustrative Mathematics, n.d.a) as a means for students to grapple with  
2205 the idea of dividing a whole number by a fraction. Student partners will solve four  
2206 fraction problems using their own illustrations and strategies. Then the class will work  
2207 together to determine which of the four problems can be solved by calculating  $3 \div \frac{1}{2}$   
2208 and explain how they know. The problems are:

- 2209 1. Shauna buys a 3-foot-long sandwich for a party, then cuts the sandwich into  
2210 pieces, each piece being  $\frac{1}{2}$ -foot long. How many pieces does Shauna get?
- 2211 2. Phil makes three quarts of soup for dinner. The family eats half of the soup for  
2212 dinner. How many quarts of soup does Phil’s family eat for dinner?
- 2213 3. A pirate finds three pounds of gold. To protect the riches, the pirate hides the  
2214 gold in two treasure chests, with an equal amount of gold in each chest. How  
2215 many pounds of gold are in each chest?
- 2216 4. Leo uses half of a bag of flour to make bread. If Leo uses three cups of flour,  
2217 how many cups were in the bag to start?

2218 Once students have found the solutions, they will discuss with their partners which  
2219 operation is involved and write the equation that could be used to calculate the answer.  
2220 During subsequent whole-class discussion, students will focus on reaching consensus  
2221 on which of the four problems calls for the division calculation  $3 \div \frac{1}{2} = 6$  and justifying  
2222 their conclusions. Their solutions follow:

- 2223 ● Number 1 is easily solved using an illustration (figure 6.47) of a 3-foot long  
2224 sandwich. The corresponding calculation is  $3 \div \frac{1}{2}$ , and the question being  
2225 asked in this case is, “how many  $\frac{1}{2}$ -foot pieces of sandwich are there in a 3-foot  
2226 long sandwich?” This is an example of measurement, or quotitive division.

2227 Figure 6.47 Three-foot sandwich marked in 1-foot segments



2228

2229       • Number 2 is a multiplication situation, in which the question calls for finding part  
2230 of a whole. It can be solved by the calculation  $1/2 \times 3 = 1 \frac{1}{2}$ .

2231       • Number 3 calls for partitive division using the calculation  $3 \div 2 = 1 \frac{1}{2}$ . It is a  
2232 division problem, but is not solved by dividing 3 by the  $1/2$  given in the problem.

2233       • Number 4 is another division situation and can be calculated using the equation  $3$   
2234  $\div 1/2$  or the equation  $3 = 1/2 \times$  [blank]? This can be thought of as partitive  
2235 division or as a missing factor situation that asks the question, “three cups of  
2236 flour is half of what amount of flour?”

2237 The teacher then facilitates a whole-class discussion during which students justify their  
2238 conclusions and find consensus. For this task, teachers will likely find that

2239       • most (if not all) student pairs will solve at least three of the four problems  
2240 correctly; and

2241       • students will find it challenging to justify which operation is used for each  
2242 problem.

2243 In some cases, students will disagree about which operation was used. Students’  
2244 careful analysis of the meaning of the operations, particularly for division by a fraction,  
2245 will be necessary; the teacher’s questioning and prompts will play a vital role in ensuring  
2246 that students conduct that analysis.

2247 *(end snapshot)*

2248 **CC4: Discovering Shape and Space**

2249 Students in second grade work in one-dimensional space, using rulers to measure  
2250 length. Students’ understanding of two- and three-dimensional space develops in  
2251 grades three through five. Younger grade students learn to identify common geometric

2252 figures and to count the numbers of sides and corners. In grades three through five,  
2253 students deepen their understanding of the properties of shapes and apply their  
2254 understanding to organize shapes into categories and analyze hierarchical  
2255 relationships.

2256 Students explore shape and space in the upper-elementary grades as they develop the  
2257 following:

- 2258 ● Strategies for solving problems involving measurement and conversion of  
2259 measurements from larger to smaller units (4.MD.1; 5.MD.1)
- 2260 ● Understanding of concepts of area, perimeter, and volume of solid figures  
2261 (3.MD.6; 4.MD.3; 5.MD.3, 4, 5)
- 2262 ● Understanding of concepts and measurement of angles; draw and identify lines  
2263 and angles (4.MD.5, 6, 7; 4.G.1, 2)
- 2264 ● Ability to reason with shapes and their attributes; categorize shapes by their  
2265 properties and recognize the hierarchical relationships among two-dimensional  
2266 shapes (3.G.1, 2; 4.G.2; 5.G.3, 4)

2267 In their work with shapes and space concepts, students use the SMPs to

- 2268 ● think quantitatively and abstractly, connecting visual and concrete models to  
2269 more abstract and symbolic representations;
- 2270 ● select appropriate tools to model their mathematical thinking;
- 2271 ● communicate their ideas clearly, specifying units of measure accurately; and
- 2272 ● discern patterns and structural commonalities among geometric figures.

2273 Students begin exploration of area concepts by covering rectangles with square tiles  
2274 and learning that these can be described as square units. Two-dimensional measure is  
2275 a significant advance beyond students' previous experience with linear measure, and it  
2276 merits reflection and careful instruction. Initially, students count the number of square  
2277 units used to find the area.

2278 Students can use one-inch square tiles to cover the surface of a book's cover or the  
2279 surface of their desks. As students work, the teacher looks for organization in their

2280 arrangements of the tiles, wondering, “Are they creating rows? Do they start by forming  
2281 a frame around the edge of the surface?” Based on observation of various approaches,  
2282 the teacher asks students to share strategies that enabled them to cover the whole  
2283 surface without leaving any gaps. By posing questions and inviting comparison of  
2284 results, the teacher can guide students’ development of accurate and efficient methods  
2285 of measuring area: *I see that this group has six rows of tiles. How many tiles are in each*  
2286 *row? What do we notice about the number of tiles in each row? How can that help us to*  
2287 *figure out the area of this rectangle?*

2288 Explorations of area need not be limited to one-inch tiles as the unit of measure. Large  
2289 squares cut from cardboard or other sturdy materials can be used to measure area of  
2290 larger areas, such as rectangular regions on the playground.

2291 With further tiling experience, students discover that they can multiply the side lengths  
2292 (the number of rows of tiles  $\times$  how many tiles are in each row) to find the area more  
2293 efficiently, and they no longer need to count square units singly. They make sense of  
2294 this by connecting to their prior work with the array model of multiplication. In third  
2295 grade, students measure only areas of rectangles with whole-number-length sides as  
2296 they develop these understandings. They will apply this thinking in grades four and five,  
2297 when rectangles involve fractional-length sides (SMP.2, 5, 6, 7; 3.OA.3; 3.MD.5, 6, 7;  
2298 4.MD.3, 5.NF.4). Students should understand and be able to explain why multiplying the  
2299 side lengths of a rectangle yields the same measurement of area as counting the  
2300 number of tiles (with the same unit length) that fill the rectangle’s interior, and to explain  
2301 that one length tells how many rows there are and the other length tells the number of  
2302 unit squares in a row (3.MD.7; 4.MD.3).

2303 Along with developing area concepts, upper elementary students come to recognize  
2304 perimeter as an attribute of plane figures. Although the concept of perimeter is  
2305 introduced in grade three, confusion between the terms area and perimeter is common  
2306 throughout grades three through five—a reminder that the distinction between linear  
2307 and area measurement needs to be explored and emphasized at this stage of learning.  
2308 (See the following snapshot, *Highlighting the Linear Nature of Perimeter.*)

2309 ***Snapshot: Highlighting the Linear Nature of Perimeter***

2310 As students find the perimeter of a 4 x 6 rectangle, one student offers: “I added 4 + 6 +  
2311 4 + 6 (pointing to each of the four sides of the rectangle in turn), and that was 10 + 10,  
2312 so 20 cm.” Another student reports, “I added the sides like this: 4 + 4 = 8 and 6 + 6 =  
2313 12, so 8 + 12 = 20 cm.” A third student explains, “I added 4 + 6 and that was 10, so it’s 2  
2314 x 10 = 20 cm.” The teacher displays these examples and asks the class to describe  
2315 how the methods are alike and how they differ, and whether they will all work for finding  
2316 the perimeter of other rectangles. In the discussion that follows, the class observes that  
2317 the methods all use addition to find the perimeter, and that one method uses both  
2318 addition and multiplication. The students agree the methods all work because the  
2319 opposite sides of a rectangle have the same lengths. The teacher draws attention to this  
2320 idea to highlight the linear nature of perimeter, and invites a student to outline with a  
2321 colorful pen the perimeter of the rectangle under discussion.

2322 *(end snapshot)*

2323 Questions about how students can measure the length of the perimeter (add the four  
2324 side lengths) versus how they can find the area of the interior of the rectangle (multiply  
2325 the number of rows by the number of tiles in a row) give students a chance to deepen  
2326 their understanding of how and why area and perimeter are measured differently and  
2327 are identified by different types of units (with area being measured in square units). To  
2328 develop genuine understanding, instruction must focus on the concepts of perimeter  
2329 and area, having students study the mathematics rather than just apply formulas (e.g., 2  
2330 [ $l + w$ ] and  $l \times w$ ) for purposes of what has been called “answer-getting,” as described by  
2331 Phil Daro in the video *Against Answer-getting* (SERP, 2014).

2332 The vignette [Santikone Builds Rectangles to Find Area](#) presents a multi-day lesson  
2333 incorporating many of the space and measurement concepts developed in grades three  
2334 through five.

2335 In “Garden Design,” a grade three performance assessment found at Inside  
2336 Mathematics (The University of Texas at Austin, n.d.), students find and compare areas

2337 of rectilinear figures. The task explores the idea that figures with different dimensions  
2338 can contain the same area.

2339 Students in fifth grade expand on their understanding of two-dimensional area  
2340 measurement to develop concepts of volume of solid figures, with a particular focus on  
2341 the volume of rectangular prisms (5.MD.C.3, 4, 5). Students need concrete experiences  
2342 building with three-dimensional cubes to reach understanding of the concept and  
2343 eventually to derive a formula for calculating volume (SMP.2, 4, 6, 7). When students  
2344 build rectangular prisms from cubes, they find they will make layers of cubes and can  
2345 recognize how each layer represents the area of the corresponding two-dimensional  
2346 rectangle.

2347 Fifth-grade students also explore the ideas of volume and scaling with a focus on  
2348 rectangular solids (5.MD.3, 4, 5). They might investigate what happens when, for  
2349 example, they double the length, width, and height of a rectangular prism. They find that  
2350 the volume increases not by two or by four, but by a factor of eight, since  $2 \times 2 \times 2 = 8$ .  
2351 This discovery is often quite surprising to students. Before they get to the point of  
2352 generalizing this phenomenon, they should think about the effects of scaling the  
2353 different dimensions by different factors.

2354 The task “Box of Clay” (Illustrative Mathematics, n.d.b), below, challenges students’  
2355 understanding of volume and scaling, as well as whether they recognize how length  $\times$   
2356 width  $\times$  height can be used to calculate volume (5.MD.3, 4, 5).

2357 *A box 2 centimeters high, 3 centimeters wide, and 5 centimeters long can hold*  
2358 *40 grams of clay. A second box has twice the height, three times the width, and*  
2359 *the same length as the first box. How many grams of clay can it hold?*

2360 Tasks such as this help students understand what happens when they scale the  
2361 dimensions of a right rectangular prism (SMP.2, 5, 7; 5.MD.3, 4, 5). In this case, the  
2362 volume is increased by a factor of six: the height is doubled, the width is tripled, and the  
2363 length remains the same ( $2 \times 3 \times 1$ ), so the volume of the larger box is 240 grams of  
2364 clay.

2365 Exploring angles, the space between two rays that have a common endpoint, begins in  
2366 grade four (4.MD.5, 6, 7). Students have had previous experience identifying and  
2367 counting the corners of plane figures, and they often assume that an angle is that point  
2368 where two line segments join. It is important that students come to understand an angle  
2369 as some portion of a 360-degree rotation around the point where two rays meet.  
2370 Students in this grade are expected to sketch and measure angles using a protractor.  
2371 As shown in the snapshot, *Creating Protractors to Understand Angles*, below, students  
2372 can make their own protractors as a means of deepening understanding of an angle as  
2373 a measure of rotation around the center of a circle (4.MD.6,7; SMP.1, 3, 5, 7).

### 2374 ***Snapshot: Creating Protractors to Understand Angles***

2375 Grade four teacher Mr. Flores has noticed that some of the students still exhibit  
2376 confusion about angles, often identifying the point at which two rays or line segments  
2377 meet as an angle. Mr. Flores decides to engage them in building protractors to increase  
2378 their ownership and understanding of the concept. After several guided steps, students  
2379 will investigate methods of finding angle measures independently. Mr. Flores provides  
2380 each student (or pair of students) with


- 2381 • a set of fraction circles;
- 2382 • a square of cardstock (larger than the diameter of the whole-fraction circle); and
- 2383 • a straightedge ruler.

2384 The teacher guides students through the following steps to label a circle with angles of  
2385  $0^\circ$ ,  $90^\circ$ ,  $180^\circ$  and  $360^\circ$  (as shown in figure 6.48):

- 2386 1) Outline the whole-fraction circle on the cardstock square.
- 2387 2) Align the  $\frac{1}{2}$  fraction piece within the circle; draw a line across the circle to create a  
2388 diameter.
- 2389 3) Label one end of the diameter as  $0^\circ$ , and the opposite end as  $180^\circ$ .
- 2390 4) Place the right angle of the  $\frac{1}{4}$ -fraction piece at the origin to find and mark  $90^\circ$   
2391 angle.

2392 5) Place a second 1/4-fraction piece adjacent to the first ( $180^\circ$  is already marked), and  
2393 a third 1/4-fraction piece adjacent to that second piece, which allows the marking of  
2394  $270^\circ$ .

2395 Figure 6.48 Circle with Marked Angles of  $0^\circ$ ,  $90^\circ$ ,  $180^\circ$  and  $270^\circ$



2396

2397 When students place the final 1/4-fraction piece, the full circle is complete, and the  
2398 marking  $360^\circ$  coincides with the  $0^\circ$  spot, as shown in the image above.

2399 Students continue to explore independently with other fraction pieces (e.g.,  $1/8$ ,  $1/3$ ,  
2400  $1/12$ ), figuring and marking as many degree measures as the fraction pieces permit.  
2401 Students are likely to discover additional measures to mark on the protractor by aligning  
2402 a fraction piece alongside a previously marked angle measure (e.g., after labeling a  $30^\circ$   
2403 angle using the twelfths, a student may align an eighth piece beside it and discover they  
2404 can mark a  $75^\circ$  angle, reasoning that  $30^\circ + 45^\circ = 75^\circ$ ).

2405 Mr. Flores allows time for the students to collaborate, explain their thinking to a partner,  
2406 and make additional discoveries.

2407 Once students' protractors are completed, Mr. Flores engages the class in an academic  
2408 conversation to compare their results. To support the discussion, Mr. Flores displays the  
2409 vocabulary words and terms collected when listening to students as they worked  
2410 through the lesson. Students share their discoveries and report how they found any  
2411 measures that others may not have discovered. Students discuss the use of the  
2412 protractor as a tool. Several report that they have seen commercially made protractors,  
2413 and some have them at home, but they are proud of the protractors they have made.



2414 Mr. Flores is satisfied that students are growing in their understanding of angle concepts  
 2415 and angle measures, as well as gaining skill in using a protractor (4.MD.6,7). In  
 2416 subsequent lessons, students will demonstrate how they measure angles on various  
 2417 polygons or other available objects and justify the measurements they identify.

2418 *(end snapshot)*

2419 The growth of students' reasoning about geometric shapes across grades three to five  
 2420 is considerable. See figure 6.49 for an overview of the grades three through five  
 2421 progression of student's learning about shapes.

2422 Figure 6.49 Development of Shape Concepts, Grades Three Through Five

Grade Three	Grade Four	Grade Five
Categorize shapes by attributes and recognize that different shapes may share certain attributes (3.G.1)	Classify shapes based on properties of their lines and angles, including symmetry, parallel and perpendicular lines (4.G.2, 3)	Understand that attributes found in a category of two-dimensional figures are shared by all figures in sub-categories of that category. For example, they verify that, based on properties, squares are a sub-category of rectangles (5.G.3).
Be familiar with several sub-categories of quadrilaterals: rhombus, rectangle, square; draw non-examples of quadrilaterals that do not fit into any of these sub-categories (3.G.1)	Categorize special triangles: equilateral, isosceles, right, and scalene; and special quadrilaterals: rhombus, square, rectangle, parallelogram, trapezoid (4.G.2)	Analyze and diagram the hierarchical relationships of properties among two-dimensional figures (5.G.4)

2423 Presenting multiple examples of regular and irregular shapes in various sizes and  
 2424 orientations can help students recognize the similarities and differences among  
 2425 properties of geometric figures. Note that “regular” is a word that has one meaning in  
 2426 everyday usage and a distinct, specific meaning as it applies to geometric figures. Multi-  
 2427 meaning terms often present a challenge to English learners and, also, to any student  
 2428 with learning disabilities; teachers may want to provide additional supports and/or time

2429 to help clarify such terms. Thoughtful attention to student partners/groups, non-verbal  
2430 cues, or verbal prompts (e.g., “You can tell this shape is regular because ...”) can help a  
2431 student develop both the concept and the related academic language.

2432 ● Third grade students categorize shapes by attributes and recognize that different  
2433 shapes may share certain attributes. Vocabulary includes rhombus, rectangle,  
2434 square, and quadrilateral.

2435 ● Fourth grade students gain familiarity with additional attributes and shape names,  
2436 including symmetry, parallel and perpendicular lines, parallelograms, and  
2437 trapezoids. They identify angles and specific types of triangles: acute, obtuse,  
2438 right, isosceles, equilateral and scalene.

2439 ● In fifth grade, a greater degree of analysis is demanded as students describe and  
2440 diagram the hierarchical relationships of properties among two-dimensional  
2441 figures. For example, they verify that, based on properties, squares are a sub-  
2442 category of rectangles.

2443 Research on the development of geometric thought describes a progression in the  
2444 elementary grades from simple recognition of how a shape looks through analysis and  
2445 informal deduction. Progress is sequential; a student must work through each level to  
2446 move to the next higher stage, and experiences rather than age determine when a  
2447 student is ready to advance (Van de Walle et al., 2014, 246–361; Breyfogle and Lynch,  
2448 2010). Consequently, instruction at any grade must account for students who are  
2449 progressing at various rates. Activities that have multiple entry points, call for hands-on,  
2450 active learning, and invite student discourse enable all students to contribute and to  
2451 advance their thinking. When justification of conclusions is an expectation in a  
2452 classroom, students have opportunity to evaluate results and to recognize and to  
2453 challenge claims that are not sufficiently supported by mathematical reasoning (SMP.3).  
2454 The vignette [Polygon Properties Puzzles](#) in chapter eleven, offers a glimpse into a  
2455 classroom as grade four students apply mathematical practices (SMP.1, 3, 5, 6, 7) and  
2456 show understanding of the properties of various polygons by illustrating polygons and  
2457 defending their reasoning.

2458 Overgeneralization of geometric ideas often occurs in these grades, as students attempt  
2459 to integrate the new concepts with previous knowledge. For example, students may  
2460 come to believe that all rectangles have two longer and two shorter pairs of parallel  
2461 sides and, thus, that squares are not rectangles. Or they may believe that a triangle that  
2462 is “tilted,” like the first triangle in the figure 6.50, is not a triangle. Instruction must  
2463 include examples of geometric figures in many orientations and with unusual  
2464 dimensions, such as the second triangle below and the trapezoid to its right.

2465 Figure 6.50 Geometric Figures in Multiple Orientations and with Unusual Dimensions



2466

2467 Students need repeated opportunities to examine and discuss examples and non-  
2468 examples to strengthen a concept. Some tasks that provide such opportunities follow:

- 2469
- Pointing to the shape below (figure 6.51), my friend said that this is not a square: Is  
2470 my friend right? Why/why not?

2471 Figure 6.51 Is This a Square?



2472

- 2473
- Draw an example of a quadrilateral that is a parallelogram and another quadrilateral  
2474 that is not a parallelogram. Explain why the second one is not a parallelogram.
  - Cut two paper squares diagonally to create four congruent right triangles. Then,  
2475 using the four triangles, how many different shapes can you make? We will use the  
2476 rule that touching sides must be the same length. Draw each shape you made, and  
2477 be ready to share and explain your thinking.  
2478

- 2479 ● On a page, using a straight edge, draw five lines, no two of which may be parallel.  
2480 Convince your partner that your drawing matches the requirements (Sullivan and  
2481 Lilburn, 2002).
- 2482 ● I drew a shape with four sides but none of the four sides were the same length.  
2483 Draw what my shape might have looked like (Sullivan and Lilburn, 2002, 81).  
2484 Afterward, compare your shape with your partner's.
- 2485 ● A shape is made of two smaller shapes that are the same shape and the same size  
2486 and that are not rectangles. What might the larger shape look like (Sullivan and  
2487 Lilburn, 2002, 83)? Convince your group members that your shape fits the  
2488 requirements. How many different shapes did your group find? How can we know if  
2489 others are possible?

2490 When fifth grade students organize two-dimensional shapes in a hierarchical structure,  
2491 they are demonstrating the informal deduction stage of growth. At higher grade levels,  
2492 students move to formal deduction and rigor.

2493 The concepts of perimeter and area as well as the operations of multiplication and  
2494 division and are pivotal concepts in grades three to five. The third-grade vignette,  
2495 [\*Santikone Builds Rectangles to Find Area\*](#) illustrates how lessons that integrate multiple  
2496 concepts in a meaningful context are more effective than addressing single concepts in  
2497 isolation.

## 2498 **The Big Ideas, Grades Three Through Five**


2499 As noted earlier, the foundational mathematics content, or big ideas, across transitional  
2500 kindergarten through grade twelve progresses in accordance with the CA CCSSM  
2501 principles of focus, coherence, and rigor. As students explore and investigate the big  
2502 ideas, they will engage with many content standards and come to understand the  
2503 connections between and among them.

2504 Each grade-specific big-idea figure that follows (figures 6.52, 6.54, and 6.56) shows the  
2505 ideas as colored circles of varying sizes. A circle's size indicates the relative importance  
2506 of the idea it represents, as determined by the number of connections that particular

2507 idea has with other ideas. Big ideas are considered connected to one another when  
2508 they enfold two or more of the same standards; the greater the number of standards  
2509 one big idea shares with other big ideas, collectively, the more connected and important  
2510 the idea is considered to be.

2511 Circle colors correspond to colors used in the big-ideas column of the figure that  
2512 immediately follows each big-idea figure. These second figures (figures 6.53, 6.55, and  
2513 6.57) reiterate the grade-specific big ideas and, for each idea, show associated content  
2514 connections and content standards, as well as providing some detail on how content  
2515 standards can be addressed in the context of the CCs described in this framework.

2516 Figure 6.52 Grade Three Big Ideas



2517


2518 [Long description of figure 6.52](#)

2519 Figure 6.53 Grade Three Content Connections, Big Ideas, and Content Standards

Content Connections	Big Ideas	Grade Three Content Standards
Reasoning with Data	<b>Represent Multivariable Data</b>	<b>MD.3, MD.4, MD.1, MD.2, NBT.1:</b> Collect data and organize data sets, including measurement data; read and create bar graphs and pictographs to scale. Consider data sets that include three or more categories (multivariable data) for example, when I interact with my puppy, I either call her name, pet her, or give her a treat.
Reasoning with Data and Taking Wholes Apart, Putting Parts Together and Discovering Shape and Space	<b>Fractions of Shape and Time</b>	<b>MD.1, NF.1, NF.2, NF.3, G.2:</b> Collect data by time of day, show time using a data visualization. Think about fractions of time and of shape and space, expressing the base unit as a unit fraction of the whole.
Reasoning with Data	<b>Measuring</b>	<b>MD.2, MD.4, NBT.1:</b> Measure volume and mass, incorporating linear measures to draw and represent objects in two-dimensional space. Compare the measured objects, using line plots to display measurement data. Use rounding where appropriate.
Exploring Changing Quantities	<b>Addition and Subtraction Patterns</b>	<b>NBT.2, OA.8, OA.9, MD.1:</b> Add and subtract within 1000 - Using student generated strategies and models, such as base 10 blocks. e.g., use expanded notation to illustrate place value and justify results. Investigate patterns in addition and multiplication tables, and use operations and color coding to generalize and justify findings.
Exploring Changing Quantities	<b>Number Flexibility to 100</b>	<b>OA.1, OA.2, OA.3, OA.4, OA.5, OA.6, OA.7, OA.8, NBT.3, MD.7, NBT.1:</b> Multiply and divide within 100 and justify answers using arrays and student generated visual representations. Encourage number sense and number flexibility - not “blind” memorization of number facts. Use estimation and rounding in number problems.
Taking Wholes Apart, Putting Parts Together	<b>Square Tiles</b>	<b>MD.5, MD.6, MD.7, OA.7, NF.1:</b> Use square tiles to measure the area of shapes, finding an area of $n$ squared units, and learn that one square represents $1/n$ th of the total area.

Content Connections	Big Ideas	Grade Three Content Standards
Taking Wholes Apart, Putting Parts Together	<b>Fractions as Relationships</b>	<b>NF.1, NF.3:</b> Know that a fraction is a relationship between numerators and denominators – and it is important to consider the relationship in context. Understand why $1/2=2/4=3/6$ .
Taking Wholes Apart, Putting Parts Together and Discovering Shape and Space	<b>Unit Fraction Models</b>	<b>NF.2, NF.3, MD.1:</b> Compare unit fractions using different visual models including linear models (e.g., number lines, tape measures, time, and clocks) and area models (e.g., shape diagrams encourage student justification with visual models).
Discovering Shape and Space	<b>Analyze Quadrilaterals</b>	<b>MD.8, G.1, G.2, NBT.1, OA.8:</b> Describe, analyze, and compare quadrilaterals. Explore the ways that area and perimeter change as side lengths change, by modeling real world problems. Use rounding strategies to approximate lengths where appropriate.

2520 Figure 6.54 Grade Four Big Ideas



2521

2522 [Long description of figure 6.54](#)


2523 Figure 6.55 Grade Four Content Connections, Big Ideas, and Content Standards

Content Connections	Big Ideas	Grade Four Content Standards
Reasoning with Data	<b>Measuring and Plotting</b>	<b>MD.1, MD.4, NF.1, NF.2:</b> Collect data consisting of distance, intervals of time, volume, mass, or money. Read, interpret, and create line plots that communicate data stories where the line plot measurements consist of fractional units of measure. For example, create a line plot showing classroom or home objects measured to the nearest quarter inch.
Reasoning with Data	<b>Rectangle Investigations</b>	<b>MD1, MD2, MD3, MD5, MD6:</b> Investigate rectangles in the world, measuring lengths and angles, collecting the data, and displaying it using data visualizations.
Exploring Changing Quantities	<b>Number and Shape Patterns</b>	<b>OA.5, OA.1, OA.2, NBT.4:</b> Generalize number and shape patterns that follow a given rule. Communicate understanding of how the pattern changes in words, symbols, and diagrams - working with multi-digit numbers.



Content Connections	Big Ideas	Grade Four Content Standards
Exploring Changing Quantities	<b>Factors and Area Models</b>	<b>OA.1, OA.2, OA.4, NBT.5, NBT.6:</b> Break numbers inside of 100 into factors. Illustrate whole-number multiplication and division calculations as area models and rectangular arrays that illustrate factors.
Exploring Changing Quantities	<b>Multi-Digit Numbers</b>	<b>NBT.1, NBT.2, NBT.3, NBT.4, OA.1:</b> Read and write multi-digit whole numbers in expanded form and express each number component of the expanded form as a multiple of a power of ten.
Taking Wholes Apart, Putting Parts Together	<b>Fraction Flexibility</b>	<b>NF.3, NF.1, NF.4, NF.5, OA.1:</b> Understand that addition and subtraction of fractions as joining and separating parts that are referring to the same whole. Decompose fractions and mixed numbers into unit fractions and whole numbers, and express mixed numbers as a sum of unit fractions.
Taking Wholes Apart, Putting Parts Together	<b>Visual Fraction Models</b>	<b>NF.2, NF.1, NF.3, NF.5, NF.6, NF.7:</b> Use different ways of seeing and visualizing fractions to compare fractions using student generated visual fraction models. Use $>$ , $<$ and $=$ to compare fraction size, through linear and area models, and determine whether fractions are greater or less than benchmark numbers, such as $\frac{1}{2}$ and 1.
Taking Wholes Apart, Putting Parts Together and Discovering Shape and Space	<b>Circles, Fractions and Decimals</b>	<b>NF.5, NF.6, NF.7, OA.1. MD2, MD5, MD7:</b> Understand, compare, and visualize fractions expressed as decimals. Recognize fractions with denominators of 10 and 100, e.g., 25 cents can be written as 0.25 or 25/100. Connect a circle fraction model to the clock face. Example $\frac{3}{10} + \frac{4}{100} = \frac{30}{100} + \frac{4}{100} = \frac{34}{100}$
Discovering Shape and Space	<b>Shapes and Symmetries</b>	<b>MD.5, MD.6, MD.7, G.1, G.2, G.3, NBT.3, NBT.4,</b> Draw and identify shapes, looking at the relationships between rays, lines, and angles. Explore symmetry through folding activities.
Discovering Shape and Space	<b>Connected Problem Solving</b>	<b>OA.3, MD.1, MD.2, OA.2, MD.3, NBT.3 place value, NBT.4, NBT.5, NBT.6, OA.2, OA.3, G.3:</b> Solve problems with perimeter, area, volume, distance, and symmetry, using operations and measurement.

2524 Figure 6.56 Grade Five Big Ideas



2525

2526 [Long description of figure 6.56](#)

2527 Figure 6.57 Grade Five Content Connections, Big Ideas, and Content Standards

Content Connections	Big Ideas	Grade Five Content Standards
Reasoning with Data	<b>Plotting Patterns</b>	<b>G.1, G.2, OA.3, MD.2, NF.7:</b> Students generate and analyze patterns, plotting them on a line plot or coordinate plane, and use their graph to tell a story about the data. Some situations should include fraction and decimal measurements, such as a plant growing.
Reasoning with Data and Exploring Changing Quantities and Discovering Shape & Space	<b>Telling a Data Story</b>	<b>G.1, G.2, OA.3:</b> Understand a situation, graph the data to show patterns and relationships, and to help communicate the meaning of a real-world event.

Content Connections	Big Ideas	Grade Five Content Standards
Exploring Changing Quantities	<b>Factors and Groups</b>	<b>OA.1, OA.2, MD.4, MD.5:</b> Students use grouping symbols to express changing quantities and understand that a factor can represent the number of groups of the quantity.
Exploring Changing Quantities	<b>Modeling</b>	<b>NBT.3, NBT.5, NBT.7, NF.1, NF.2, NF.3, NF.4, NF.5, NF.6, NF.7, MD.4, MD.5, OA.3:</b> Set up a model and use whole, fraction, and decimal numbers and operations to solve a problem. Use concrete models and drawings and justify results.
Exploring Changing Quantities and Taking Wholes Apart, Putting Parts Together	<b>Fraction connections</b>	<b>NF.1, NF.2, NF.3, NF.4, NF.5, NF.7, MD.2, NBT.3:</b> Make and understand visual models, to show the effect of operations on fractions. Construct line plots from real data that include fractions of units.
Taking Wholes Apart, Putting Parts Together	<b>Seeing Division</b>	<b>MD.3, MD.4, MD.5, NBT.4, NBT.6, NBT.7:</b> Solve real problems that involve volume, area, and division, setting up models and creating visual representations. Some problems should include decimal numbers. Use rounding and estimation to check accuracy and justify results.
Taking Wholes Apart, Putting Parts Together	<b>Powers and Place Value</b>	<b>NBT.3, NBT.2, NBT.1, OA.1, OA.2:</b> Use whole-number exponents to represent powers of 10. Use expanded notation to write decimal numbers to the thousandths place and connect decimal notation to fractional representations, where the denominator can be expressed in powers of 10.
Discovering Shape and Space	<b>Layers of Cubes</b>	<b>MD.5, MD.4, MD.3, OA.1, MD.1:</b> Students recognize volume as an attribute of three-dimensional space. They understand that a 1-unit by 1-unit by 1-unit cube is the standard unit for measuring volume. They decompose three-dimensional shapes and find volumes of right rectangular prisms by viewing them as decomposed into layers of arrays of cubes.
Discovering Shape & Space and Exploring Changing Quantities	<b>Shapes on a Plane</b>	<b>G.1, G.2, G.3, G.4, OA.3, NF.4, NF.5, NF.6:</b> Graph 2-D shapes on a coordinate plane, notice and wonder about the properties of shapes, parallel and perpendicular lines, right angles, and equal length sides. Use tables to organize the coordinates of the vertices of the figures and study the changing quantities of the coordinates.

2529 **Transition from Transitional Kindergarten Through Grade**  
2530 **Five to Grades Six Through Eight**

2531 Preparation in the elementary grades is essential for students' continued development  
2532 in every area of math in middle school. This foundation for success can be discussed in  
2533 terms of the four Content Connections (around which chapter seven on the middle  
2534 grades is similarly organized):

2535

**Content Connections**

2536

1. Reasoning with Data

2537

2. Exploring Changing Quantities

2538

3. Taking Wholes Apart, Putting Parts Together

2539

4. Discovering Shape and Space

2540 **How Does Learning in Transitional Kindergarten Through Grade Five**  
2541 **Lead to Success in Grades Six Through Eight When Students Reason**  
2542 **with Data?**

2543 In the transitional kindergarten through grade five years, students make measurements  
2544 and gather, represent, and interpret data. They explore such information to see how  
2545 math is used. Engagement and understanding are enhanced when the question under  
2546 investigation is of interest and relevance to the students. The ability to analyze and  
2547 communicate meaning from data developed in the elementary years is essential to  
2548 students in grades six through eight as they focus on the importance of data as the  
2549 source of most mathematical situations that students will encounter in their lives.

2550 **How Does Learning in Transitional Kindergarten Through Grade Five**  
2551 **Lead to Success in Grades Six Through Eight When Students Are**  
2552 **Exploring Changing Quantities?**

2553 Students in grades six through eight extend their understanding of number types to the  
2554 set of rational numbers, which includes whole numbers, integers, fractions, and  
2555 decimals. They make connections among ratios, rates, and percentages, and use

2556 proportional reasoning to solve authentic problems. Whole number foundations are  
2557 established in the primary grades, and fraction and decimal ideas are key elements of  
2558 math in grades three through five. In grades six through eight, students deepen their  
2559 understanding of fractions, especially division of fractions. When this concept is  
2560 introduced with meaning in grade five, it enables students to succeed in later work.

2561 Students in grades six through eight work extensively with expressions and equations,  
2562 and solve multi-step problems. This new content relies heavily on foundations  
2563 developed in the earliest grades. Understanding of equality is evident when a  
2564 kindergartener compares quantities of objects; a first or second grade student  
2565 expresses a statement of equality with objects, verbally or symbolically; and a third,  
2566 fourth, or fifth grade student finds and recognizes equivalent fractions or explains  
2567 equivalence between a decimal and fractional value.

2568 **How Does Learning in Transitional Kindergarten Through Grade Five**  
2569 **Lead to Success in Grades Six Through Eight When Students Are**  
2570 **Taking Numbers Apart, Putting Parts Together, Representing**  
2571 **Thinking, and Using Strategies?**

2572 Throughout transitional kindergarten through grade five, emphasis is placed on  
2573 students' using objects and drawings to illustrate their ways of solving problems,  
2574 describing their strategies verbally, and developing written methods that make sense  
2575 within the context of a particular problem. Connections among various representations  
2576 are an important feature of mathematical discourse, whether this occurs in a small  
2577 group or in a whole-class setting.

2578 In grades six through eight, students build their ability and inclination to see connections  
2579 between representations, and to base strategies on different representations in order to  
2580 gain insight into problem situations. Their efforts to make connections in younger grades  
2581 will support students as they build representations for, understanding of, and facility in  
2582 working with ratios, proportions, and percent, and for the new category of rational  
2583 number.

2584 **How Does Learning in Transitional Kindergarten Through Grade Five**  
2585 **Lead to Success in Grades Six Through Eight When Students Are**  
2586 **Discovering Shape and Space?**

2587 Developing mathematical tools to explore and understand the physical world should  
2588 continue to motivate explorations in shape and space. As in other areas of teaching and  
2589 learning math, maintaining connection to concrete situations and authentic questions is  
2590 crucial.

2591 In transitional kindergarten through grade five, students use basic shapes and spatial  
2592 reasoning to model objects in their environment to establish many foundational notions  
2593 of two- and three-dimensional geometry. They develop concepts of area, perimeter,  
2594 angle measure, and volume. Shape and space work in grades six through eight is  
2595 largely about connecting these notions to each other, to students' lives, and to other  
2596 areas of mathematics.

2597 Developing mathematics for true understanding in transitional kindergarten through  
2598 grade five is pivotal. Students who experience meaningful mathematics that makes  
2599 sense to them during the elementary grades will be well prepared to increase their  
2600 mathematical understanding as they advance through middle school and high school.

2601 **Conclusion**

2602 This chapter envisions investigating and connecting the big ideas of mathematics in  
2603 transitional kindergarten through grade five as a vibrant, interactive, student-centered  
2604 endeavor. In an environment rich with opportunities for discourse and meaningful  
2605 mathematics activities, curiosity and reasoning skills are nourished, and both teachers  
2606 and students see themselves as thinkers and doers of mathematics. Careful discussion  
2607 of mathematical ideas supports all learners, particularly students who are English  
2608 learners, as they acquire the language of mathematics. It is important to note that  
2609 English learner students need additional support to develop the language necessary  
2610 both to comprehend content and to express their ideas and understanding. Children  
2611 experience enormous growth in maturity, reasoning, and conceptual understanding in  
2612 the span of years from transitional kindergarten through fifth grade. Students who enter

2613 grade six viewing themselves as mathematically capable and who have gained an  
 2614 understanding of elementary mathematics are positioned for success in the middle  
 2615 school years. They will be empowered to make choices that will affect all their future  
 2616 mathematics, throughout their school years and beyond.

2617 **Long Descriptions for Chapter Six**

2618 **Figure 6.1 The *Why, How* and *What* of Learning Mathematics**  
 2619 **(accessible version)**

<b>Why Drivers of Investigation</b>	<b>How Standards for Mathematical Practice</b>	<b>What Content Connections</b>
<p>In order to...</p> <p>DI1. Make Sense of the World (Understand and Explain)            DI2. Predict What Could Happen (Predict)            DI3. Impact the Future (Affect)</p>	<p>Students will...</p> <p>SMP1. Make Sense of Problems and Persevere in Solving them            SMP2. Reason Abstractly and Quantitatively            SMP3. Construct Viable Arguments and Critique the Reasoning of Others            SMP4. Model with Mathematics            SMP5. Use Appropriate Tools Strategically            SMP6. Attend to Precision            SMP7. Look for and Make Use of Structure            SMP8. Look for and Express Regularity in Repeated Reasoning</p>	<p>While...</p> <p>CC1. Communicating Stories with Data            CC2. Exploring Changing Quantities            CC3. Taking Wholes Apart, Putting Parts Together            CC4. Discovering Shape and Space</p>

2620 [Return to figure 6.1 graphic](#)

2621 **Figure 6.2 Content Connections, Mathematical Practices, and Drivers**  
2622 **of Investigation**

2623 A spiral graphic shows how the Drivers of Investigation (DIs), Standards for  
2624 Mathematical Practice (SMPs) and Content Connections (CCs) interact. The DIs are  
2625 listed under “In order to...”: Make Sense of the World (Understand and Explain); Predict  
2626 What Could Happen (Predict); Impact the Future (Affect). The SMPs are listed under  
2627 “Students will...”: Make sense of problems and persevere in solving them; Reason  
2628 abstractly and quantitatively; Construct viable arguments and critique the reasoning of  
2629 others; Model with mathematics; Use appropriate tools strategically; Attend to precision;  
2630 Look for and make use of structure; Look for and express regularity in repeated  
2631 reasoning. Finally, the CCs are listed under, “While...”: Communicating Stories with  
2632 Data; Exploring Changing Quantities; Taking Wholes Apart, Putting Parts Together;  
2633 Discovering Shape and Space. [Return to figure 6.2 graphic](#)

2634 **Figure 6.8 Transitional Kindergarten Big Ideas**

2635 The graphic illustrates the connections and relationships of some transitional-  
2636 kindergarten mathematics concepts. Direct connections include:

- 2637 • Look for Patterns directly connects to: Create Patterns, Count to 10, Measure &  
2638 Order, See & Use Shapes, Make & Measure Shapes
- 2639 • Make & Measure Shapes directly connects to: Look for Patterns, Create  
2640 Patterns, Measure & Order, Shapes in Space, See & Use Shapes
- 2641 • See & Use Shapes directly connects to: Make & Measure Shapes, Look for  
2642 Patterns, Measure & Order, Create Patterns, Count to 10, Shapes in Space
- 2643 • Shapes in Space directly connects to: See & Use Shapes, Make & Measure  
2644 Shapes, Measure & Order, Create Patterns, Count to 10
- 2645 • Count to 10 directly connects to: Shapes in Space, See & Use Shapes, Measure  
2646 & Order, Look for Patterns



- 2647 • Create Patterns directly connects to: Look for Patterns, Make & Measure
- 2648 Shapes, See & Use Shapes, Measure & Order, Shapes in Space
- 2649 • Measure & Order directly connects to: Look for Patterns, Make & Measure
- 2650 Shapes, See & Use Shapes, Shapes in Space, Count to 10, Create Patterns.
- 2651 [Return to figure 6.8 graphic](#)

## 2652 **Figure 6.10 Kindergarten Big Ideas**

2653 The graphic illustrates the connections and relationships of some kindergarten  
2654 mathematics concepts. Direct connections include the following:

- 2655 • *How many* directly connects to: Being flexible within 10, Shapes in the World,
- 2656 Sort and Describe Data, Bigger or Equal, Place and Position of Numbers
- 2657 • Model with Numbers directly connects to: Being flexible within 10, Sort and
- 2658 Describe Data, Place and Position of Numbers
- 2659 • Being Flexible within 10 directly connects to: Model with Numbers, How Many,
- 2660 Making Shapes from Parts, Shapes in the World
- 2661 • Shapes in the World directly connects to: Being flexible within 10, How Many,
- 2662 Sort and Describe Data, Bigger or Equal, Making Shapes from Parts
- 2663 • Making Shapes from Parts directly connects to: Shapes in the World, Being
- 2664 flexible within 10, Sort and Describe Data, Bigger or Equal
- 2665 • Bigger or Equal directly connects to: Making Shapes from Parts, Shapes in the
- 2666 World, Sort and Describe Data, How Many
- 2667 • Place and Position of Numbers directly connects to: How Many, Model with
- 2668 Numbers, Sort and Describe Data
- 2669 • Sort and Describe Data directly connects to: How Many, Model with Numbers,
- 2670 Shapes in the World, Making Shapes from Parts, Bigger or Equal, Place and
- 2671 Position of Numbers. [Return to figure 6.10 graphic](#)

2672 **Figure 6.12: Grade One Big Ideas**

2673 The graphic illustrates the connections and relationships of some first-grade  
2674 mathematics concepts. Direct connections include the following:

- 2675 • Clocks & Time directly connects to: Equal Parts Inside Shapes, Reasoning About  
2676 Equality, Make Sense of Data, Tens & Ones
- 2677 • Equal Expressions directly connects to: Reasoning About Equality, Make Sense  
2678 of Data, Tens & Ones, Measuring with Objects
- 2679 • Reasoning About Equality directly connects to: Equal Expressions, Clocks &  
2680 Time, Make Sense of Data, Tens & Ones
- 2681 • Tens & Ones directly connects to: Reasoning About Equality, Make Sense of  
2682 Data, Equal Expressions, Clocks & Time
- 2683 • Measuring with Objects directly connects to: Equal Expressions, Make Sense of  
2684 Data
- 2685 • Equal Parts Inside Shapes directly connects to: Clocks & Time, Make Sense of  
2686 Data
- 2687 • Make Sense of Data directly connects to: Reasoning About Equality, Tens &  
2688 Ones, Measuring with Objects, Clocks & Time, Equal Expressions, Equal Parts  
2689 Inside Shapes. [Return to figure 6.12 graphic](#)

2690 **Figure 6.14 Grade Two Big Ideas**

2691 The graphic illustrates the connections and relationships of some second-grade  
2692 mathematics concepts. Direct connections include the following:

- 2693 • Dollars & Cents directly connects to: Problems Solving with Measure, Skip  
2694 Counting to 100, Number Strategies, Represent Data
- 2695 • Problems Solving with Measure directly connects to: Skip Counting to 100,  
2696 Number Strategies, Represent Data, Measure and Compare Objects, Dollars &  
2697 Cents

- 2698 • Skip Counting to 100 directly connects to: Number Strategies, Seeing Fractions
- 2699 in Shapes, Squares in an Array, Represent Data, Dollars & Cents, Problems
- 2700 Solving with Measure
  
- 2701 • Number Strategies directly connects to: Skip Counting to 100, Problems Solving
- 2702 with Measure, Dollars & Cents, Represent Data
  
- 2703 • Seeing Fractions in Shapes directly connects to: Skip Counting to 100,
- 2704 Represent Data, Squares in an Array
  
- 2705 • Squares in an Array directly connects to: Seeing Fractions in Shapes, Skip
- 2706 Counting to 100, Represent Data, Measure and Compare Objects
  
- 2707 • Measure and Compare Objects directly connects to: Squares in an Array,
- 2708 Represent Data, Problems Solving with Measure
  
- 2709 • Represent Data directly connects to: Measure and Compare Objects, Dollar &
- 2710 Cents, Problems Solving with Measure, Skip Counting to 100, Number
- 2711 Strategies, Seeing Fractions in Shapes, Squares in an Array. [Return to figure](#)
- 2712 [6.14 graphic](#)

2713 **Figure 6.45 Model for Finding Part of a Part**

2714 Model for Finding Part of a Part – Example 1 is on the left. A rectangle is divided

2715 vertically into 3 equal parts. The two parts on the right are marked with an indicator.

2716 Example 2 is on the right. The same rectangle is divided vertically into 3 equal parts and

2717 horizontally into 4 equal parts. The two rightmost vertical parts and the three uppermost

2718 horizontal parts are marked with indicators and shaded. [Return to figure 6.45 graphic](#)

2719 **Figure 6.52 Grade Three Big Ideas**

2720 The graphic illustrates the connections and relationships of some third-grade

2721 mathematics concepts. Direct connections include the following:

- 2722 • Fractions of Shape & Time directly connects to: Square Tiles, Fractions as
- 2723 Relationships, Unit Fractions Models, Represent Multivariable Data

- 2724 • Measuring directly connects to: Number Flexibility to 100, Analyze Quadrilaterals,  
2725 Represent Multivariable Data
- 2726 • Addition and Subtraction Patterns directly connects to: Number Flexibility to 100,  
2727 Unit Fraction Models, Analyze Quadrilaterals, Represent Multivariable Data
- 2728 • Square Tiles directly connects to: Fractions as Relationships, Number Flexibility  
2729 to 100, Fractions of Shape & Time
- 2730 • Fractions as Relationships directly connects to: Square Tiles, Fractions of Shape  
2731 & Time, Unit Fraction Models
- 2732 • Unit Fraction Models directly connects to: Fractions as Relationships, Addition  
2733 and Subtraction Patterns, Fractions of Shape & Time, Represent Multivariable  
2734 Data
- 2735 • Analyze Quadrilaterals directly connects to: Number Flexibility to 100, Addition  
2736 and Subtraction Patterns, Measuring
- 2737 • Represent Multivariable Data directly connects to: Unit Fraction Models, Number  
2738 Flexibility to 100, Addition and Subtraction Patterns, Measuring, Fractions of  
2739 Shape & Time
- 2740 • Number Flexibility to 100 directly connects to: Square Tiles, Analyze  
2741 Quadrilaterals, Represent Multivariable Data, Measuring, Addition and  
2742 Subtraction Patterns. [Return to figure 6.52 graphic](#)

2743 **Figure 6.54 Grade Four Big Ideas**

2744 The graphic illustrates the connections and relationships of some fourth-grade  
2745 mathematics concepts. Direct connections include the following:

- 2746 • Number & Shape Patterns directly connects to: Shapes & Symmetries,  
2747 Connected Problem Solving, Circles Fractions & Decimals, Factors & Area  
2748 Models, Fraction Flexibility, Multi-Digit Numbers

- 2749 • Shapes & Symmetries directly connects to: Connected Problem Solving, Circles
- 2750 Fractions & Decimals, Multi-Digit Numbers, Number & Shape Patterns
  
- 2751 • Rectangle Investigations directly connects to: Connected Problem Solving,
- 2752 Measuring & Plotting, Circles Fractions & Decimals
  
- 2753 • Connected Problem Solving directly connects to: Rectangle Investigations,
- 2754 Shapes & Symmetries, Number & Shapes Patterns, Multi-Digit Numbers, Circles
- 2755 Fractions & Decimals, Factors & Area Models, Measuring & Plotting
  
- 2756 • Measuring & Plotting directly connects to: Connected Problem Solving,
- 2757 Rectangle Investigations, Visual Fraction Models
  
- 2758 • Visual Fraction Models directly connects to: Measuring & Plotting, Circles
- 2759 Fractions & Decimals, Fraction Flexibility
  
- 2760 • Factors & Area Models directly connects to: Connected Problem Solving, Circles
- 2761 Fractions & Decimals, Number & Shape Patterns, Multi-Digit Numbers, Fraction
- 2762 Flexibility
  
- 2763 • Fraction Flexibility directly connects to: Factors & Area Models, Circles Fractions
- 2764 & Decimals, Number & Shape Patterns, Multi-Digit Numbers
  
- 2765 • Multi-Digit Numbers directly connects to: Number & Shape Patterns, Shapes &
- 2766 Symmetries, Connected Problem Solving, Circles Fractions & Decimals, Factors
- 2767 & Area Models, Fraction Flexibility
  
- 2768 • Circles Fractions & Decimals directly connects to: Multi-Digit Numbers, Number
- 2769 & Shape Patterns, Shapes & Symmetries, Rectangle Investigations, Connected
- 2770 Problem Solving, Visual Fraction Models, Factors & Area Models, Fraction
- 2771 Flexibility. [Return to figure 6.54 graphic](#)

2772 **Figure 6.56 Grade Five Big Ideas**

2773 The graphic illustrates the connections and relationships of some fifth-grade  
2774 mathematics concepts. Direct connections include the following:

- 2775 • Factors & Groups directly connects to: Powers & Place Values, Layers of Cubes,  
2776 Modeling, Seeing Division
- 2777 • Shapes on a Plane directly connects to: Telling a Data Story, Modeling, Plotting  
2778 Patterns
- 2779 • Powers & Place Value directly connects to: Layers of Cubes, Fraction  
2780 Connections, Modeling, Factors & Groups
- 2781 • Layers of Cubes directly connects to: Powers & Place Value, Factors & Groups,  
2782 Modeling, Seeing Division
- 2783 • Telling a Data Story directly connects to: Shapes on a Plane, Modeling, Plotting  
2784 Patterns
- 2785 • Seeing Division directly connects to: Layers of Cubes, Modeling, Factors &  
2786 Groups
- 2787 • Plotting Patterns directly connects to: Telling a Data Story, Modeling, Fraction  
2788 Connections, Shapes on a Plane
- 2789 • Fraction Connections directly connects to: Powers & Place Value, Modeling,  
2790 Plotting Patterns
- 2791 • Modeling directly connects to: Plotting Patterns, Factors & Groups, Shapes on a  
2792 Plane, Powers & Place Value, Fraction Connections, Layers of Cubes, Telling a  
2793 Data Story, Seeing Division. [Return to figure 6.56 graphic](#)